
12N TAMMS – EARTHWORKS/ SURVEYING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://12ntammsearthworkssurveying.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does OMC stand for in relation to soil moisture content?

A. Optimum Moisture Content

B. Organic Material Component

C. Over-water Management Control

D. Other Material Composition

2. What does a soil profile represent?

A. A hierarchy of soil types across an area

B. A vertical section through the soil layers showing composition and texture

C. A survey of soil moisture levels

D. A map of soil distribution in a region

3. What type of soil passes the No. 40 sieve and is retained on the No. 200 sieve?

A. Clay

B. Fine sand

C. Coarse gravel

D. Organic soil

4. What does a "cut line" indicate on a grading plan?

A. The area where soil must be compacted

B. The line where earth will be excavated

C. The boundary of a construction site

D. The level of soil required for planting

5. Which tool is typically used for checking rough grade over a distance of up to 50 feet?

A. Hand level

B. Dumpy level

C. Laser level

D. Clinometer

SAMPLE

6. What is a boundary marker used for?

A. To indicate historical property lines

B. To show the location of easements

C. To denote property lines

D. To specify land usage

7. Which soil compaction method effectively uses vibrations?

A. Sheep foot roller

B. Vibratory roller

C. Steel-wheel roller

D. Smooth Drum Roller

8. What type of roller is most effective on black top surfaces and road bases?

A. Steel-wheel roller

B. Vibratory roller

C. Smooth Drum Roller

D. Sheep foot roller

9. Which of the following describes "earthmoving" equipment?

A. Tools for landscaping small areas

B. Machines designed for moving large amounts of earth

C. Equipment for compacting soil

D. Devices for measuring land elevation

10. Which of the following would not affect the determination of slope gradient?

A. The method of measurement

B. The angle of the slope

C. The surrounding vegetation

D. The vertical rise and horizontal run

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. A
6. C
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What does OMC stand for in relation to soil moisture content?

A. Optimum Moisture Content

B. Organic Material Component

C. Over-water Management Control

D. Other Material Composition

OMC stands for Optimum Moisture Content, which is a critical concept in soil mechanics and earthworks. This term refers to the specific moisture level in soil that results in the best compaction and strength characteristics. When soil is at its optimum moisture content, it typically reaches maximum density when compacted. This moisture level is essential for construction and earthmoving projects, as it ensures that the soil can achieve adequate strength and stability to support structures. Understanding OMC is vital for engineers and construction professionals because it influences the choice of soil for grading, backfilling, and other site preparation activities. By maintaining soil moisture at this optimal level during construction, practitioners can avoid issues such as excessive settlement or instability in the built environment.

2. What does a soil profile represent?

A. A hierarchy of soil types across an area

B. A vertical section through the soil layers showing composition and texture

C. A survey of soil moisture levels

D. A map of soil distribution in a region

A soil profile is a crucial concept in soil science, representing a vertical section through the various layers of soil, known as horizons. Each layer in the profile has distinct characteristics, including composition, texture, color, and structure, that reveal the complex processes of soil formation and development. By examining a soil profile, one can gain valuable insights into the soil's fertility, drainage capacity, and overall health, which are essential for agricultural practices, land management, and environmental assessments. Understanding the specific composition and texture of each layer allows for the assessment of how different soils interact with water and nutrients, influencing plant growth and ecosystem dynamics. This depth of detail is not provided by surface observations or mapping approaches, making the soil profile a foundational element in soil study and management.

3. What type of soil passes the No. 40 sieve and is retained on the No. 200 sieve?

A. Clay

B. Fine sand

C. Coarse gravel

D. Organic soil

The soil that passes through the No. 40 sieve and is retained on the No. 200 sieve is classified as fine sand. The No. 40 sieve has openings that correspond to a specific mesh size, allowing finer particles to pass through while catching larger ones. Fine sand typically consists of particles that are too small to be retained by the No. 40 sieve but are still larger than those that would pass through the No. 200 sieve. This specific retention and passing characteristic is critical in understanding soil classification and behavior in various engineering and construction applications. Fine sand's unique particle size provides it with particular physical properties that impact drainage, compaction, and stability when used in earthworks and construction projects. Knowing the classification of soil based on sieve analysis helps engineers and surveyors make informed decisions regarding site preparation, foundation design, and material selection. In contrast, soil types like clay, coarse gravel, and organic soil have distinctly different particle size distributions that do not fit the criteria described for passing the No. 40 sieve while being retained on the No. 200 sieve. Clay particles are much smaller and would pass both sieves, coarse gravel contains much larger particles that would not pass the No. 40 sieve at all, and organic soil

SAMPLE

4. What does a "cut line" indicate on a grading plan?

A. The area where soil must be compacted

B. The line where earth will be excavated

C. The boundary of a construction site

D. The level of soil required for planting

A "cut line" on a grading plan indicates the specific area where earth will be excavated. In civil engineering and earthworks, grading plans are utilized to show how the land will be modified for construction, landscaping, or other purposes. The cut line delineates the boundaries of material that needs to be removed from the site to achieve the desired finished elevation. Understanding this helps engineers and contractors know precisely where excavation will take place, ensuring that the project meets specified design elevations and contours. In contrast, the other options do not accurately describe the function of a cut line. Compacted areas refer to soil that has been compressed to increase its density, which is unrelated to the excavation process. The boundary of a construction site pertains to the limits of where construction activities can occur, which is different from indicating excavation areas. Finally, the level of soil required for planting focuses on how soil is prepared for vegetation, rather than the specifics of excavation delineations in grading plans.

5. Which tool is typically used for checking rough grade over a distance of up to 50 feet?

A. Hand level

B. Dumpy level

C. Laser level

D. Clinometer

The hand level is a simple and effective tool designed for checking rough grades over relatively short distances, typically up to about 50 feet. It consists of a small level vial mounted on a straightedge or a similar frame, allowing the user to determine if a surface is level by looking through the level vial. This tool is particularly useful for basic grading tasks, where the precision of more advanced equipment is not necessary. In contrast, the dumpy level and laser level are better suited for more precise leveling over longer distances and require setups that may not be practical for quick rough checks in tight spaces. A dumpy level, for example, is a more complex instrument that involves leveling using a tripod and is designed for surveying tasks where accuracy is critical over larger areas. The laser level provides a continuous beam of light to determine level and is excellent for long distances but may be overkill for a quick rough grade check. The clinometer is primarily used to measure angles of elevation or depression and is not designed for leveling surfaces, making it unsuitable for checking rough grades. Using a hand level makes it an efficient choice for straightforward tasks where the goal is to quickly determine a general level rather than achieve precise measurements.

6. What is a boundary marker used for?

A. To indicate historical property lines

B. To show the location of easements

C. To denote property lines

D. To specify land usage

A boundary marker is specifically used to denote property lines. This functionality makes it a crucial component in land surveying and property development, as it provides a clear and precise indication of the boundaries of a parcel of land. Properly placed boundary markers ensure that landowners are aware of their limits, thereby preventing disputes over property lines. While boundary markers can sometimes indirectly relate to historical property lines, easements, or land usage, their primary and most important role is to clearly and accurately represent the delineation of property ownership. This fundamental purpose differentiates them from other types of markers or surveying tools that may serve different functions in land management and legal descriptions.

SAMPLE

7. Which soil compaction method effectively uses vibrations?

A. Sheep foot roller

B. Vibratory roller

C. Steel-wheel roller

D. Smooth Drum Roller

The vibratory roller is specifically designed to utilize vibrations for soil compaction. This method involves the use of eccentric weights that create rapid oscillations, which increases the soil's density by allowing the particles to rearrange and settle closer together. As the vibratory roller moves over the surface, the vibrations penetrate the soil and help to reduce air voids, resulting in a denser compacted layer. In contrast, other methods like the sheep foot roller are more focused on kneading and pressing the soil rather than employing vibrations. Sheep foot rollers have protruding feet that create pressure to compact the soil, but do not inherently use vibratory action. Steel-wheel rollers and smooth drum rollers also rely on static weight and the smooth surface area to provide compaction, which, while effective for certain applications, does not incorporate vibration for enhancing compaction effectiveness. Hence, the vibratory roller stands out as the method that effectively uses vibrations, making it a preferred choice for higher efficiency in compacting various types of soil.

8. What type of roller is most effective on black top surfaces and road bases?

A. Steel-wheel roller

B. Vibratory roller

C. Smooth Drum Roller

D. Sheep foot roller

A smooth drum roller is particularly effective on blacktop surfaces and road bases due to its design and operational capabilities. The smooth, heavy drum provides excellent compaction on asphalt and granular materials, allowing for a tight, well-finished surface. This type of roller applies a uniform weight across a wide area, ensuring that the asphalt is compacted evenly, which is crucial for road durability and performance. The smooth surface of the drum minimizes the risk of tearing or damaging the asphalt layer, making it ideal for final passes on newly laid surfaces. This roller's effectiveness is enhanced when working on blacktop surfaces because it applies static weight and the smooth surface does not disrupt the material significantly. In contrast, vibrating rollers may be better suited for initial compaction of granular materials but are less effective for achieving the finishing touch on asphalt as they can potentially lead to surface irregularities. Steel-wheel and sheep foot rollers are likewise suited for different applications, but they do not provide the same finish quality on asphalt as a smooth drum roller does.

SAMPLE

9. Which of the following describes "earthmoving" equipment?

A. Tools for landscaping small areas

B. Machines designed for moving large amounts of earth

C. Equipment for compacting soil

D. Devices for measuring land elevation

"Earthmoving" equipment is specifically designed for the purpose of moving substantial quantities of earth, whether it be for grading, excavating, or filling in construction and landscaping projects. This equipment includes items such as bulldozers, excavators, and backhoes, which are all capable of handling large volumes of soil, rock, and other earth materials efficiently. In contrast, while tools for landscaping small areas focus on precision and detail rather than volume, the correct definition emphasizes the capability to manage large-scale movements of earth. Similarly, equipment dedicated solely to compacting soil serves a different function, as it is aimed at increasing soil density rather than transporting it. Lastly, devices used for measuring land elevation, such as levels or theodolites, provide information about terrain height but do not engage in the physical act of moving earth. Thus, the emphasis on the capacity for significant earth movement makes the second option the appropriate choice when describing "earthmoving" equipment.

10. Which of the following would not affect the determination of slope gradient?

A. The method of measurement

B. The angle of the slope

C. The surrounding vegetation

D. The vertical rise and horizontal run

The determination of slope gradient is primarily influenced by quantitative measurements and geometric relationships. The vertical rise and horizontal run are crucial elements; they directly define how steep a slope is. The angle of the slope is also essential, as slope gradient is essentially a function of this angle. The method of measurement pertains to the techniques used to quantify the slope, which can also impact the accuracy of the slope calculation. In contrast, surrounding vegetation does not technically impact the actual measurement or calculation of the slope gradient itself. While vegetation may affect stability, water runoff, and other environmental factors related to slopes, it does not alter the fundamental geometric relationship or the calculations needed to determine the slope gradient. Thus, it would not be a factor in the direct measurements of slope or angle, making it the choice that does not influence the determination of slope gradient.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://12ntammsearthworkssurveying.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE