
310T TRUCK AND COACH TECHNICIAN CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://310ttruckcoachtechnician.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What would indicate that the bleeding procedure of a hydraulic brake system has been completed?

A. The brake pedal application height is correct

B. The brake pedal will "pump-up" to a solid feel

C. The fluid level in the master cylinder stops dropping

D. The fluid escaping at the wheel cylinder runs clear

2. What should be done before installing spark plugs?

A. Measure the reach.

B. Check the heat range.

C. Adjust the electrode gap.

D. Torque to specifications.

3. What component is likely leaking if engine oil is discovered in the coolant?

A. Injector cups.

B. Oil cooler core.

C. After cooler core.

D. Cylinder liner O-rings.

4. What might indicate a malfunction in the air compressor governor?

A. Compressor continually builds pressure

B. Low air pressure in tanks

C. Rapid fluctuations in pressure

D. Excessive noise while running

5. What indicates excessive jouncing when a truck travels over rough terrain?

A. Worn spring pins.

B. Worn shock absorbers.

C. Worn torque arm bushings.

D. Weak or broken leaf springs.

SAMPLE

6. What must be done when installing a countershaft that is supported with tapered roller bearings?

A. Measure and set shaft endplay.

B. Check and adjust rolling torque.

C. Measure countershaft gear clearance.

D. Measure reverse idler gear clearance.

7. In vehicle maintenance, what is a critical aspect of checking frame integrity?

A. Routine washing of frame.

B. Measuring structural thickness.

C. Ensuring correct tow load.

D. Inspecting for breaks or cracks.

8. What must be done daily with an air brake equipped unit?

A. Drain air tanks

B. Adjust the brakes

C. Pressure test the compressor

D. Rotate the slack adjusters

9. What is the purpose of referring to Technical Service Bulletins?

A. For general maintenance practices.

B. To identify recurring problems.

C. For supplier contacts.

D. To track repair costs.

10. What is a common cause of a failed cylinder head gasket?

A. Rolled liner O-rings.

B. Cracked cylinder head.

C. Insufficient liner height.

D. Turbocharger waste-gate stuck open.

SAMPLE

Answers

SAMPLE

1. D
2. C
3. B
4. A
5. B
6. A
7. D
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What would indicate that the bleeding procedure of a hydraulic brake system has been completed?

A. The brake pedal application height is correct

B. The brake pedal will "pump-up" to a solid feel

C. The fluid level in the master cylinder stops dropping

D. The fluid escaping at the wheel cylinder runs clear

The completion of the bleeding procedure in a hydraulic brake system is indicated by the fluid escaping at the wheel cylinder running clear. This means that any air that was present in the brake line has been purged, and only clean brake fluid is now flowing from the system. Air trapped in the brake lines can lead to a spongy or ineffective brake pedal, as air compresses more readily than fluid, which can cause reduced braking performance. Therefore, when the fluid running out is clear, it demonstrates that the system is free from air bubbles and contaminants, ensuring optimal brake function. While other options may suggest specific attributes of a brake system, such as the height of the brake pedal or a solid feel to the pedal after pumping, those factors could also be influenced by other issues unrelated to proper bleeding. The critical confirmation that the bleeding process is successful is the observation of clear fluid being expelled, which provides direct evidence of air removal from the hydraulic system.

2. What should be done before installing spark plugs?

A. Measure the reach.

B. Check the heat range.

C. Adjust the electrode gap.

D. Torque to specifications.

Before installing spark plugs, adjusting the electrode gap is a critical step. The correct gap is essential for the spark plug to ignite the air-fuel mixture efficiently and to ensure proper engine performance. If the gap is too wide or too narrow, it can lead to poor ignition, misfires, and increased fuel consumption. Measuring the reach, checking the heat range, and torquing to specifications are all important aspects of spark plug installation, but they are typically performed after ensuring that the electrode gap is set correctly. The gap should align with the manufacturer's specifications to optimize the spark plug's performance within the engine. Addressing the gap first lays the foundation for proper installation and functionality.

3. What component is likely leaking if engine oil is discovered in the coolant?

A. Injector cups.

B. Oil cooler core.

C. After cooler core.

D. Cylinder liner O-rings.

When engine oil is discovered in the coolant, it is most commonly indicative of a failure in the oil cooler core. The oil cooler is responsible for maintaining proper operating temperatures for engine oil and is typically located somewhere in the coolant circuit. If this component develops a breach, it can result in direct contamination, allowing oil to mix with the coolant. This is a serious issue, as the mingling of these two fluids can lead to significant engine performance problems, overheating, and, in severe cases, engine damage. The other components mentioned, such as injector cups, after cooler cores, and cylinder liner O-rings, typically have different functions or are linked to different types of fluid leaks. Injector cups primarily deal with fuel system integrity, after cooler cores relate to charge air cooling rather than oil, and cylinder liner O-rings are more associated with coolant and combustion chamber seal integrity, affecting engine compression rather than oil flow. Thus, the presence of engine oil in coolant strongly suggests a failure in the oil cooler core rather than issues related to these other components.

SAMPLE

4. What might indicate a malfunction in the air compressor governor?

A. Compressor continually builds pressure

B. Low air pressure in tanks

C. Rapid fluctuations in pressure

D. Excessive noise while running

A malfunction in the air compressor governor typically manifests in the way the air pressure is managed and maintained within the system. When the air compressor continually builds pressure without stopping, it suggests that the governor is unable to properly regulate the pressure. The governor's primary function is to monitor the air pressure in the storage tanks and control the compressor's operation by signaling it to stop when adequate pressure is reached and to start when pressure drops. In this scenario, the excessive and unregulated buildup of pressure indicates that the governor is stuck in a position that keeps allowing the compressor to run continuously. This can lead to increased risk of over-pressurization in the system, which can cause safety hazards or damage to components within the air system. The other mentioned indications, such as low air pressure in tanks, rapid fluctuations in pressure, or excessive noise while running, point to different potential issues within the air system rather than specifically identifying a governor malfunction.

5. What indicates excessive jouncing when a truck travels over rough terrain?

A. Worn spring pins.

B. Worn shock absorbers.

C. Worn torque arm bushings.

D. Weak or broken leaf springs.

Worn shock absorbers are a key indicator of excessive jouncing when a truck travels over rough terrain. Shock absorbers are designed to dampen the effects of bumps and irregularities in the road, providing a smoother ride by controlling the oscillations of the suspension system. When shock absorbers are worn, they lose their ability to absorb and dissipate energy effectively, leading to prolonged bouncing or jouncing of the vehicle as it travels over uneven surfaces. This excessive jouncing can result in poor handling, tire wear, and even damage to other suspension components because the vehicle is not adequately stabilized. Thus, observing a significant amount of jouncing behavior while navigating rough terrain is a clear sign that the shock absorbers need to be inspected and potentially replaced to restore proper vehicle control and comfort. While other components like worn spring pins, worn torque arm bushings, and weak or broken leaf springs may affect the overall suspension performance, they do not directly correlate with the symptom of excessive jouncing as clearly as worn shock absorbers do.

SAMPLE

6. What must be done when installing a countershaft that is supported with tapered roller bearings?

A. Measure and set shaft endplay.

B. Check and adjust rolling torque.

C. Measure countershaft gear clearance.

D. Measure reverse idler gear clearance.

When installing a countershaft that is supported with tapered roller bearings, it is essential to measure and set the shaft endplay. Tapered roller bearings are designed to accommodate axial and radial loads, but they require proper endplay adjustment to function correctly. Endplay refers to the allowable axial movement of the shaft within its housing. If the endplay is not set correctly, it can lead to various issues, such as excessive wear on the bearings, gear misalignment, or even failure of the bearing or shaft. To establish the correct endplay, the technician typically uses a dial indicator to measure the movement of the shaft in the axial direction once the bearings are installed. Achieving the correct endplay ensures that the bearings operate smoothly without binding, which is crucial for the longevity and reliability of the countershaft assembly. Proper adjustment also contributes to the overall efficiency of the drivetrain system by minimizing unnecessary friction and heat generation during operation.

7. In vehicle maintenance, what is a critical aspect of checking frame integrity?

A. Routine washing of frame.

B. Measuring structural thickness.

C. Ensuring correct tow load.

D. Inspecting for breaks or cracks.

The critical aspect of checking frame integrity involves inspecting for breaks or cracks. The frame of a vehicle serves as its structural backbone, providing support for various components and ensuring overall safety. Any breaks or cracks can compromise the strength of the frame, leading to dangerous conditions such as misalignment, increased wear on suspension components, or even catastrophic failure while driving. By inspecting for these defects, technicians can identify structural weaknesses that may lead to further damage or accidents. Regular checks are essential, especially in vehicles that may have been involved in accidents, experienced heavy loads, or undergone significant wear and tear. This preventative maintenance helps ensure that the vehicle remains safe to operate and maintains its performance standards. While washing the frame can remove dirt and debris, and measuring structural thickness might be relevant in some contexts, it is the identification of breaks or cracks that directly impacts the vehicle's safety and structural integrity. Ensuring the correct tow load is also important for vehicle performance, but it is not specifically focused on the integrity of the frame itself. Hence, inspecting for breaks or cracks is paramount in maintaining a vehicle's safety and reliability.

SAMPLE

8. What must be done daily with an air brake equipped unit?

A. Drain air tanks

B. Adjust the brakes

C. Pressure test the compressor

D. Rotate the slack adjusters

Draining air tanks daily is essential for maintaining the proper function of an air brake system. Over time, moisture and contaminants can accumulate in the air tanks, leading to issues such as corrosion, reduced braking effectiveness, and increased wear on brake system components. By regularly draining the air tanks, technicians can ensure that only dry, clean air is maintained in the system, which helps to prevent these problems and contributes to the overall safety and reliability of the vehicle. While adjusting brakes, pressure testing the compressor, and rotating slack adjusters are important maintenance tasks, they are not necessarily required on a daily basis. Routine checks and adjustments can be performed as part of a scheduled maintenance plan rather than through daily inspections. In contrast, draining the air tanks is a quick and crucial step that should be repeated each day to protect the air brake system from moisture-related issues.

9. What is the purpose of referring to Technical Service Bulletins?

A. For general maintenance practices.

B. To identify recurring problems.

C. For supplier contacts.

D. To track repair costs.

Referring to Technical Service Bulletins (TSBs) serves the primary purpose of identifying recurring problems that have been documented by vehicle manufacturers. TSBs provide detailed information on specific issues, including symptoms, troubleshooting steps, and recommended repairs or service procedures. This tool is invaluable for technicians because it allows them to be informed about common defects or service concerns that have been recognized across multiple units of the same vehicle make and model. By utilizing TSBs, a technician can save time in diagnosing problems, improve the accuracy of repairs, and enhance customer satisfaction by ensuring that known issues are addressed effectively. While general maintenance practices, supplier contacts, and tracking repair costs are important in the broader context of vehicle maintenance and repair, they are not the primary function of TSBs. TSBs focus specifically on technical issues, making option B the most relevant choice for understanding their purpose in the context of vehicle service and repair.

10. What is a common cause of a failed cylinder head gasket?

A. Rolled liner O-rings.

B. Cracked cylinder head.

C. Insufficient liner height.

D. Turbocharger waste-gate stuck open.

A common cause of a failed cylinder head gasket is insufficient liner height. When the height of the cylinder liner is inadequate, it can lead to poor sealing between the liner and the cylinder head. This typically results in uneven pressures during combustion and can allow coolant or oil to leak into the combustion chamber or vice versa. The improper height can create gaps or misalignments that the gasket cannot adequately seal, ultimately leading to failure. In contrast, while rolled liner O-rings and cracked cylinder heads can indeed contribute to gasket failure, they are not as directly attributed to cylinder head gasket issues as insufficient liner height. These conditions are often the results of other mechanical problems rather than a direct cause of the gasket failure itself. Additionally, a turbocharger waste-gate stuck open more directly affects engine performance rather than the sealing capabilities of the cylinder head gasket. Therefore, insufficient liner height stands out as a direct mechanical cause of gasket failure due to its influence on sealing integrity.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://310ttruckcoachtechnician.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE