
360 TRAINING OSHA 30HR PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://360trainingosha30hr.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The General Duty Clause is found in which OSH Act section?

A. 3(a)(2)

B. 5(a)(1)

C. 7(b)(1)

D. 9(c)(3)

2. Which of the following is NOT one of the rights listed for OSHA employees?

A. Right to Free Health Insurance

B. Right to Information About Hazards They Face Including Safety Data Sheets (SDSs)

C. Right to Training From Employers on Health and Safety Hazards and Standards

D. Right to Examine Exposure and Medical Records

3. Open-ended floors must be guarded on all open sides at a height of __ feet above the ground.

A. 3 feet

B. 4 feet

C. 5 feet

D. 6 feet

4. ____ cost is not paid by the insurance company and are recoverable.

A. Indirect

B. Direct

C. Punitive

D. Intangible

5. Exit routes must be at least how many inches wide at all points?

A. 24 inches

B. 26 inches

C. 28 inches

D. 32 inches

SAMPLE

6. Guard every open-sided floor or platform, ___ feet or more above adjacent ground level on all open sides of standard railing.

A. 3

B. 4

C. 5

D. 6

7. A pyrophoric chemical will ignite spontaneously in air at or below what temperature in °F?

A. 90

B. 100

C. 120

D. 150

8. Which contaminant attribute is considered when selecting respiratory protection?

A. Flavor of contaminant

B. Form of the contaminant

C. Brand of respirator

D. Time of day

9. A written hazard communication program is not required for which type of operations?

A. Open containers

B. Places using sealed containers

C. Laboratories

D. Storage areas

10. What is the proper ladder pitch described as one foot out from the base for every four feet of elevation?

A. One foot out for every two feet of elevation

B. One and a half feet out for every four feet of elevation

C. One foot out for every four feet of elevation

D. Four feet out for every one foot of elevation

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. A
5. C
6. B
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. The General Duty Clause is found in which OSH Act section?

A. 3(a)(2)

B. 5(a)(1)

C. 7(b)(1)

D. 9(c)(3)

The main idea being tested is where the broad safety obligation known as the General Duty Clause sits in the OSH Act. The General Duty Clause is Section 5(a)(1) of the OSH Act, which requires employers to provide a workplace free from recognized hazards that could cause death or serious physical harm and to comply with OSHA standards. This clause serves as a catch-all provision used when there isn't a specific standard addressing a hazard, allowing OSHA to require abatement of hazards that are recognized as dangerous. So, the correct section is 5(a)(1). Other sections cover different aspects of OSHA's authority and enforcement, not this general obligation.

2. Which of the following is NOT one of the rights listed for OSHA employees?

A. Right to Free Health Insurance

B. Right to Information About Hazards They Face Including Safety Data Sheets (SDSs)

C. Right to Training From Employers on Health and Safety Hazards and Standards

D. Right to Examine Exposure and Medical Records

The key idea here is understanding which protections OSHA guarantees workers for safety and health. Among the listed rights, three describe information and actions OSHA requires employers to provide: information about hazards workers face, including access to Safety Data Sheets; training from the employer on health and safety hazards and standards; and the right to examine exposure and medical records. These elements are about empowering workers with knowledge, protection, and access to important records. Right to information about hazards they face, including SDSs, is included because SDSs summarize chemical hazards, safe handling, and protective measures, and OSHA requires these to be available to workers. Right to training on health and safety hazards and standards exists because proper training helps workers recognize risks and follow procedures to stay safe. Right to examine exposure and medical records is protected to ensure workers can review what exposures they've had and any medical surveillance results that may affect their health. Free health insurance is not a listed OSHA right; health insurance benefits are employment terms, not OSHA-mandated rights.

3. Open-ended floors must be guarded on all open sides at a height of __ feet above the ground.

A. 3 feet

B. 4 feet

C. 5 feet

D. 6 feet

Open sides of elevated floors need a protective barrier that stops falls in a practical, everyday workspace. The guardrail should be placed high enough so it's not easy to step over or lean over and fall. Four feet above the ground is the standard height used in this context, giving a solid barrier that suits most typical open-edge situations. If it were only three feet high, it would be too easy to slip over and the fall risk would rise. Pushing the height to five or six feet isn't necessary for standard open-edge protection and can create unnecessary obstruction without adding meaningful safety benefits in common layouts.

SAMPLE

4. ____ cost is not paid by the insurance company and are recoverable.

A. Indirect

B. Direct

C. Punitive

D. Intangible

Indirect costs are the losses that follow an incident but aren't directly paid by an insurance policy. Insurance typically covers direct expenses like medical bills and repair or replacement of damaged property. Indirect costs include things such as lost productivity, downtime, overtime to catch up, scheduling disruptions, and additional administrative or training expenses. These are not usually paid by the insurer, but they can be recoverable through a claim against the party at fault or via other recovery mechanisms, which is why they're described as not paid by the insurance company and recoverable.

5. Exit routes must be at least how many inches wide at all points?

A. 24 inches

B. 26 inches

C. 28 inches

D. 32 inches

Exit routes must be wide enough to allow people to evacuate smoothly and without bottlenecks. The minimum clear width required along the entire route is 28 inches. This ensures that an adult can pass through corridors, turns, and doors without crowding or having to back up, even if carrying belongings or assisting others. The width must be maintained at all points and kept free of obstructions, so any narrowing would compromise safe egress. So, 28 inches is the mandated minimum. Wider routes (like 32 inches) do meet the requirement, but the key point is the minimum threshold that must be present at every point along the exit route.

6. Guard every open-sided floor or platform, ___ feet or more above adjacent ground level on all open sides of standard railing.

A. 3

B. 4

C. 5

D. 6

Guardrails are there to prevent falls by keeping anyone on the edge from stepping off. The standard height for a guardrail is set so that the top rail is high enough to stop accidental falls while you work near the edge. In many OSHA courses, the minimum is described as four feet (about 48 inches) for open-sided floors or platforms, which ensures the rail is well above the edge line and provides a reliable barrier on all open sides. While the exact OSHA specification uses a high-42-inch target (with a small tolerance), stating four feet in the question matches the safety intent and guarantees the rail is tall enough to protect workers.

SAMPLE

7. A pyrophoric chemical will ignite spontaneously in air at or below what temperature in °F?

A. 90

B. 100

C. 120

D. 150

Pyrophoric materials ignite in air without an ignition source because they react vigorously with oxygen at relatively low temperatures, often at room temperature. The question asks for the air temperature threshold at or below which spontaneous ignition occurs. In typical safety training, that threshold is about 100°F, so at or below roughly 100°F, these substances can ignite spontaneously. Higher temperatures like 120°F or 150°F are above that threshold and aren't the standard figure used for this concept, and a value such as 90°F would be below the commonly cited cutoff. That's why 100°F is the best answer.

8. Which contaminant attribute is considered when selecting respiratory protection?

A. Flavor of contaminant

B. Form of the contaminant

C. Brand of respirator

D. Time of day

When choosing respiratory protection, the key factor is the form of the contaminant—the way it exists in the air (particulate, gas, or vapor). This form determines how a respirator can remove it. Particulate forms like dust or smoke are captured by particulate filters. Gases and vapors need cartridges or canisters designed to chemisorbs or absorb those specific chemicals. Some substances can appear as both a gas and a particle or as a mist, in which case you may need a combination or multi-stage protection. Other attributes such as flavor, brand, or the time of day don't influence the selection of the respirator. Focusing on the contaminant form ensures you pick a respirator with the appropriate filtering material or cartridge to provide real protection.

9. A written hazard communication program is not required for which type of operations?

A. Open containers

B. Places using sealed containers

C. Laboratories

D. Storage areas

A written hazard communication program is required whenever workers could be exposed to hazardous chemicals during their work. The program exists to ensure employees know what hazards they're facing, how to handle chemicals safely, and what to do in emergencies, with labels, safety data sheets, and training as core parts. If every operation uses sealed containers and there's effectively no opportunity for chemical exposure, there's no exposure information to communicate, so a formal written program isn't necessary. When containers are open or chemicals are transferred, exposure can occur, so a written program is needed to convey hazards and precautions. In laboratories, even with controls, workers routinely handle hazardous chemicals, so the program is required to ensure proper labeling, access to safety data sheets, and training. Storage areas, which house chemicals, also require hazard communication to inform anyone who might access them about potential hazards.

SAMPLE

10. What is the proper ladder pitch described as one foot out from the base for every four feet of elevation?

A. One foot out for every two feet of elevation

B. One and a half feet out for every four feet of elevation

C. One foot out for every four feet of elevation

D. Four feet out for every one foot of elevation

The ladder should be set at a 4:1 pitch: for every four feet of vertical rise, place the base about one foot away from the wall. This angle (roughly 75 degrees) keeps the ladder's center of gravity over the base, reducing the risk of tipping or sliding. So, one foot out for every four feet of elevation is the proper rule. For example, at 12 feet high, the base should be about 3 feet from the wall; at 16 feet, about 4 feet. The other distances either make the ladder too steep (risk tipping forward) or too shallow (risk slipping).

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://360trainingosha30hr.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE