68W COMBAT MEDIC SPECIALIST TRAINING – MODULE 3 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://68module3.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the letter P in TRDP stand for?

A. Pulsing masses

B. Pain

C. Pallor

D. Pronation

2. What is the primary role of a medic in providing psychological first aid?

A. To offer support and listen to the patient

B. To diagnose the psychological condition

C. To prescribe medication for trauma

D. To conduct detailed psychological assessments

3. What is the recommended treatment for a sprain?

A. Surgery and immobilization

B. Rest, Ice, Compression, and Elevation (RICE)

C. Heat application and massage

D. Immediate movement and stretching

4. What is the function of the Glasgow Coma Scale?

A. To assess a patient's level of consciousness

B. To measure heart rate and blood pressure

C. To evaluate respiratory function

D. To determine the effectiveness of CPR

5. What types of injuries typically require immediate evacuation?

A. Non-life-threatening injuries that need monitoring

B. Minor cuts and bruises

C. Life-threatening conditions such as severe trauma

D. Patients needing routine checks

6. Which of the following steps is recommended for managing an airway obstruction?

A. Encourage coughing and perform CPR if unresponsive

B. Give the patient water to drink immediately

C. Perform a tracheostomy as the first action

D. Administer medications to relax the airway

SAMPLE

7. What does telemetry involve?

A. The process of sending and receiving data wirelessly
B. The transmission of voice communication only
C. Radio navigation and positioning
D. The measurement of radio signal strength

8. What physical sign might indicate spoiled blood flow to a limb?

A. Pallor
B. Redness
C. Warmth
D. Swelling

9. What does mental status indicate in emergency medical situations?

A. The patient's past medical history
B. The level of responsiveness
C. The patient's age and gender
D. The presence of any medical devices

10. What does the second "N" in SNNAC refer to?

A. Need for additional resources
B. Number of patients
C. Notification of hospital arrival
D. Nature of emergency

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. A
5. C
6. A
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What does the letter P in TRDP stand for?

A. Pulsing masses

B. Pain

C. Pallor

D. Pronation

In the context of TRDP, the letter P stands for "Pain." TRDP is an acronym used to assess and document critical signs during a medical evaluation. It stands for Temperature, Respiration, Pulse, and Pain. Pain is a vital sign that can indicate the presence of an underlying medical condition or injury, making it essential for medics to evaluate. Recognizing and documenting the level of pain a patient experiences helps guide further medical assessment and interventions. Assessing pain involves asking the patient questions about its location, intensity, and nature, providing valuable information for treatment decisions. While the other options like pulsing masses, pallor, and pronation may relate to medical assessments in different contexts, they do not fit the specific term represented by the letter P in TRDP. Understanding the correct terminology and its application is crucial for effective patient assessment and care in emergency situations, which is a fundamental aspect of the Combat Medic Specialist's training.

2. What is the primary role of a medic in providing psychological first aid?

A. To offer support and listen to the patient

B. To diagnose the psychological condition

C. To prescribe medication for trauma

D. To conduct detailed psychological assessments

The primary role of a medic in providing psychological first aid is to offer support and listen to the patient. This approach is foundational in addressing the immediate emotional and psychological needs of individuals experiencing trauma or distress. By providing a compassionate ear and validating the individual's feelings, the medic helps create a safe space that can facilitate emotional healing. Listening attentively allows the patient to express their thoughts and feelings, which is crucial for recovery. It also helps build trust, making the individual feel understood and supported during a vulnerable time. Psychological first aid focuses on immediate intervention by providing practical assistance and emotional support rather than delving into clinical evaluations or treatments. The other options, such as diagnosing psychological conditions, prescribing medication, or conducting detailed psychological assessments, are not within the scope of a medic's role in this context. These activities require specialized training and credentials that go beyond the foundational training of a combat medic, which is primarily oriented toward immediate care and stabilization rather than in-depth psychological treatment.

SAMPLE

3. What is the recommended treatment for a sprain?

A. Surgery and immobilization

B. Rest, Ice, Compression, and Elevation (RICE)

C. Heat application and massage

D. Immediate movement and stretching

The recommended treatment for a sprain involves the RICE method, which stands for Rest, Ice, Compression, and Elevation. This approach is effective because it helps to reduce swelling, alleviate pain, and promote healing. Rest is essential to prevent further injury and give the affected area time to recover. Ice should be applied to the sprained area to reduce swelling and numb the pain; it is most beneficial when used in the first 48 hours after the injury. Compression through wraps can help manage swelling, while elevation of the injured limb above the level of the heart assists in reducing swelling by encouraging fluid drainage. This conservative treatment strategy is widely accepted in managing sprains, which are common injuries caused by overstretching or tearing of ligaments. Immediate movement and stretching can aggravate the injury, while heat application and massage might exacerbate inflammation if applied too soon. Surgery and immobilization are reserved for severe cases, often involving complete tears of ligaments, making them inappropriate for the general management of simple sprains.

4. What is the function of the Glasgow Coma Scale?

A. To assess a patient's level of consciousness

B. To measure heart rate and blood pressure

C. To evaluate respiratory function

D. To determine the effectiveness of CPR

The function of the Glasgow Coma Scale (GCS) is to assess a patient's level of consciousness, which is crucial in emergency and trauma care. This scale provides a standardized method for evaluating a patient's responsiveness through three components: eye opening, verbal response, and motor response. Each component is scored individually, and the total score helps determine the severity of a patient's brain injury or overall neurological status. A lower score indicates a decreased level of consciousness, while a higher score reflects a better cognitive function. This assessment is vital for guiding medical interventions and monitoring changes in a patient's condition over time.

5. What types of injuries typically require immediate evacuation?

A. Non-life-threatening injuries that need monitoring

B. Minor cuts and bruises

C. Life-threatening conditions such as severe trauma

D. Patients needing routine checks

Immediate evacuation is crucial for life-threatening conditions such as severe trauma because these injuries pose a significant risk to the patient's survival if not addressed promptly. Conditions like severe bleeding, compromised airways, or critical organ damage require rapid intervention that often exceeds the capabilities of on-scene care by combat medics or first responders. In cases of severe trauma, the need for higher-level medical facilities and interventions, such as surgery, resuscitation, or advanced monitoring, necessitates quick transportation to ensure the best possible outcome. Delays in evacuation could lead to deterioration of the patient's condition and potentially result in death, making prioritizing these severe injuries imperative in combat and emergency scenarios. Other types of injuries, such as minor cuts, bruises, or those not requiring immediate intervention, can typically be managed on-site or follow after more urgent cases have been addressed.

SAMPLE

6. Which of the following steps is recommended for managing an airway obstruction?

A. Encourage coughing and perform CPR if unresponsive

B. Give the patient water to drink immediately

C. Perform a tracheostomy as the first action

D. Administer medications to relax the airway

Encouraging coughing and performing CPR if the patient is unresponsive is the most appropriate response when faced with an airway obstruction. Coughing is the body's natural reflex to help expel obstructions. It can effectively dislodge food or other materials blocking the airway, particularly if the obstruction is partial and the patient can still breathe or make sounds. In cases where the obstruction is complete and the patient becomes unresponsive, initiating CPR is critical, as it can help to restore a clear airway and maintain circulation, thereby increasing the chances of a successful outcome. The immediate recommendation to give water to the patient in the event of an airway obstruction could lead to further complications, such as aspiration, which may worsen the obstruction. Performing a tracheostomy is an invasive procedure typically reserved for severe cases where less invasive measures have failed and not as a first action. Administering medications in this scenario is unlikely to directly resolve the obstruction and could delay necessary critical interventions.

7. What does telemetry involve?

A. The process of sending and receiving data wirelessly

B. The transmission of voice communication only

C. Radio navigation and positioning

D. The measurement of radio signal strength

Telemetry involves the process of sending and receiving data wirelessly, allowing for the transmission of various types of information, including vital signs and other physiological data from a patient to a monitoring system. This wireless communication is vital in medical environments, as it enables real-time monitoring without the need for physical connections, enhancing patient mobility and comfort while ensuring continuous data tracking. In the context of healthcare, telemetry systems collect data from medical devices, such as heart monitors or respiratory equipment, and transmit it to healthcare providers who can analyze the metrics remotely. This capability is crucial for managing patients' conditions, especially in emergency situations or when continuous monitoring is necessary for treatment decisions. The efficiency and effectiveness of these systems demonstrate the critical role of telemetry in modern medical practice.

8. What physical sign might indicate spoiled blood flow to a limb?

A. Pallor

B. Redness

C. Warmth

D. Swelling

Pallor, or paleness of the skin, is a significant physical sign that might indicate inadequate blood flow to a limb. When blood flow is compromised, the oxygen supply to the tissues decreases, resulting in a lack of the typical healthy color that indicates adequate perfusion. This reduced blood flow can be due to various conditions, such as arterial occlusion or vascular problems, which lead to this pale appearance. In contrast, redness typically suggests increased blood flow or inflammation. Warmth may also indicate enhanced circulation or infection, while swelling could point to fluid accumulation or inflammation rather than direct blood flow issues. Thus, pallor is the most direct indicator of compromised blood flow to a limb, highlighting the importance of assessing skin color as part of a comprehensive examination in such scenarios.

SAMPLE

9. What does mental status indicate in emergency medical situations?

A. The patient's past medical history

B. The level of responsiveness

C. The patient's age and gender

D. The presence of any medical devices

In emergency medical situations, mental status primarily indicates the level of responsiveness of a patient. This assessment is crucial as it provides insight into the patient's neurological function, level of consciousness, and cognitive ability. A high level of responsiveness typically suggests that the patient's brain is functioning effectively, while decreased responsiveness may indicate serious conditions such as head trauma, stroke, or severe infection that require immediate intervention. Evaluating mental status often involves checking for alertness, orientation to person, place, and time, as well as the ability to follow commands. These factors offer valuable information that can guide treatment decisions and help to prioritize care based on the severity of the patient's condition. While the patient's past medical history, age, gender, and the presence of medical devices may provide additional context or impact treatment options, they do not serve as direct indicators of the current mental state or neurological stability of the patient during an emergency. Focusing on the level of responsiveness allows for a more direct assessment of immediate health concerns that need to be addressed.

10. What does the second "N" in SNNAC refer to?

A. Need for additional resources

B. Number of patients

C. Notification of hospital arrival

D. Nature of emergency

The second "N" in SNNAC refers to the number of patients. In the context of medical and emergency response communication, especially under the SNNAC framework (which is used to convey critical information during incidents), detailing the number of patients involved is crucial for effective resource allocation and management. Providing the number of patients allows responding units and hospitals to prepare appropriately for the incoming caseload. This information aids in determining whether additional personnel, equipment, or facilities are needed to handle the situation. Clear communication about the number of patients ensures that emergency services can efficiently coordinate their response and prioritize care based on the severity and quantity of injuries or medical needs. Hence, understanding the number of patients is a foundational aspect of triage and support in emergency medical situations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://68module3.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE