68W LIMITED PRIMARY CARE (LPC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://68wlpc.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What role do balanced meals play in diabetes management?

A. They eliminate the need for medications

B. They provide necessary nutrients

C. They reduce psychological stress

D. They are irrelevant to blood sugar levels

2. What is a potential impact of stigma on healthcare access?

A. Greater financial costs

B. Increased follow-ups

C. Reduced willingness to seek care

D. Improved patient-provider relationships

3. What is the definition of an epidemic?

A. A widespread occurrence of an infectious disease in a specific area

B. An infectious disease that is prevalent worldwide

C. A situation where diseases spread through food

D. A situation where there is one case of a disease

4. What is the recommended dosage of epinephrine for subcutaneous administration?

A. 0.5 to 1.0 ml of 1:1000

B. 1.0 to 2.0 ml of 1:1000

C. 0.1 to 0.5 ml of 1:1000

D. 2.0 to 3.0 ml of 1:1000

5. What is the recommended duration for effective hand washing in minutes?

A. 1 to 2 minutes

B. 5 to 7 minutes

C. 10 to 15 seconds

D. 10 to 15 minutes or longer

SAMPLE

6. What condition might lead to increased heart rate among allergic reaction symptoms?

A. Nasal congestion

B. Pruritus

C. Hives

D. Histamine release

7. Which statement is true regarding hand washing?

A. It is an ineffective means of preventing infections

B. It is a recommended practice to perform only in healthcare settings

C. It is the single most useful method of breaking the chain of infection

D. It should be performed only when hands are visibly dirty

8. What does 'contact precautions' primarily address?

A. Airborne diseases

B. Droplet transmission

C. The most frequent mode of disease transmission

D. Environmental safety

9. What anatomical structure can be found within the antecubital fossa?

A. Brachial artery

B. Femoral artery

C. Radial artery

D. Ulnar artery

10. What is the absorption rate for subcutaneous injections?

A. 5-10 minutes

B. 15-30 minutes

C. 30-45 minutes

D. 45-60 minutes

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. A
5. D
6. D
7. C
8. C
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What role do balanced meals play in diabetes management?

A. They eliminate the need for medications

B. They provide necessary nutrients

C. They reduce psychological stress

D. They are irrelevant to blood sugar levels

Balanced meals play a crucial role in diabetes management primarily by providing necessary nutrients. They typically include a proper mix of carbohydrates, proteins, and fats, which helps stabilize blood sugar levels and ensures that the body receives essential vitamins and minerals. This nutrient balance is critical for those managing diabetes, as it helps to regulate glucose absorption and maintain energy levels throughout the day. When individuals with diabetes consume balanced meals, they can better manage their hunger and avoid spikes in blood sugar, as the nutrients digest at different rates. This not only aids in controlling glucose levels but also contributes to overall health and well-being. A diet that lacks balance may lead to inadequate nutrient intake and negatively impact blood glucose control, which is essential for preventing complications associated with diabetes. In contrast, while meals can influence psychological well-being and medication needs, the fundamental benefit of balanced nutrition lies in its direct impact on providing nutrients that support the body's functions, particularly in the context of managing diabetes.

2. What is a potential impact of stigma on healthcare access?

A. Greater financial costs

B. Increased follow-ups

C. Reduced willingness to seek care

D. Improved patient-provider relationships

The chosen answer highlights a significant effect of stigma on healthcare access. Stigma can lead to feelings of shame, embarrassment, or fear of judgment, which may deter individuals from seeking medical attention when needed. When patients feel that they may be discriminated against or not taken seriously due to their identity, mental health status, or other characteristics, they are less likely to pursue the care required to maintain or improve their health. This reluctance to seek care can result in delayed diagnoses, worsening of health conditions, and overall poorer health outcomes. In contrast, while stigma may contribute to higher financial costs due to chronic conditions being untreated, increased follow-ups as a result of inadequate care, or strained relationships between patients and providers, these outcomes do not directly capture the essence of how stigma affects the initial decision to seek care. Thus, the profound impact of stigma primarily manifests in the reduced willingness to engage with health services, making it a critical aspect of understanding healthcare accessibility.

SAMPLE

3. What is the definition of an epidemic?

A. A widespread occurrence of an infectious disease in a specific area

B. An infectious disease that is prevalent worldwide

C. A situation where diseases spread through food

D. A situation where there is one case of a disease

The definition of an epidemic is a widespread occurrence of an infectious disease in a specific area, which aligns with the correct choice. An epidemic typically refers to a situation in which the number of cases of a disease exceeds what is normally expected in that population or area within a given timeframe. This heightened incidence can be localized, affecting a community or region, and is generally associated with a sudden increase in cases that can significantly impact public health. In contrast, other definitions describe different phenomena. A disease that is prevalent worldwide is not an epidemic but rather classified as a pandemic, indicating a much broader scope of impact. The description of diseases spreading specifically through food refers to foodborne illnesses, which is a more focused circumstance rather than encompassing the broader definition of an epidemic. Finally, identifying a situation with only one case of a disease does not fit the definition of an epidemic, as it emphasizes a singular occurrence rather than an increase in cases that defines an epidemic situation. Thus, the correct answer accurately captures the essence of what an epidemic is within the context of infectious diseases.

4. What is the recommended dosage of epinephrine for subcutaneous administration?

A. 0.5 to 1.0 ml of 1:1000

B. 1.0 to 2.0 ml of 1:1000

C. 0.1 to 0.5 ml of 1:1000

D. 2.0 to 3.0 ml of 1:1000

The recommended dosage of epinephrine for subcutaneous administration is typically between 0.5 to 1.0 ml of a 1:1000 solution. This dosage range is appropriate for treating acute allergic reactions or anaphylaxis in patients who do not require immediate intramuscular administration or when an autoinjector is not available. Epinephrine, in the 1:1000 concentration, means that there is 1 mg of epinephrine in 1 ml of solution. Subcutaneous administration at this dosage allows for effective systemic absorption while minimizing the risk of overdose. Given the pharmacokinetics of epinephrine, this specific dosage range is established to provide safety while achieving the desired therapeutic effect. Higher dosages, such as those in other options, could lead to more serious side effects, including hypertension, tachycardia, or even cardiac events, which is why they do not align with the recommended safe practices for subcutaneous use.

SAMPLE

5. What is the recommended duration for effective hand washing in minutes?

A. 1 to 2 minutes

B. 5 to 7 minutes

C. 10 to 15 seconds

D. 10 to 15 minutes or longer

The recommended duration for effective hand washing is generally 10 to 15 seconds. This duration is adequate to properly clean the hands, ensuring that all surfaces are thoroughly scrubbed, which is crucial for removing dirt, germs, and ensuring good hygiene. This timeframe is supported by the Centers for Disease Control and Prevention (CDC) and other health organizations, which suggest that washing hands for at least 20 seconds generally increases effectiveness, but 10 to 15 seconds is the minimal time necessary to achieve significant results. The other duration choices exceed the effective time needed for basic hand washing, making them impractical for a routine practice. For instance, durations such as 5 to 7 minutes or 10 to 15 minutes are excessive and not necessary for routine hand washing, which may discourage individuals from adhering to recommended practices due to time constraints.

6. What condition might lead to increased heart rate among allergic reaction symptoms?

A. Nasal congestion

B. Pruritus

C. Hives

D. Histamine release

Increased heart rate during an allergic reaction is closely associated with histamine release. Histamine is a chemical that the body produces during allergic responses, which can lead to various physiological changes. When histamine is released, it causes blood vessels to dilate, which can lead to a drop in blood pressure. In response, the heart compensates for this adjustment by beating faster, resulting in an increased heart rate. Nasal congestion, pruritus (itching), and hives are common symptoms of allergic reactions but do not directly influence heart rate. While they indicate that an allergic process is occurring, they do not have the same cardiovascular implications as histamine release does. Thus, histamine's direct role in altering vascular dynamics is why it is linked to tachycardia (increased heart rate) in the context of an allergic reaction.

7. Which statement is true regarding hand washing?

A. It is an ineffective means of preventing infections

B. It is a recommended practice to perform only in healthcare settings

C. It is the single most useful method of breaking the chain of infection

D. It should be performed only when hands are visibly dirty

Hand washing is a fundamental practice in infection control and public health. The statement that it is the single most useful method of breaking the chain of infection is accurate because hand hygiene effectively removes pathogens from the skin, significantly reducing the potential for transmission of infections. Clean hands are critical in preventing the spread of viruses, bacteria, and other harmful microorganisms, thereby protecting both the individual and the broader community. Proper hand washing involves using soap and water or alcohol-based hand sanitizers, and it should be performed at key times, such as before eating, after using the restroom, and after contact with potentially contaminated surfaces. This practice is universally applicable, extending beyond healthcare settings to everyday life, emphasizing its importance in reducing illness in various environments, including home and community situations.

EXAMPLE

8. What does 'contact precautions' primarily address?

A. Airborne diseases

B. Droplet transmission

C. The most frequent mode of disease transmission

D. Environmental safety

Contact precautions primarily address the prevention of the spread of infections that can be transmitted through direct or indirect contact. This includes diseases that may be spread by touching contaminated surfaces or infected individuals. By implementing contact precautions, healthcare providers aim to minimize the most frequent mode of disease transmission, which is often through skin-to-skin contact or contact with contaminated objects. This approach is vital in healthcare settings to protect both patients and staff from infections that are commonly acquired in those environments, such as healthcare-associated infections. These precautions often include practices such as wearing gloves when handling patients, using gowns when there is a risk of contact with bodily fluids, and ensuring proper cleaning of shared equipment to eliminate pathogens. Other modes of transmission, like airborne diseases or droplet transmission, are addressed through different specific precautions (like airborne and droplet precautions), which focus on preventing the spread of pathogens via the air or respiratory droplets, respectively. Therefore, the emphasis on the most frequent mode of transmission through contact is the reason for focus in contact precautions.

9. What anatomical structure can be found within the antecubital fossa?

A. Brachial artery

B. Femoral artery

C. Radial artery

D. Ulnar artery

The brachial artery is a major blood vessel that is found within the antecubital fossa, which is the triangular area on the anterior (front) side of the elbow. This artery is a continuation of the axillary artery as it passes down the arm and eventually bifurcates into the radial and ulnar arteries at the distal end of the forearm. The antecubital fossa serves as an important anatomical landmark for numerous clinical procedures, such as drawing blood or inserting intravenous lines, because the brachial artery is easily accessible in this area. Understanding the location of the brachial artery is essential for any medical professional as it plays a significant role in blood circulation to the forearm and hand. In contrast, the femoral artery is located in the thigh, while the radial and ulnar arteries branch from the brachial artery in the forearm rather than being found within the antecubital fossa itself. This distinction highlights the importance of knowing the anatomy of the upper limb for clinical practices and assessments.

10. What is the absorption rate for subcutaneous injections?

A. 5-10 minutes

B. 15-30 minutes

C. 30-45 minutes

D. 45-60 minutes

The absorption rate for subcutaneous injections is typically around 15-30 minutes. This period allows the medication to be absorbed through the subcutaneous tissue into the bloodstream effectively. Factors affecting this absorption rate include the specific medication being administered, the blood flow to the area of injection, and the patient's overall health and body composition. Subcutaneous injections involve delivering medication into the layer of fat and connective tissue just beneath the skin. The absorbed medication then proceeds to enter the systemic circulation. The 15-30 minute window reflects the time necessary for the injected substance to diffuse through the subcutaneous tissue and reach the capillaries. Understanding this timeframe is crucial for healthcare providers to make informed decisions regarding medication timing and patient care.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://68wlpc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE