
# 7B WOOD DESTROYING PESTS PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://7bwooddestroyingpests.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **Is it true or false that when installing a vapor barrier, the entire soil surface should be covered?**

   A. True

   B. False

   C. It depends on the soil type

   D. Only the high moisture areas need coverage

2. **What kind of spores are typically included in mold growth?**

   A. Penicillium species

   B. Aspergillus species

   C. Fusarium species

   D. Rhizopus species

3. **Which method is NOT advisable for dealing with moisture issues in the basement before treatment?**

   A. Checking for cracks

   B. Sealing foundation walls

   C. Ignoring surface moisture

   D. Using dehumidifiers

4. **How many eggs typically make up the first batch laid by a queen in a new subterranean termite colony?**

   A. 1-5 eggs

   B. 6-12 eggs

   C. 13-20 eggs

   D. 21-30 eggs

5. **If soil treatment is to be made near foundation walls by a well or cistern, what is a general best practice?**

   A. Leave the soil undisturbed

   B. Remove the soil to the footing and treat it

   C. Pile the soil around the foundation

   D. Only treat the surface

SAMPLE

**6. Which factor is least likely to affect termite behavior?**

A. Soil temperature

B. Moisture levels

C. Color of materials

D. Type of food source

**7. Soil treatment with most termiticides should not occur in which location?**

A. Basements

B. Crawl spaces used as a plenum

C. Attics

D. Outdoor gardens

**8. Which of the following insects is known for being attracted to spoiled food?**

A. Phorid Fly

B. House Fly

C. Fruit Fly

D. All of the above

**9. What is the most practical method to treat soil in monolithic slab construction?**

A. Vertical drilling

B. Horizontal drilling

C. Short rodding

D. Conventional treatment

**10. Dampwood termites require which condition for survival?**

A. Contact with soil

B. Dry wood only

C. Wood with high moisture content

D. Exposure to sunlight

SAMPLE

# Answers

SAMPLE

1. B
2. A
3. C
4. B
5. B
6. C
7. B
8. D
9. C
10. C

SAMPLE

# Explanations

SAMPLE

## 1. Is it true or false that when installing a vapor barrier, the entire soil surface should be covered?

A. True

B. False

C. It depends on the soil type

D. Only the high moisture areas need coverage

*The correct response to whether the entire soil surface should be covered with a vapor barrier during installation is that it is false. While the intention behind using a vapor barrier is to control moisture and protect structures from potential water damage, it is not always necessary or feasible to cover the entire soil surface. In certain cases, covering the entire area may not provide significant benefits, especially in dry areas where moisture levels are low. Moreover, specific building codes or regulations may dictate the extent of coverage required based on the construction type and local environmental conditions. In other situations, partial coverage may suffice, targeting only areas that are known to retain moisture or are at higher risk for humidity-related issues. Understanding the context, such as soil type and moisture levels, can help determine the appropriate application of a vapor barrier. Hence, the assertion that it must cover the entire surface is not accurate, making the statement false.*

## 2. What kind of spores are typically included in mold growth?

A. Penicillium species

B. Aspergillus species

C. Fusarium species

D. Rhizopus species

*The correct response focuses on the common presence of Penicillium species in mold growth. Penicillium is a genus known for its role in decomposing organic materials and is frequently found in various environments, including soil, decaying plant material, and indoor settings. It plays an important role in producing natural antibiotics, such as penicillin, and is recognized for its distinct blue-green spores. While other mold types, such as Aspergillus, Fusarium, and Rhizopus, are also prevalent in different contexts and can contribute to mold growth, Penicillium's unique characteristics and widespread occurrence in various habitats ultimately make it a significant representative in discussions about mold spores. The focus on Penicillium helps to illustrate key aspects of mold identification and management in environments susceptible to mold growth.*

SAMPLE

**3. Which method is NOT advisable for dealing with moisture issues in the basement before treatment?**

A. Checking for cracks

B. Sealing foundation walls

C. Ignoring surface moisture

D. Using dehumidifiers

*Addressing moisture issues in the basement is crucial for effective pest prevention and treatment. Ignoring surface moisture is not advisable because it can lead to an environment that is conducive to wood-destroying pests, such as termites and carpenter ants. These pests thrive in damp conditions, and allowing moisture issues to persist can exacerbate infestations and structural damage. On the other hand, checking for cracks, sealing foundation walls, and using dehumidifiers are proactive measures designed to eliminate both existing moisture problems and prevent future issues. Checking for cracks can identify potential entry points for water, while sealing foundation walls helps to create a barrier against moisture infiltration. Using dehumidifiers can effectively reduce humidity levels in the air, further mitigating the appeal of the environment for wood-destroying pests. Thus, ignoring surface moisture stands in stark contrast to these effective strategies, making it an unwise choice.*

**4. How many eggs typically make up the first batch laid by a queen in a new subterranean termite colony?**

A. 1-5 eggs

B. 6-12 eggs

C. 13-20 eggs

D. 21-30 eggs

*In a new subterranean termite colony, the first batch laid by a queen typically consists of 6-12 eggs. This initial laying is crucial as it marks the beginning of the colony's life cycle. The queen may produce a relatively small number of eggs initially to ensure that the early members of the colony can focus on survival and the establishment of the colony. As the colony matures, the queen's egg production increases significantly, which allows the colony to grow rapidly. Thus, understanding that the initial batch is modest in size helps in learning about the development and growth patterns of these social insects. The specified range of 6-12 eggs reflects the adaptation of termites to efficiently establish their colonies without overwhelming resource demands at the start.*

SAMPLE

## 5. If soil treatment is to be made near foundation walls by a well or cistern, what is a general best practice?

A. Leave the soil undisturbed

B. Remove the soil to the footing and treat it

C. Pile the soil around the foundation

D. Only treat the surface

*In the context of soil treatment near foundation walls, especially when dealing with areas close to a well or cistern, the best practice involves removing the soil to the footing and treating it. This approach is essential because it ensures thorough application of the treatment to effectively target any wood-destroying pests that may be present in the soil adjacent to the foundation. By removing the soil down to the footing, the treatment can penetrate deeper into the most vulnerable areas where pests are likely to infiltrate the structure. This method significantly reduces the risk of pest activity that could compromise the integrity of the foundations and the overall structure. Furthermore, a complete treatment deems it more effective, as simply treating the surface or leaving the soil undisturbed would not adequately address the potential pest population residing deeper in the soil. In contrast to this method, leaving the soil undisturbed would fail to eliminate any pests lurking beneath the surface, which could lead to ongoing or increased infestations. Similarly, piling the soil around the foundation could create additional pathways for pests to access the structure, increasing the risk of damage. Only treating the surface would also be insufficient, as it does not address the deeper infested soil layers that are crucial areas for pest control.*

## 6. Which factor is least likely to affect termite behavior?

A. Soil temperature

B. Moisture levels

C. Color of materials

D. Type of food source

*Termite behavior is primarily influenced by environmental factors that directly impact their survival and reproductive success. Soil temperature, moisture levels, and the type of food source are all crucial elements that termites actively respond to. For instance, moisture is critical for termites, as it influences their ability to maintain their bodies' water balance and affects their foraging and nesting activities. Soil temperature affects their activity levels, as termites are ectothermic and rely on external temperatures to regulate their bodily functions. Additionally, the type of food source directly relates to their dietary needs, with cellulose-based materials being a primary food source for many termite species. On the other hand, the color of materials does not significantly affect termite behavior. While termites might show some preferences for certain types of wood or materials based on other factors, the color itself does not play a role in their feeding or nesting behaviors. This indicates that while termites may interact with their environment in various complex ways, the visual characteristics of the materials they encounter, such as color, are not a critical determinant in how they behave.*

SAMPLE

## 7. Soil treatment with most termiticides should not occur in which location?

A. Basements

B. Crawl spaces used as a plenum

C. Attics

D. Outdoor gardens

*Soil treatment with termiticides should not occur in crawl spaces used as a plenum because this type of space is integral to the building's heating and cooling system. In a plenum, air is circulated to distribute temperatures throughout the building. Introducing termiticides in this area can lead to the chemicals being aerosolized and dispersed into the living spaces of the home, posing health risks to the occupants. Additionally, crawl spaces that serve as plenums can have limited control over air flow and may not provide adequate barriers for the pesticides, increasing the likelihood of unintended exposure. It's crucial to prioritize safety in such environments, ensuring that any pest control methods used do not compromise the air quality or health of the home's inhabitants. In contrast, basements, attics, and outdoor gardens do not have this same risk associated with air circulation and contamination, allowing for safer application of termiticides in those areas.*

## 8. Which of the following insects is known for being attracted to spoiled food?

A. Phorid Fly

B. House Fly

C. Fruit Fly

D. All of the above

*The correct response is that all of the mentioned insects are indeed attracted to spoiled food. Phorid flies are small flies that are often found in decaying organic matter, including spoiled food, where they lay their eggs. They are particularly attracted to decomposing materials, and their presence can indicate sanitation issues. House flies are also commonly associated with spoiled food. They are attracted to a variety of food sources, including garbage, animal feces, and decaying organic matter. Their ability to thrive in unhygienic environments makes them a common pest around human food sources. Fruit flies are known for their attraction to overripe and spoiled fruits, as they lay their eggs on the surface of these foods. Their life cycle and feeding habits are closely linked to fruit decay, making them prevalent in kitchens and areas where fruits are stored or processed. Since each of these insects is drawn to spoiled food for breeding or feeding purposes, the choice that includes all these insects correctly reflects their shared behavior and association with spoiled organic matter. This knowledge is essential for understanding pest management and sanitation practices.*

SAMPLE

## 9. What is the most practical method to treat soil in monolithic slab construction?

A. Vertical drilling

B. Horizontal drilling

C. Short rodding

D. Conventional treatment

*Short rodding is the most practical method for treating soil in monolithic slab construction due to its efficiency and effectiveness in delivering a pesticide solution to the soil barriers. This method involves using a tool that allows pest control professionals to penetrate the soil through small, strategically placed holes around the foundation of the slab. The primary benefit of short rodding is that it provides targeted treatment, minimizing the disturbance to the existing structure and landscaping above the slab. It ensures that the pesticide can reach areas where wood-destroying pests, such as termites, may enter and establish colonies. In contrast, other methods like vertical drilling or horizontal drilling may be more invasive and could require more extensive modification to the property, thus making them less practical for a scenario where minimal disruption is desired. Conventional treatment methods also typically rely on a continuous barrier, which may not be as efficient in compact construction settings like monolithic slabs. Overall, short rodding strikes a balance between thorough soil treatment and ease of implementation, ensuring effective pest control measures while maintaining the integrity of the construction.*

## 10. Dampwood termites require which condition for survival?

A. Contact with soil

B. Dry wood only

C. Wood with high moisture content

D. Exposure to sunlight

*Dampwood termites are specifically adapted to thrive in environments with high moisture content. They do not infest dry wood, as their name suggests. Instead, they predominantly seek out wood that has a high level of moisture, typically found in decaying or damp wooden structures, logs, or trees. This moisture is vital for their survival, as it allows them to digest the cellulose in the wood properly and facilitates their reproduction and growth. Contact with soil is generally more relevant to other types of termites, such as subterranean termites, which build their colonies in the ground. Exposure to sunlight and dry wood are unsuitable conditions for dampwood termites and would not support their needs for sustenance and survival. Therefore, the requirement for high moisture content in wood is a defining characteristic of dampwood termites, making it the correct answer.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://7bwooddestroyingpests.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE