
AAB MEDICAL TECHNOLOGIST (MT) – BASIC KNOWLEDGE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://aabmtbasicknowledge.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Given cholesterol levels of 225 mg/dL and HDL of 75 mg/dL, what is the cholesterol/HDL ratio?**

   A. 2.50

   B. 3.00

   C. 3.25

   D. 4.00

2. **Which information is NOT required on original container labels according to the OSHA Hazard Communication Standard?**

   A. Emergency telephone number

   B. Product name

   C. Warning label

   D. Manufacturer's name and address

3. **What is the common cause of jaundice?**

   A. An accumulation of bilirubin in the blood

   B. A deficiency of vitamin C

   C. Obstruction of the bile duct

   D. A high level of hemoglobin

4. **Tracking and trending customer complaints concerning the laboratory is a responsibility of which area?**

   A. Laboratory services

   B. Quality assurance

   C. Laboratory administration

   D. Patient care

5. **Based on a lipid profile with triglycerides at 190 mg/dL, cholesterol at 225 mg/dL, and HDL at 75 mg/dL, what is the calculated LDL cholesterol?**

   A. 112 mg/dL

   B. 110 mg/dL

   C. 115 mg/dL

   D. 120 mg/dL

SAMPLE

6. What does the total protein measurement indicate in a patient?

A. Body hydration status

B. Immune function and nutritional status

C. Blood coagulation ability

D. Metabolic rate

7. What is a key function of white blood cells (WBCs)?

A. To transport nutrients throughout the body

B. To assist in the clotting of blood

C. To defend the body against infections and foreign substances

D. To carry oxygen to the tissues

8. Which of the following describes the term 'blank' in laboratory testing?

A. A sample without the analyte

B. A sample with a known quantity of analyte

C. A sample that is being tested for contaminants

D. A sample used specifically for calibration

9. When should the hospital operator be notified in the event of a fire?

A. Before pulling the alarm

B. After pulling the alarm

C. Simultaneously while the fire is in progress

D. Only when it is safe to do so

10. If one control is outside the 95% confidence limits, what is the most appropriate initial remedial action?

A. Discard the results

B. Repeat the same control

C. Change the assay method

D. Inform the supervisor

SAMPLE

Answers

SAMPLE

1. B
2. A
3. A
4. B
5. A
6. B
7. C
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Given cholesterol levels of 225 mg/dL and HDL of 75 mg/dL, what is the cholesterol/HDL ratio?

A. 2.50

B. 3.00

C. 3.25

D. 4.00

To determine the cholesterol/HDL ratio, you divide the total cholesterol level by the HDL (high-density lipoprotein) level. In this scenario, the total cholesterol is given as 225 mg/dL, and the HDL is 75 mg/dL. The calculation would be as follows: Cholesterol/HDL ratio = Total Cholesterol / HDL = 225 mg/dL / 75 mg/dL = 3.00 The correct answer is derived from accurately performing the division of the cholesterol level by the HDL level, which yields a ratio of 3.00. This ratio is useful in assessing cardiovascular risk, as lower values generally indicate a lower risk for heart disease. A ratio of 3.00 suggests a balanced lipid profile in this particular context, which is an important aspect of evaluating someone's cardiovascular health. Understanding how to calculate and interpret this ratio is crucial for a medical technologist's role in patient assessment.

2. Which information is NOT required on original container labels according to the OSHA Hazard Communication Standard?

A. Emergency telephone number

B. Product name

C. Warning label

D. Manufacturer's name and address

The OSHA Hazard Communication Standard (HCS) outlines the requirements for labeling hazardous chemicals to ensure safety in the workplace. According to these regulations, the original container labels for hazardous substances must include specific information to adequately inform users about the nature of the substances they are handling. The information that must be present includes the product name, which allows workers to identify the chemical and understand its potential hazards. A warning label is also critical as it conveys the specific dangers associated with the substance, such as flammability or toxicity. Additionally, the manufacturer's name and address are essential for traceability, providing users with a point of contact for safety data sheets and other relevant information. While emergency telephone numbers are useful, especially in case of accidental exposure or spills, they are not mandated to be included on the original container labels by the OSHA standard. Thus, while this information is important for overall safety and is often included in safety data sheets or provided in company emergency response plans, it is not a requirement on the original labels themselves. This distinction is why the emergency telephone number is the correct answer in this context.

SAMPLE

3. What is the common cause of jaundice?

A. An accumulation of bilirubin in the blood

B. A deficiency of vitamin C

C. Obstruction of the bile duct

D. A high level of hemoglobin

Jaundice is characterized by a yellowing of the skin and the sclera of the eyes, which occurs due to an accumulation of bilirubin in the blood. Bilirubin is a yellow pigment that is produced during the normal breakdown of red blood cells. In healthy individuals, the liver efficiently processes bilirubin and excretes it in bile, which is eliminated from the body. When there is a disruption in this process—either due to increased production of bilirubin (as seen in hemolysis), impaired processing by the liver (due to liver diseases like hepatitis or cirrhosis), or problems with bile excretion (like bile duct obstruction)—bilirubin levels rise in the bloodstream, leading to jaundice. Therefore, the most direct and common underlying factor of jaundice is indeed this accumulation of bilirubin. While obstruction of the bile duct does cause jaundice by preventing bilirubin from being excreted, it is just one specific cause and not the general mechanism. A deficiency of vitamin C does not relate to jaundice, as it primarily affects collagen synthesis and does not influence bilirubin metabolism. Lastly, a high level of hemoglobin is not directly related to jaundice; rather, it is the breakdown products of hem

4. Tracking and trending customer complaints concerning the laboratory is a responsibility of which area?

A. Laboratory services

B. Quality assurance

C. Laboratory administration

D. Patient care

The responsibility of tracking and trending customer complaints concerning the laboratory falls under quality assurance. This area is dedicated to ensuring that laboratory processes meet established standards and continually improve. Quality assurance involves systematic monitoring and evaluation of various aspects of the laboratory's operations, including customer feedback. By collecting and analyzing data related to complaints, quality assurance helps identify underlying issues that may affect patient safety, service quality, and overall laboratory performance. Furthermore, this process allows the laboratory to implement corrective actions and preventive measures to enhance service delivery, making it crucial for maintaining high standards in healthcare. In contrast, other areas such as laboratory services focus more on the testing and analytical processes, laboratory administration generally handles operational aspects, and patient care centers on direct interactions with patients and their treatment. Quality assurance encompasses a broader view, aiming to ensure that the laboratory not only meets the regulatory requirements but also addresses customer concerns effectively.

SAMPLE

5. Based on a lipid profile with triglycerides at 190 mg/dL, cholesterol at 225 mg/dL, and HDL at 75 mg/dL, what is the calculated LDL cholesterol?

A. 112 mg/dL

B. 110 mg/dL

C. 115 mg/dL

D. 120 mg/dL

To calculate the LDL cholesterol, the most commonly used formula is the Friedewald equation: LDL = Total cholesterol - HDL - (Triglycerides / 5) This equation holds true under certain conditions, such as when triglyceride levels are below 400 mg/dL, which they are in this case at 190 mg/dL. First, we substitute the given values into the formula: - Total cholesterol = 225 mg/dL - HDL = 75 mg/dL - Triglycerides = 190 mg/dL Now, we can plug in the values: LDL = 225 - 75 - (190 / 5) Next, we calculate the triglycerides part: - 190 / 5 = 38 Now we can rewrite the equation: LDL = 225 - 75 - 38 Finally, compute the results: LDL = 225 - 75 = 150 Then, 150 - 38 = 112 mg/dL. The correct calculated LDL cholesterol is 112 mg/dL, which corresponds to the first option. This calculation is a standard approach in clinical settings when interpreting lipid profiles, allowing healthcare professionals to assess cardiovascular risk.

6. What does the total protein measurement indicate in a patient?

A. Body hydration status

B. Immune function and nutritional status

C. Blood coagulation ability

D. Metabolic rate

The total protein measurement in a patient primarily indicates immune function and nutritional status. Proteins are essential macromolecules made up of amino acids and are critical for various bodily functions. They play vital roles in the immune response, serving as antibodies that help protect the body against infections. Additionally, total protein levels reflect nutritional intake, as they can indicate how well a patient is absorbing nutrients from their diet. A low total protein level may suggest malnutrition, liver disease, or kidney issues, while elevated levels can indicate chronic inflammation or other health concerns. Understanding total protein can help healthcare providers assess a patient's overall health, monitor chronic conditions, and guide dietary recommendations. Therefore, the total protein measurement serves as a crucial indicator for evaluating both immune health and nutritional adequacy.

7. What is a key function of white blood cells (WBCs)?

A. To transport nutrients throughout the body

B. To assist in the clotting of blood

C. To defend the body against infections and foreign substances

D. To carry oxygen to the tissues

White blood cells (WBCs), also known as leukocytes, play a crucial role in the immune system of the body. Their primary function is to defend the body against infections and foreign substances such as bacteria, viruses, parasites, and toxins. Each type of WBC has specific roles in identifying and eliminating pathogens. For example, neutrophils are often the first responders to sites of infection, while lymphocytes are critical for adaptive immunity, providing long-term protection through memory cells. This function is vital for maintaining health and preventing illness. Other options involve different physiological functions. The transportation of nutrients throughout the body is typically handled by red blood cells and plasma in the circulatory system, while the clotting of blood is primarily the responsibility of platelets and certain clotting factors. Oxygen transport is carried out by red blood cells, which contain hemoglobin to bind oxygen molecules in the lungs and release them into the tissues. Each of these processes is important, but they do not represent the primary role of WBCs, which is centered on immune defense.

SAMPLE

8. Which of the following describes the term 'blank' in laboratory testing?

A. A sample without the analyte

B. A sample with a known quantity of analyte

C. A sample that is being tested for contaminants

D. A sample used specifically for calibration

The term 'blank' in laboratory testing refers specifically to a sample that does not contain the analyte of interest. This sample is crucial for establishing a baseline measurement and helps to account for any background signals or noise that may occur in the testing process. By using a blank, laboratory professionals can ensure that the results obtained from the actual samples reflect only the presence of the analyte and not any interference from other sources. By measuring the response of the blank, it is possible to identify and correct for any systematic errors that could affect the accuracy of the test results. This makes analysis more reliable, as it allows for a proper evaluation of the amount of analyte present in the test samples. In contrast, options regarding samples with known quantities of analyte or those used for calibration do not pertain to the definition of a 'blank,' and a sample tested for contaminants also serves a different purpose in the laboratory context.

9. When should the hospital operator be notified in the event of a fire?

A. Before pulling the alarm

B. After pulling the alarm

C. Simultaneously while the fire is in progress

D. Only when it is safe to do so

Notifying the hospital operator after pulling the alarm is crucial in ensuring an effective emergency response to a fire. When the alarm is activated, it serves as an immediate alert to the building's fire system, triggering automatic protocols for evacuation, fire response, and summoning emergency services. Concurrently notifying the hospital operator ensures that they can coordinate the response efforts, manage communication, and implement any necessary evacuation procedures across different departments. This timing is essential because it maintains a swift flow of information and action, facilitating a more organized and timely response to the emergency situation. If the operator is notified first, it could delay the activation of critical fire safety measures, thereby increasing risks to patients, staff, and visitors. Therefore, pulling the alarm first empowers the system to start addressing the emergency immediately while simultaneous communication with the operator optimizes overall response efforts.

SAMPLE

10. If one control is outside the 95% confidence limits, what is the most appropriate initial remedial action?

A. Discard the results

B. Repeat the same control

C. Change the assay method

D. Inform the supervisor

When a control is outside the 95% confidence limits, the most appropriate initial remedial action is to repeat the same control. This is a standard procedure in quality control because it allows the technologist to determine whether the out-of-control situation was due to a random error or if it indicates a systemic issue with the testing process. By repeating the control, the medical technologist can verify the reliability of the initial result. If the repeated control falls within the established confidence limits, it suggests that an isolated error may have occurred. However, if the repeated control is still outside the limits, it indicates a consistent problem that may require further investigation. In contrast, other actions such as discarding the results, changing the assay method, or informing the supervisor are premature at this stage. Discarding results without verifying them may lead to the loss of important data, and jumping to change the assay method could overlook potential transient issues that might resolve upon retesting. Informing the supervisor is appropriate as a subsequent step, but the immediate focus should be on confirming the accuracy of the control result through repetition.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aabmtbasicknowledge.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE