AAB MEDICAL TECHNOLOGIST (MT) – GENERALIST PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://aabmtgeneralist.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following blood types is considered to be a universal donor?

A. O+

B. AB+

C. O-

D. A-

2. Bence Jones proteins are composed of what type of immunological component?

A. Monoclonal free light chains

B. Monoclonal antibodies

C. Polyclonal antibodies

D. Heavy chains of immunoglobulin

3. If a patient has the Rh genotype R1R1, what is their genotype using the Fish-Race nomenclature?

A. CDe/Cde

B. CDe/CDe

C. CDE/cde

D. cde/Cde

4. Hemoglobin A is composed of how many alpha chains and beta chains?

A. 2 alpha chains and 2 beta chains

B. 1 alpha chain and 3 beta chains

C. 3 alpha chains and 1 beta chain

D. 4 alpha chains

5. What is the main type of hemoglobin in fetus and newborn babies?

A. Hemoglobin A

B. Hemoglobin S

C. Hemoglobin F

D. Hemoglobin A2

SAMPLE

6. By what percentage does one unit of whole blood raise the hematocrit of a standard adult patient?

A. 1%

B. 2%

C. 3%

D. 4%

7. Which test evaluates the extrinsic pathway of coagulation?

A. Apt Test

B. Thrombin time

C. Prothrombin time

D. D-Dimer test

8. Of the Duffy antigen system, which antibody is known to potentially cause transfusion reactions?

A. Anti-Jkb

B. Anti-Fyb

C. Anti-Fya

D. Anti-Jka

9. What indicates a positive result in a complement fixation test?

A. Presence of hemolysis

B. No hemolysis

C. Increased turbidity

D. Decline in antibody levels

10. Which molecule binds to hemoglobin with an affinity 240 times that of oxygen?

A. Carbon dioxide

B. Nitrogen

C. Carbon monoxide

D. Hydrogen sulfide

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. A
5. C
6. C
7. C
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following blood types is considered to be a universal donor?

A. O+

B. AB+

C. O-

D. A-

The blood type that is considered to be a universal donor is O-. This designation comes from the characteristics of the type O blood group, particularly the absence of A and B antigens on the surface of red blood cells. Because O- blood lacks these antigens, it does not trigger an immune response in individuals who may have different blood types when they receive a transfusion. In practical terms, this means that O- blood can be administered to patients of any other blood type without the risk of hemolytic reactions, where the recipient's immune system would attack the transfused red blood cells. Therefore, O- donors are especially vital in emergency situations when immediate blood transfusions are necessary and the blood type of the recipient might not be determined quickly. Moreover, while other blood types like O+ can also be donated to many individuals, they still carry the Rh factor, which can complicate transfusions for patients who are Rh-negative. Hence, O- remains the safest choice for universal donations.

2. Bence Jones proteins are composed of what type of immunological component?

A. Monoclonal free light chains

B. Monoclonal antibodies

C. Polyclonal antibodies

D. Heavy chains of immunoglobulin

Bence Jones proteins are primarily composed of monoclonal free light chains. These proteins are typically found in the urine of patients with certain types of plasma cell disorders, like multiple myeloma. The abnormal proliferation of plasma cells in such conditions leads to the overproduction of light chains, which can then be detected as Bence Jones proteins. Unlike monoclonal antibodies, which consist of both heavy and light chains and function in immune response, Bence Jones proteins specifically refer to the free light chains that are not bound to heavy chains. They are called "monoclonal" because they originate from a single clone of plasma cells, hence their uniformity in structure. Polyclonal antibodies involve the response from multiple B cell clones and are not related to the production of Bence Jones proteins. Similarly, heavy chains of immunoglobulins are part of the complete immunoglobulin molecule and do not form Bence Jones proteins, which lack heavy chains. Thus, the identification of Bence Jones proteins as monoclonal free light chains is critical in diagnosing and monitoring conditions like multiple myeloma.

SAMPLE

3. If a patient has the Rh genotype R1R1, what is their genotype using the Fish-Race nomenclature?

A. CDe/Cde

B. CDe/CDe

C. CDE/cde

D. cde/Cde

In the context of the Rh blood group system, the R1R1 genotype indicates that the patient inherits the R1 allele (which generally corresponds to DCE) from both parents. According to the Fisher-Race nomenclature, alleles are categorized based on the presence of specific antigens on red blood cells. For the R1 genotype, it consistently contains the D antigen along with the C and E antigens in a specific configuration. When both alleles are R1, this means that the individual expresses the C and E antigens associated with the D antigen, represented as CDe. By taking into account that both alleles are identical and correspond to the R1 allele, the valid genotype according to the Fisher-Race nomenclature for R1R1 is indeed CDe/CDe. Therefore, the answer accurately reflects that both alleles contribute the same DCE configuration. This understanding is crucial for proper blood group testing and transfusion compatibility.

4. Hemoglobin A is composed of how many alpha chains and beta chains?

A. 2 alpha chains and 2 beta chains

B. 1 alpha chain and 3 beta chains

C. 3 alpha chains and 1 beta chain

D. 4 alpha chains

Hemoglobin A, the most common form of hemoglobin found in adults, consists of two alpha chains and two beta chains. This tetrameric structure is crucial for its function in transporting oxygen in the bloodstream. Each alpha and beta chain contains heme groups that bind to oxygen molecules, enabling efficient oxygen transport from the lungs to the tissues. The specific configuration of two alpha and two beta chains allows for the proper formation of the hemoglobin's quaternary structure, which is essential for its physiological function. Understanding this structural composition is fundamental in medical technology, as variations or abnormalities in these chains can lead to different types of hemoglobin disorders.

5. What is the main type of hemoglobin in fetus and newborn babies?

A. Hemoglobin A

B. Hemoglobin S

C. Hemoglobin F

D. Hemoglobin A2

The main type of hemoglobin present in fetuses and newborn babies is Hemoglobin F, also known as fetal hemoglobin. It plays a crucial role during gestation as it has a higher affinity for oxygen compared to adult hemoglobin (Hemoglobin A). This property allows the fetus to effectively extract oxygen from the maternal blood across the placenta, ensuring that the developing fetus receives adequate oxygen supply despite lower oxygen levels in the maternal circulation. Hemoglobin F makes up a significant portion of the hemoglobin in a newborn, typically comprising about 60-80% of total hemoglobin at birth, and it gradually decreases after birth as Hemoglobin A becomes more dominant. This transition is a normal part of development as the newborn adapts to breathing air and no longer relies on placental oxygen transfer. Understanding the role of Hemoglobin F is important for recognizing normal physiology in newborns and for assessing potential hemoglobinopathies or other conditions related to abnormal hemoglobin types in later life.

EXAMPLE

6. By what percentage does one unit of whole blood raise the hematocrit of a standard adult patient?

A. 1%

B. 2%

C. 3%

D. 4%

One unit of whole blood typically raises the hematocrit of a standard adult patient by approximately 3%. This increase occurs due to the addition of both red blood cells and plasma components present in the whole blood. Hematocrit is a measure of the proportion of blood volume that is occupied by red blood cells, and thus the transfusion of whole blood effectively contributes to an increase in this volume. In practice, healthcare providers use this estimate to anticipate the impact of blood transfusions on a patient's hematological status, particularly in situations where rapid corrective measures for anemia are required. The values provided in the other choices do not align with established clinical data regarding whole blood transfusions and their effects on hematocrit, thereby reinforcing the selection of the 3% increase as the most appropriate answer to represent the physiological response of a patient receiving one unit of whole blood.

7. Which test evaluates the extrinsic pathway of coagulation?

A. Apt Test

B. Thrombin time

C. Prothrombin time

D. D-Dimer test

The test that evaluates the extrinsic pathway of coagulation is Prothrombin time (PT). PT specifically assesses the integrity of the extrinsic pathway, which is activated by tissue factor released during injury to blood vessels. This pathway involves the factors such as factor VII, and is essential for the initiation of coagulation. In a clinical setting, PT is frequently used to monitor patients on anticoagulation therapy, such as those taking warfarin, as it reflects the time taken for blood to clot in relation to the extrinsic pathway. The results of PT can help identify coagulation deficiencies or monitor the effectiveness of anticoagulant therapy. Other tests listed assess different aspects of coagulation or different pathways. The Apt test is primarily used to check for fetal blood in maternal samples and does not evaluate the extrinsic pathway. Thrombin time measures the time taken for thrombin to convert fibrinogen to fibrin, assessing the common pathway of coagulation, whereas the D-Dimer test is used to rule out thrombotic disorders such as deep vein thrombosis or pulmonary embolism and does not directly evaluate any of the coagulation pathways.

SAMPLE

8. Of the Duffy antigen system, which antibody is known to potentially cause transfusion reactions?

A. Anti-Jkb

B. Anti-Fyb

C. Anti-Fya

D. Anti-Jka

The Duffy antigen system is significant in transfusion medicine due to the antibodies associated with it. Among the antibodies listed, Anti-Fya is known for its potential to cause transfusion reactions. This antibody can elicit an immune response when transfused into someone who is Fya negative, leading to hemolytic transfusion reactions. Anti-Fya targets the Fya antigen on red blood cells, and when a recipient does not have this specific antigen and receives blood containing Fya positive red blood cells, their immune system may recognize these as foreign and mount a response. Consequently, this can result in hemolysis of the transfused cells, presenting clinical complications. While other antibodies such as Anti-Jka and Anti-Fyb are also part of the Duffy system and can cause transfusion reactions, Anti-Fya is particularly noted for its clinical implication in transfusion practices. Understanding the potential for certain antibodies, like Anti-Fya, to induce adverse reactions is crucial for ensuring safe blood transfusion practices and compatibility testing.

9. What indicates a positive result in a complement fixation test?

A. Presence of hemolysis

B. No hemolysis

C. Increased turbidity

D. Decline in antibody levels

In a complement fixation test, a positive result is indicated by the absence of hemolysis. The test is based on the principle that if antibodies specific to the antigen are present in the serum, they will bind to the antigen and fix complement. This bound complement is then unavailable to lyse indicator red blood cells added to the system. As a result, if hemolysis occurs, the antibodies were not present to fix the complement, resulting in a negative test. Conversely, if no hemolysis is observed, it suggests that the complement has been fixed by the antibody-antigen complex, confirming a positive result. This understanding is essential for interpreting the results correctly. The presence of hemolysis would actually indicate a lack of specific antibodies, signifying a negative outcome. Increased turbidity is generally not a direct measure of a positive result in this context; it's not the standard indicator. A decline in antibody levels does not relate directly to the interpretation of the complement fixation test, which primarily assesses the presence of antibodies through their ability to fix complement instead. Thus, the absence of hemolysis is the key indicator of a positive complement fixation test.

SAMPLE

10. Which molecule binds to hemoglobin with an affinity 240 times that of oxygen?

A. Carbon dioxide

B. Nitrogen

C. Carbon monoxide

D. Hydrogen sulfide

The molecule that binds to hemoglobin with an affinity 240 times that of oxygen is carbon monoxide. This affinity is significant because carbon monoxide competes with oxygen for binding sites on hemoglobin, which can lead to detrimental effects on oxygen transport in the body. When carbon monoxide binds to hemoglobin, it forms carboxyhemoglobin, preventing oxygen from being effectively transported to tissues and organs. This high affinity is one reason why carbon monoxide is considered extremely toxic; even low levels of exposure can be harmful or lethal because it impairs the body's ability to carry oxygen. Other molecules mentioned do interact with hemoglobin, but none have the same level of affinity as carbon monoxide. For example, carbon dioxide does bind to hemoglobin, but it does so at a much lower affinity compared to oxygen and carbon monoxide. Nitrogen is generally inert in this context and does not have a direct significant binding interaction with hemoglobin. Hydrogen sulfide can have biological activity but does not bind to hemoglobin in the same manner as carbon monoxide, and its physiological effects are quite different. The extreme affinity of carbon monoxide for hemoglobin is a critical aspect of understanding not only its biochemical interaction but also the clinical implications regarding carbon monoxide poisoning.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aabmtgeneralist.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE