# AAB MEDICAL TECHNOLOGIST (MT) – IMMUNOLOGY PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://aabmtimmunology.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. Which type of cells are the first responders to sites of infection?**

A. Macrophages
B. Neutrophils
C. Monocytes
D. B cells

**2. In the VDRL test, what role does cardiolipin serve?**

A. It acts as a treponemal antigen
B. It is the nontreponemal antigen
C. It enhances immune response
D. It functions as a diagnostic marker

**3. The cryptococcal antigen test is replacing which traditional lab test?**

A. Culture testing
B. India ink
C. Lumbar puncture
D. Serological screening

**4. Which one of the statements concerning IgM is NOT true?**

A. It is the first antibody produced in the antibody response
B. It is a pentamer composed of five structural subunits
C. It is capable of binding complement
D. It has four subclasses

**5. What is another name for one-dimensional single electroimmunodiffusion?**

A. Capillary electrophoresis
B. Rocket electrophoresis
C. Zone electrophoresis
D. Two-dimensional electrophoresis

**6. What is the outcome when dendritic cells present antigens via class II molecules?**

A. Activation of B cells
B. Inhibition of T cells
C. Stimulation of innate immunity
D. Destruction of pathogens

SAMPLE

**7. Where are B lymphocytes and T lymphocytes primarily produced in the body?**

A. Thymus

B. Lymph nodes

C. Bone marrow

D. Spleen

**8. How many subclasses of IgG are there?**

A. 2

B. 3

C. 4

D. 5

**9. What reaction occurs between the antigen and the antibody in the VDRL test?**

A. Precipitation

B. Flocculation

C. Hemolysis

D. Aggregation

**10. What type of immunodeficiency is typically characterized by normal T cell activity paired with absent or reduced antibody responses?**

A. Common Variable Immunodeficiency (CVID)

B. Hyper-IgM syndrome

C. DiGeorge syndrome

D. X-Linked Agammaglobulinemia

SAMPLE

# Answers

SAMPLE

1. B
2. B
3. B
4. D
5. B
6. A
7. C
8. C
9. B
10. A

SAMPLE

# Explanations

SAMPLE

## 1. Which type of cells are the first responders to sites of infection?

A. Macrophages

B. Neutrophils

C. Monocytes

D. B cells

*Neutrophils are considered the first responders to sites of infection due to their rapid mobilization and response to inflammatory signals. When there is an infection or tissue injury, neutrophils are quickly recruited to the affected area from the bloodstream, where they play a crucial role in the initial immune response. They excel at phagocytosing pathogens, such as bacteria and fungi, and releasing antimicrobial substances that help to kill and digest these invaders. The role of neutrophils is particularly important in acute immune responses, where their fast action can limit the spread of infection and begin the healing process. This function distinguishes them from other immune cells, which typically mobilize later in the immune response. For instance, macrophages, while also important for phagocytosis and orchestrating the immune response, typically arrive after neutrophils. Monocytes, which can differentiate into macrophages, and B cells, which are primarily involved in the adaptive immune response, take more time to be activated and respond. This is why neutrophils are recognized as the key first responders in the body's defense against infection.*

## 2. In the VDRL test, what role does cardiolipin serve?

A. It acts as a treponemal antigen

B. It is the nontreponemal antigen

C. It enhances immune response

D. It functions as a diagnostic marker

*In the VDRL (Venereal Disease Research Laboratory) test, cardiolipin serves as the nontreponemal antigen. This test is primarily used for the diagnosis of syphilis and detects the presence of antibodies that are produced in response to cardiolipin, which is released from damaged cells during infections. Cardiolipin is a specific type of phospholipid that, when combined with cholesterol and lecithin, creates the antigen used in the VDRL test. This configuration is essential because the antibodies formed against cardiolipin are indicative of an immune response to syphilis, even though they are not specific to Treponema pallidum, the causative agent of the disease. Therefore, the presence of these antibodies can signal a reaction to syphilis, which is why cardiolipin is crucial in this assay. Understanding the role of cardiolipin as a nontreponemal antigen is fundamental in diagnosing syphilis because it is part of a class of tests that are non-specific and can yield positive results in various conditions, making it necessary to confirm with more specific treponemal tests.*

SAMPLE

## 3. The cryptococcal antigen test is replacing which traditional lab test?

A. Culture testing

B. India ink

C. Lumbar puncture

D. Serological screening

*The cryptococcal antigen test is primarily replacing the India ink preparation method in laboratory settings for diagnosing cryptococcal infections, especially in immunocompromised patients such as those with HIV/AIDS. The India ink test involves mixing a sample of cerebrospinal fluid (CSF) or serum with India ink and observing for the presence of Cryptococcus neoformans encapsulated yeast cells. While this traditional test is simple and quick, it has limitations in sensitivity and specificity. In contrast, the cryptococcal antigen test is a more sensitive and specific method that detects the polysaccharide capsular antigen of Cryptococcus neoformans. This antigen is found in body fluids, notably in the CSF and serum, and its detection is a reliable indicator of cryptococcal disease. The test can be performed using various techniques, including enzyme-linked immunosorbent assay (ELISA) or latex agglutination test, providing more accurate results and allowing for earlier and more effective diagnosis. Over time, the use of the cryptococcal antigen test has led to a reduction in reliance on the India ink method, aligning with modern diagnostic practices that prioritize accuracy and speed in patient care.*

## 4. Which one of the statements concerning IgM is NOT true?

A. It is the first antibody produced in the antibody response

B. It is a pentamer composed of five structural subunits

C. It is capable of binding complement

D. It has four subclasses

*The statement regarding IgM being composed of four subclasses is not true. IgM is a unique antibody with a distinct structure and function. It is classified as a single immunoglobulin type and does not have subclasses like IgG, which has four different subclasses (IgG1, IgG2, IgG3, and IgG4). This distinction is important because IgM plays a crucial role in the early immune response, acting as the first antibody produced by the immune system upon exposure to an antigen. Its pentameric structure, typically composed of five monomeric units, enhances its ability to bind to multiple antigens simultaneously, increasing its overall efficiency during the initial stages of the immune response. Moreover, IgM is effective at activating the complement system, which is part of the immune response that helps to clear pathogens. Understanding these characteristics of IgM helps clarify its vital role in immunology.*

SAMPLE

## 5. What is another name for one-dimensional single electroimmunodiffusion?

A. Capillary electrophoresis

B. Rocket electrophoresis

C. Zone electrophoresis

D. Two-dimensional electrophoresis

*One-dimensional single electroimmunodiffusion is commonly referred to as Rocket electrophoresis because of the characteristic appearance of the precipitin lines that resemble rocket shapes on the gel. This method involves the simultaneous diffusion of antigens and antibodies under an electrical field, leading to the formation of a precipitate where the antigen and antibody meet in optimal proportions. The length of the "rocket" is directly proportional to the concentration of the antigen, making it a useful quantitative technique in immunology. Rocket electrophoresis is particularly valuable because it combines the principles of immunodiffusion and electrophoresis, allowing not only for the identification of specific antigens but also for the quantification of their concentrations in a sample. This unique approach distinguishes it from other forms of electrophoresis offered in the choices. The other terms listed refer to different techniques: Capillary electrophoresis is a technique that separates ions based on their speeds in an electric field, often using thin capillaries. Zone electrophoresis refers to a method where molecules are separated in zones according to their charge and size but does not adopt the specific mechanism that creates the 'rocket' morphology. Two-dimensional electrophoresis involves separating proteins by isoelectric point and then by molecular weight,*

## 6. What is the outcome when dendritic cells present antigens via class II molecules?

A. Activation of B cells

B. Inhibition of T cells

C. Stimulation of innate immunity

D. Destruction of pathogens

*When dendritic cells present antigens via class II major histocompatibility complex (MHC) molecules, the primary outcome is the activation of CD4+ T helper cells, which in turn plays a significant role in stimulating B cells. The interaction occurs as follows: dendritic cells process and present antigens from extracellular sources on their class II molecules, which are recognized by T cell receptors on CD4+ T cells. This recognition leads to the activation and proliferation of these helper T cells, which are crucial for orchestrating the immune response. Once activated, these T helper cells provide necessary signals—primarily through cytokine release—that promote the activation, differentiation, and proliferation of B cells. The B cells, stimulated by the cytokines and interactions with activated T cells, can then undergo class switching and affinity maturation, ultimately resulting in the production of antibodies specific to the presented antigen. This process is essential for generating a robust and effective adaptive immune response. Therefore, the correct outcome of dendritic cells presenting antigens via class II molecules is the activation of B cells through the mediation of CD4+ T helper cells.*

SAMPLE

## 7. Where are B lymphocytes and T lymphocytes primarily produced in the body?

A. Thymus

B. Lymph nodes

C. Bone marrow

D. Spleen

*B lymphocytes and T lymphocytes are primarily produced in different locations within the body, with their production stages occurring predominantly in the bone marrow and thymus, respectively. B lymphocytes, or B cells, originate and mature in the bone marrow. This specialized form of tissue, located within the cavities of bones, provides the necessary microenvironment and signals for the development of B cells from hematopoietic (blood-forming) stem cells. Once they are fully developed, B cells play a crucial role in the adaptive immune response by producing antibodies against pathogens. On the other hand, T lymphocytes, or T cells, are also derived from stem cells in the bone marrow, but they migrate to the thymus for maturation. The thymus serves as the site where T cells undergo a selection process to ensure that self-reactive cells are eliminated, a critical step in preventing autoimmune diseases. In summary, while T cells are involved in immune responses, they are not primarily produced in the bone marrow like B cells; they undergo final maturation in the thymus. Therefore, the correct answer focuses on the origin of B cells, affirming the role of the bone marrow as a primary production site for B lymphocytes.*

## 8. How many subclasses of IgG are there?

A. 2

B. 3

C. 4

D. 5

*Immunoglobulin G (IgG) is a crucial antibody in the human immune response, and it is classified into different subclasses based on structural and functional characteristics. There are four recognized subclasses of IgG: IgG1, IgG2, IgG3, and IgG4. Each subclass has distinct properties and functions, contributing to the immune system's ability to respond to different types of pathogens. This classification is important because different subclasses of IgG have varying abilities to activate complement, bind to antigens, and mediate immune responses. For instance, IgG1 is particularly effective in opsonization, while IgG3 is adept at activating the complement system. Understanding these subclasses helps in diagnosing and treating various diseases, especially autoimmune disorders and infections, making it essential knowledge for medical technologists in the field of immunology.*

SAMPLE

## 9. What reaction occurs between the antigen and the antibody in the VDRL test?

A. Precipitation

B. Flocculation

C. Hemolysis

D. Aggregation

*In the VDRL test, the primary reaction that occurs between the antigen and the antibody is flocculation. This test is a non-treponemal test used for screening syphilis, where a cardiolipin antigen is mixed with the patient's serum. If antibodies against the cardiolipin are present, a visible agglutination, or flocculation, occurs as a result of the interaction between the antigen and the antibodies. Flocculation is characterized by the formation of visible clumps or flakes, which indicates a positive reaction. In this context, flocculation is a distinguishing feature because it contrasts with the more soluble reactions seen in precipitation assays or the cellular lysis seen in hemolysis reactions. Understanding the specific nature of this reaction is critical for correctly interpreting the results of the VDRL test and differentiating it from other types of immunological reactions.*

## 10. What type of immunodeficiency is typically characterized by normal T cell activity paired with absent or reduced antibody responses?

A. Common Variable Immunodeficiency (CVID)

B. Hyper-IgM syndrome

C. DiGeorge syndrome

D. X-Linked Agammaglobulinemia

*The type of immunodeficiency characterized by normal T cell activity while having absent or reduced antibody responses is known as Common Variable Immunodeficiency (CVID). In CVID, individuals have a defect in the B cells that prevents them from producing adequate immunoglobulins (antibodies), which leads to an increased susceptibility to infections. Despite the presence of normal or even sometimes elevated levels of T cell functioning, the impaired ability of B cells to mature into plasma cells and produce antibodies is what defines this disorder. CVID is a diagnosis that often occurs later in life and can vary widely in its presentations, making it distinct from other immunodeficiencies like Hyper-IgM Syndrome, which specifically involves high levels of IgM but absent IgG, IgA, and IgE due to a different mechanism affecting T-B cell interactions. DiGeorge syndrome typically features a deficiency in T cell production due to thymic aplasia, and X-Linked Agammaglobulinemia is characterized by the absence of B cells leading to a complete lack of antibody production, rather than just reduced responses. Thus, the characteristic of CVID—normal T cell activity paired with an inability to produce sufficient antibodies—effectively underscores its unique place within immunode*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aabmtimmunology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE