AAID ASSOCIATE FELLOW PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://aaidassociatefellow.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What condition does a scalloped tongue indicate in a patient?

A. Bone resorption

B. Psychological issues

C. Respiratory problems

D. Cardiovascular disease

2. Which of the following bacteria is NOT typically found at an infected implant site?

A. Strep mutans

B. Staphylococcus aureus

C. Anaerobic rods

D. Strep sanguis

3. What is a symptom indicative of excessive vertical dimension?

A. Clicking of posterior teeth

B. Pain in swallowing

C. Facial asymmetry

D. Swelling of the gums

4. What is the smallest suture size commonly used?

A. 5

B. 2

C. 4

D. 6

5. Ramus frame implants can also be made from which titanium grade?

A. Surgical grade 2 titanium

B. Commercially pure titanium

C. Grade 5 titanium

D. Grade 4 titanium

SAMPLE

6. What is the expected relationship between bone changes in the #21 area during orthodontic treatment?

A. Bone will increase in density and size

B. Bone will remain unchanged in width and height

C. There will be significant bone loss

D. Bone width will only decrease

7. What percentage of cantilever force is typically applied on implants?

A. 60%

B. 80%

C. 100%

D. 120%

8. Rickets is primarily associated with a deficiency in which vitamin?

A. Vitamin A

B. Vitamin C

C. Vitamin D

D. Vitamin K

9. What is the most common failure of osseointegration after implant placement?

A. Micromovement

B. Infection

C. Excessive loading

D. Bone resorption

10. In the context of dental implants, what is significant about titanium?

A. It is only decorative

B. It is known for its biocompatibility

C. It causes significant allergic reactions

D. It is not used in dental applications

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. C
5. A
6. B
7. A
8. C
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What condition does a scalloped tongue indicate in a patient?

A. Bone resorption

B. Psychological issues

C. Respiratory problems

D. Cardiovascular disease

A scalloped tongue, characterized by indentations or grooves along the edges, is often associated with psychological issues, particularly those related to stress or anxiety. This physical manifestation can occur due to the unconscious habit of clenching or grinding teeth, a condition known as bruxism. As an individual experiences stress, they may inadvertently apply pressure to the tongue against the teeth, leading to the scalloping effect. Additionally, a scalloped tongue can reflect a broader physiological response to emotional distress, where changes occur in the oral cavity as part of the overall body's reaction to psychological states. While scalloped tongues can sometimes indicate other underlying health issues, such as nutritional deficiencies or certain medical conditions, the strong correlation to psychological states makes this the most appropriate association. Other options, while possibly relevant to different oral or systemic health conditions, do not specifically explain the unique characteristics of a scalloped tongue in patients.

2. Which of the following bacteria is NOT typically found at an infected implant site?

A. Strep mutans

B. Staphylococcus aureus

C. Anaerobic rods

D. Strep sanguis

Staphylococcus aureus is typically recognized as a key pathogen associated with skin and soft tissue infections, including those that can occur at the site of surgical implants. Its virulence factors enable it to adhere to surfaces and evade the host's immune response, making it a common inhabitant in infections related to implants. In contrast, the other bacteria listed have different associations. Streptococcus mutans is often implicated in dental caries and oral biofilm formation, which can contribute to peri-implant diseases. Anaerobic rods are commonly found in periodontal infections and may also play a role in implant-associated infections, especially in environments where oxygen is limited. Streptococcus sanguis, like Strep mutans, is related to oral health and can be present in biofilms associated with implants. While Staphylococcus aureus can be found in some infections, the other bacteria listed are more commonly associated with the specific types of infections occurring at an implant site, particularly as part of the complex microbial communities that develop in periodontal and peri-implant conditions. Therefore, identifying Staphylococcus aureus as not typically being associated with an infected implant site aligns with the understanding of the bacterial profiles involved in those infections.

SAMPLE

3. What is a symptom indicative of excessive vertical dimension?

A. Clicking of posterior teeth

B. Pain in swallowing

C. Facial asymmetry

D. Swelling of the gums

Excessive vertical dimension in dental occlusion refers to an increase in the length of the distance between the upper and lower jaws when the teeth are closed. This condition can create a range of symptoms due to the potential impact on the temporomandibular joint (TMJ) and the overall mechanics of bite function. The clicking of posterior teeth can occur when there is excessive vertical dimension because this condition can lead to misalignments and changes in how the teeth come together during movement. The altered spatial relationship can create uneven forces and contacts in the dental arches, resulting in noises such as clicking or popping noises when the teeth are in contact, especially during lateral or protraction movements. Other symptoms such as pain in swallowing, facial asymmetry, and swelling of the gums do not specifically indicate excessive vertical dimension. While these symptoms can occur in various dental and health-related conditions, they are not directly attributable to the mechanical implications of increased vertical dimension like clicking of the posterior teeth is. This makes clicking a more direct indicator of issues associated with excessive vertical dimension.

4. What is the smallest suture size commonly used?

A. 5

B. 2

C. 4

D. 6

The smallest suture size commonly used in practice is indeed 6. In surgical procedures, suture sizes are indicated by a numerical system where the higher the number, the larger the suture. A size 6 suture is thinner than sizes 4 and 5, making it suitable for delicate tissues where minimal tissue reaction is desired and precision is critical. Smaller suture sizes (like 6-0) are often used in areas requiring finer sutures, such as in delicate facial surgery or for closing small incisions in ophthalmic procedures. This highlights the importance of selecting the appropriate suture size in relation to the type of tissue being sutured. Understanding the nuances of suture sizes and their applications is a critical aspect of surgical practice and helps ensure optimal healing and minimal scarring.

SAMPLE

5. Ramus frame implants can also be made from which titanium grade?

A. Surgical grade 2 titanium

B. Commercially pure titanium

C. Grade 5 titanium

D. Grade 4 titanium

The correct answer highlights that ramus frame implants can indeed be made from surgical grade 2 titanium. This grade of titanium, known for its high corrosion resistance and biocompatibility, is often used in medical applications, particularly in the field of dentistry and orthopedic surgery, where it is crucial for materials to integrate well with human tissue. Surgical grade 2 is particularly favored for its balance between strength, ductility, and ability to resist wear, making it an ideal choice for implants that require longevity and stability in the body. While commercially pure titanium is also utilized in medical devices, it does not refer to a specific grade like the surgical grade titanium does; hence, it lacks the defined properties that surgical grade 2 specifically ensures in terms of performance in this context. Grade 5 titanium, known for its higher strength due to the addition of aluminum and vanadium, is primarily used in applications where greater tensile strength is necessary, but it might not be ideal for all implant designs. Grade 4 titanium is stronger than grade 2 but does not have the same favorable characteristics for the specific applications of ramus frame implants, as it can be more brittle. Therefore, the choice of surgical grade 2 titanium is prominent due to its comprehensive benefits for use

6. What is the expected relationship between bone changes in the #21 area during orthodontic treatment?

A. Bone will increase in density and size

B. Bone will remain unchanged in width and height

C. There will be significant bone loss

D. Bone width will only decrease

The selection of the response indicating that bone will remain unchanged in width and height during orthodontic treatment reflects an understanding of the adaptive nature of periodontal bone in response to the forces applied during orthodontics. Orthodontic treatment involves the application of forces to teeth to move them into desired positions. During this process, the alveolar bone supports the teeth and undergoes remodeling in response to these forces. While some areas may experience slight changes, the bone in the #21 area, which refers to the specific site in the dental arch, generally maintains its overall volume and integrity due to balancing biological responses like bone resorption and formation. In the context of this area, significant changes or considerable loss are typically not expected unless pathological factors are present. Healthy bone surrounding the teeth, particularly when managed with proper orthodontic techniques, tends to maintain its dimensions and density as it adapts to the mechanical loads placed upon it. Therefore, the expectation of minimal to no change aligns with the biological principles governing bone metabolism during orthodontic treatment.

SAMPLE

7. What percentage of cantilever force is typically applied on implants?

A. 60%

B. 80%

C. 100%

D. 120%

In the context of cantilever forces applied to dental implants, the answer indicating 60% accurately reflects the commonly accepted biomechanical principles related to load distribution. Cantilever restorations are dental prosthetics that extend beyond the support of an implant or natural tooth, which can lead to increased stress on the supporting structures. Applying 60% of the cantilever force on implants serves to mitigate excessive force that could lead to implant failure or complications such as bone resorption around the implant. This percentage is grounded in research that emphasizes the importance of load management to ensure the longevity of dental implants. The other percentages, such as 80%, 100%, or 120%, imply a level of force that could exceed what is considered safe in most clinical circumstances, potentially leading to complications. Understanding the correct force application percentage is critical for ensuring optimal outcomes in implant-supported restorations.

8. Rickets is primarily associated with a deficiency in which vitamin?

A. Vitamin A

B. Vitamin C

C. Vitamin D

D. Vitamin K

Rickets is primarily associated with a deficiency in Vitamin D. This vitamin plays a critical role in calcium and phosphate metabolism, which are essential for healthy bone development and maintenance. When there is an inadequate supply of vitamin D, the body struggles to absorb calcium from food, leading to a weakening of bones in children, which is the hallmark of rickets. Vitamin D can be obtained through sunlight exposure, dietary sources, and supplements. In areas where sunlight exposure is limited or in populations with dietary deficiencies, children may be particularly susceptible to rickets due to insufficient vitamin D levels. The condition manifests as softened bones, leading to deformities and growth issues if not addressed. The other vitamins mentioned do not have a direct link to rickets or bone mineralization in the same way. Vitamin A, while important for vision and immune function, does not play a key role in bone health in the context of rickets. Vitamin C is essential for collagen synthesis and overall health, but its deficiency leads to scurvy, not rickets. Similarly, while Vitamin K is important for blood clotting and bone metabolism, it doesn't specifically relate to the development of rickets caused by vitamin D deficiency.

SAMPLE

9. What is the most common failure of osseointegration after implant placement?

A. Micromovement

B. Infection

C. Excessive loading

D. Bone resorption

The most common failure of osseointegration after implant placement is micromovement. Micromovement refers to the slight movement of the dental implant during the healing phase, which can impede the process of osseointegration — the integration of the implant with the surrounding bone. Successful osseointegration requires stability at the implant site, allowing for the appropriate biological response in the bone. If there is excessive movement, it can lead to a disruption in the formation of bone-implant contacts, preventing the bone from fusing effectively with the implant. While infection, excessive loading, and bone resorption can also contribute to implant failure, they are generally not as frequent as issues arising from micromovement. Infection can occur, especially if proper sterilization protocols are not followed; however, it is often a result of other complicating factors rather than a primary failure of osseointegration. Excessive loading pertains to the mechanical stress placed on the implant, which generally comes into play after the initial osseointegration phase. Bone resorption is a later consequence that can occur due to factors such as inadequate bone-to-implant contact, but it is not typically the immediate reason for failure in the early stages post-implant placement. Thus, micromovement

10. In the context of dental implants, what is significant about titanium?

A. It is only decorative

B. It is known for its biocompatibility

C. It causes significant allergic reactions

D. It is not used in dental applications

Titanium is renowned for its biocompatibility, which is a crucial factor in dental implants. This means that titanium can coexist with living tissue without causing adverse reactions. When dental implants are placed in the jawbone, the titanium surface allows for a process known as osseointegration, where the bone integrates with the titanium, providing stability and support for artificial teeth. This property is fundamental to the success of dental implants, as it ensures that the body accepts the implant as a natural part of its structure. The use of titanium in dental applications has been extensively studied and confirmed due to its strength, lightweight nature, and resistance to corrosion, making it an ideal material for not only implants but also other dental devices. Its excellent mechanical properties ensure durability, while its biocompatible nature reduces the risk of complications post-surgery, leading to successful long-term outcomes for patients.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aaidassociatefellow.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE