AANP FAMILY NURSE PRACTITIONER (FNP) CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://aanpfamilynursepractitioner.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following conditions can accompany tachycardia?**
   - A. Bradycardia
   - B. Hypotension
   - C. Hypertension
   - D. Hypoglycemia

2. **What is the immediate treatment for acute angle closure glaucoma?**
   - A. Topical corticosteroids
   - B. Apply cold compresses
   - C. Emergency evaluation in the ER
   - D. Administer pain relief medication

3. **What is a potential sign of herpetic keratitis?**
   - A. Itching sensation
   - B. Blurry vision
   - C. Redness of eyelids
   - D. Puffy cheeks

4. **What does a "bag of worms" appearance in a physical exam indicate?**
   - A. Hydrocele
   - B. Varicocele
   - C. Testicular torsion
   - D. Inguinal hernia

5. **What does grandiosity refer to in a psychological context?**
   - A. Inability to recognize others' feelings
   - B. Exaggerated belief in one's importance
   - C. Chronic sadness
   - D. Anxiety about performance

6. **What symptom is NOT typically associated with acute angle closure glaucoma?**
   - A. Cloudy cornea
   - B. Severe halos around lights
   - C. Pupil constriction
   - D. Mid-dilated oval pupil

SAMPLE

7. What type of medication is often used to treat allergic rhinitis?

A. Antihistamines

B. Inhaled corticosteroids

C. Oral decongestants

D. Beta-blockers

8. What is the initial treatment for osteoarthritis?

A. Steroids

B. DMARDs

C. Physical therapy

D. Acetaminophen

9. What pattern is indicative of pityriasis rosea?

A. Round patches with clear borders

B. Christmas tree pattern

C. Uniform red rash with no scaling

D. Clustered blisters

10. Which examination finding is consistent with a diagnosis of meniscus tear?

A. Joint swelling

B. Crepitus on movement

C. Positive McMurray's sign

D. Limited range of motion

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. C
7. B
8. D
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following conditions can accompany tachycardia?

A. Bradycardia

B. Hypotension

C. Hypertension

D. Hypoglycemia

Tachycardia is defined as an abnormally elevated heart rate, typically above 100 beats per minute. This condition can be accompanied by various physiological changes in the body, one of which is hypotension, or low blood pressure. When the heart rate increases significantly, the body's ability to effectively pump blood can be compromised due to factors such as decreased ventricular filling time. This can lead to a drop in stroke volume and subsequently result in hypotension. The heart may attempt to compensate for low blood pressure through an increased heart rate, creating a cycle where tachycardia coexists with hypotension. This is especially evident in conditions such as hypovolemic shock or severe sepsis, where both tachycardia and hypotension are observable. In contrast, other conditions, such as hypertension, can be present; however, hypertension typically indicates an elevated blood pressure rather than a decreased one, which would not directly accompany tachycardia in most clinical scenarios unless there are specific underlying factors involved. Hypoglycemia can cause tachycardia, but it is not a direct accompaniment of the increased heart rate itself. Bradycardia refers to a slow heart rate and is not compatible with tachycardia. Thus, among the options,

2. What is the immediate treatment for acute angle closure glaucoma?

A. Topical corticosteroids

B. Apply cold compresses

C. Emergency evaluation in the ER

D. Administer pain relief medication

The immediate treatment for acute angle closure glaucoma focuses on rapid intervention to lower intraocular pressure and alleviate symptoms, making emergency evaluation in the emergency room the correct approach. This condition is a medical emergency, as it can lead to permanent vision loss if not addressed quickly. Upon evaluation, healthcare professionals can take necessary actions such as prescribing medications that reduce intraocular pressure, performing gonioscopy to assess the angle, and, in some cases, preparing for procedures such as laser peripheral iridotomy, which creates a new drainage pathway for fluid in the eye. Timely evaluation is crucial because acute angle closure glaucoma typically presents with severe eye pain, nausea, vomiting, and visual disturbances, requiring immediate management in a controlled environment. Approaching this situation as an emergency allows for prompt and effective treatment, significantly reducing the risk of complications. While pain relief and other measures can be supportive, they do not address the underlying cause or the acute nature of the condition as effectively as getting the patient to an emergency setting where comprehensive care can be provided.

SAMPLE

3. What is a potential sign of herpetic keratitis?

A. Itching sensation

B. Blurry vision

C. Redness of eyelids

D. Puffy cheeks

Blurry vision is identified as a potential sign of herpetic keratitis because the herpes simplex virus can infect the cornea, leading to inflammation and damage. This condition can disrupt the normal surface of the cornea, resulting in visual disturbances such as blurred vision. Symptoms can also include pain, light sensitivity, and tearing, but blurred vision specifically indicates that the virus is affecting the clarity of the cornea, which directly influences sight. The other options, while they may present in various eye conditions, are not as specific to herpetic keratitis. Itching sensation, for instance, is more commonly associated with allergies or other types of conjunctivitis, while redness of the eyelids is indicative of many different ocular issues, including bacterial or allergic conjunctivitis. Puffy cheeks typically do not correlate with herpetic keratitis but rather might suggest sinus issues or other dermatological concerns. Thus, blurry vision stands out as a hallmark symptom directly linked to the corneal involvement seen in herpetic keratitis.

4. What does a "bag of worms" appearance in a physical exam indicate?

A. Hydrocele

B. Varicocele

C. Testicular torsion

D. Inguinal hernia

A "bag of worms" appearance during a physical examination is a classic finding associated with a varicocele. This appearance is due to the dilatation of the pampiniform plexus, which is a network of veins that drain the testicle. When these veins become enlarged and tortuous, they can create a palpable sensation that resembles a bag of worms, typically felt during a scrotal exam. Varicoceles are more common on the left side due to anatomical differences in venous drainage. This condition can lead to fertility issues if not addressed, making it important for clinicians to recognize this specific presentation. In contrast, hydroceles present with a different consistency and are usually smooth and non-tender, while testicular torsion is characterized by acute pain and is a surgical emergency, lacking a "bag of worms" feel. An inguinal hernia, on the other hand, presents as a bulge and is often associated with lifting or straining, but does not have the same vine-like palpation associated with varicocele.

SAMPLE

5. What does grandiosity refer to in a psychological context?

A. Inability to recognize others' feelings

B. Exaggerated belief in one's importance

C. Chronic sadness

D. Anxiety about performance

Grandiosity in a psychological context refers to an exaggerated belief in one's importance, abilities, or achievements. This can manifest as an inflated self-image and a sense of superiority over others, which may not align with reality. Individuals exhibiting grandiosity often showcase a lack of self-awareness and may not accurately assess their failure or impact on others. In many cases, grandiosity is a symptom associated with certain psychological conditions, such as Narcissistic Personality Disorder or bipolar disorder during manic episodes. This exaggerated self-view can lead to difficulties in personal relationships and can affect the individual's overall functioning. Understanding grandiosity is crucial not only for diagnosing these conditions but also for developing appropriate treatment strategies that address the underlying issues. The other options relate to different aspects of psychological functioning and do not capture the specific essence of grandiosity. For instance, the inability to recognize others' feelings pertains more to empathy deficits rather than self-perception, chronic sadness relates to depression, and anxiety about performance highlights fears and insecurities in various situations. These concepts represent different psychological phenomena that do not coincide with the idea of grandiosity.

6. What symptom is NOT typically associated with acute angle closure glaucoma?

A. Cloudy cornea

B. Severe halos around lights

C. Pupil constriction

D. Mid-dilated oval pupil

In acute angle closure glaucoma, the symptoms are primarily the result of increased intraocular pressure and the acute nature of the condition. The presence of a mid-dilated oval pupil is characteristic, as the sympathetic nervous system is activated in response to the pain and pressure, causing the pupil to dilate rather than constrict. Cloudy cornea can occur due to corneal edema from the elevated pressure, and severe halos around lights result from corneal changes and the irregularities in the refractive surface. However, pupil constriction is not a typical finding in this condition; rather, the pupil often appears mid-dilated and oval due to the pressure and iris position. Therefore, pupil constriction does not align with the expected presentation of acute angle closure glaucoma.

SAMPLE

7. What type of medication is often used to treat allergic rhinitis?

A. Antihistamines

B. Inhaled corticosteroids

C. Oral decongestants

D. Beta-blockers

In the management of allergic rhinitis, inhaled corticosteroids are considered a first-line treatment option. They work by reducing inflammation in the nasal passages, helping alleviate symptoms such as nasal congestion, sneezing, itching, and runny nose. Inhaled corticosteroids effectively target and suppress the immune response to allergens, offering significant symptomatic relief. While antihistamines are also commonly used to treat allergic rhinitis by blocking histamine, which is released during an allergic response, inhaled corticosteroids provide more comprehensive control of inflammation and are particularly beneficial for patients with moderate to severe symptoms. Furthermore, oral decongestants can provide temporary relief from nasal congestion but do not address the underlying inflammation. Beta-blockers are not relevant in the treatment of allergic rhinitis as they are primarily used for managing cardiovascular conditions, hence are not appropriate in this context. The combination of effectiveness and focus on inflammation management makes inhaled corticosteroids a key treatment approach for allergic rhinitis.

8. What is the initial treatment for osteoarthritis?

A. Steroids

B. DMARDs

C. Physical therapy

D. Acetaminophen

The initial treatment for osteoarthritis focuses on managing pain and improving function while minimizing side effects. Acetaminophen is commonly recommended as the first-line oral medication due to its effectiveness in alleviating mild to moderate pain associated with osteoarthritis. It is generally well-tolerated and has a favorable side effect profile compared to nonsteroidal anti-inflammatory drugs (NSAIDs), making it an appropriate starting point for many patients. In treating osteoarthritis, the emphasis is often on non-pharmacological methods initially, as medications may not always be necessary at the very outset. However, when medication is required, acetaminophen is preferred due to its safety profile and the lower risk of gastrointestinal or cardiovascular side effects that can accompany the use of NSAIDs. As the condition progresses or if pain relief is inadequate with acetaminophen alone, additional treatments such as physical therapy or NSAIDs may be considered. This graduated approach helps to manage symptoms effectively while minimizing potential adverse effects.

SAMPLE

9. What pattern is indicative of pityriasis rosea?

A. Round patches with clear borders

B. Christmas tree pattern

C. Uniform red rash with no scaling

D. Clustered blisters

The Christmas tree pattern is characteristic of pityriasis rosea, which typically presents as a specific arrangement of skin lesions. This pattern arises from the way the rash unfolds on the body, often aligning along the lines of skin tension, which is why it can resemble the shape of a Christmas tree. In pityriasis rosea, an initial 'herald patch' appears, followed by smaller lesions that spread in a distinctive manner on the trunk, abdomen, or back, and this leads to the visual effect similar to that of a Christmas tree. These lesions are usually oval and have a scaling surface, contributing further to the unique visual presentation. The other patterns described do not align with the presentation of pityriasis rosea. Round patches with clear borders do not capture the typical dynamic of this condition, which is more diffuse rather than characterized by distinct patches. A uniform red rash with no scaling indicates other dermatological conditions such as eczema or an allergic reaction. Clustered blisters would suggest a different pathology altogether, such as herpes simplex or contact dermatitis, which does not share the characteristics of pityriasis rosea. Understanding these distinctions helps in correctly identifying and diagnosing pityriasis rosea in clinical practice.

10. Which examination finding is consistent with a diagnosis of meniscus tear?

A. Joint swelling

B. Crepitus on movement

C. Positive McMurray's sign

D. Limited range of motion

A positive McMurray's sign is a classic examination finding associated with a meniscus tear. This test involves the examiner flexing and rotating the knee while applying a valgus or varus stress. If the meniscus is torn, especially the medial meniscus, it can produce a "click" or pain during the movement, indicating the presence of the injury. This sign helps to confirm the diagnosis of a meniscal tear because it correlates with the anatomical movements and load-bearing characteristics of the meniscus. Joint swelling, crepitus on movement, and limited range of motion can all accompany various knee injuries, including meniscus tears, but they are not specific indicators. Swelling often results from inflammation or fluid accumulation due to different types of injuries. Crepitus can arise from other joint issues—such as arthritis—where grinding or crunching sounds occur during movement. Limited range of motion can result from pain, swelling, or stiffness due to multiple causes beyond just a meniscus tear. Therefore, while these findings may be present, they lack specificity, making a positive McMurray's sign the distinguishing examination finding for establishing the diagnosis of a meniscal tear.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aanpfamilynursepractitioner.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE