ABCP PERFUSION BASIC SCIENCE (PBSE) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://abcppbse.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the overall purpose of CPB during cardiac surgery as reflected in perfusion practice?

A. To support systemic circulation and oxygenation during cardiac surgery when the heart is arrested.

B. To perform liver transplant procedures.

C. To randomly adjust blood pressure.

D. To perform dialysis.

2. Which statement correctly describes atropine?

A. Anticholinergic

B. Sympathomimetic

C. Beta-adrenergic agonist

D. Vasopressor

3. Why is lactate normalization considered a marker of adequate tissue perfusion after CPB?

A. It indicates that aerobic metabolism is resuming and perfusion is adequate.

B. It indicates excessive lipolysis.

C. It indicates hepatic failure.

D. It indicates infection.

4. What measures prevent circuit air entrainment during CPB setup?

A. Keeping reservoir closed.

B. Use of high suction pressure.

C. Avoid venting.

D. Proper priming, leak checks, and effective venting of the reservoir.

5. What primarily determines systemic oxygen delivery (DO2) during CPB?

A. Hematocrit only.

B. Oxygen saturation alone.

C. PaO2 only.

D. Cardiac output and arterial oxygen content (CaO2).

SAMPLE

6. What is observed when the carotid artery is pressed?

A. Tachycardia

B. Bradycardia

C. Hypertension

D. No change

7. For VA neoECMO, a common cannulation combination is which pair of vessels?

A. Right Internal Jugular and Right Carotid

B. Left Internal Jugular and Left Carotid

C. Right Femoral Vein and Right Femoral Artery

D. Left Subclavian and Left Carotid

8. During CPB, rising lactate indicates what?

A. Hypoxemia

B. Anaerobic metabolism and tissue hypoperfusion

C. Adequate perfusion

D. Hyperkalemia

9. How does CPB priming contribute to hemodilution and what is RAP?

A. Priming with blood increases hematocrit; RAP is retrograde arterial perfusion.

B. Priming adds crystalloids to blood; RAP is rapid arterial pressure.

C. Priming reduces viscosity; RAP is retrograde autologous perfusion.

D. Priming dilutes blood; RAP replaces prime with patient's own blood to reduce dilution.

10. What is the most common vascular ring?

A. Double aortic arch

B. Right aortic arch with aberrant left subclavian

C. Left aortic arch

D. Coarctation of the aorta

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. D
5. D
6. B
7. A
8. B
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What is the overall purpose of CPB during cardiac surgery as reflected in perfusion practice?

A. To support systemic circulation and oxygenation during cardiac surgery when the heart is arrested.

B. To perform liver transplant procedures.

C. To randomly adjust blood pressure.

D. To perform dialysis.

The main concept is that cardiopulmonary bypass provides life-sustaining circulation and gas exchange while the heart is stopped for repair. The CPB circuit takes over the heart and lungs: venous blood is drawn into a reservoir, oxygenated, carbon dioxide is removed, and then the blood is returned to the arterial system at a controlled flow and pressure. This maintains stable organ perfusion and oxygen delivery, even when the heart isn't beating, and allows the surgeon to work in a still, bloodless field. It can also be used to manage temperature and coagulation during the procedure. The other options don't capture the primary purpose of CPB in this context, as CPB isn't about liver transplantation, random blood-pressure changes, or dialysis.

2. Which statement correctly describes atropine?

A. Anticholinergic

B. Sympathomimetic

C. Beta-adrenergic agonist

D. Vasopressor

Atropine is an anticholinergic drug that blocks muscarinic acetylcholine receptors. By inhibiting parasympathetic input, it prevents acetylcholine from slowing the heart and from stimulating secretions, which raises the heart rate and reduces glandular secretions. It is not a sympathomimetic and does not mimic the sympathetic nervous system, nor is it a beta-adrenergic agonist that directly stimulates adrenergic receptors. It's also not a vasopressor, since its main action is blocking acetylcholine effects rather than causing vasoconstriction to raise blood pressure. Clinically, it's used to treat bradycardia and muscarinic toxicity (for example, organophosphate poisoning).

3. Why is lactate normalization considered a marker of adequate tissue perfusion after CPB?

A. It indicates that aerobic metabolism is resuming and perfusion is adequate.

B. It indicates excessive lipolysis.

C. It indicates hepatic failure.

D. It indicates infection.

Lactate levels reflect the balance between production and clearance. When tissues aren't getting enough oxygen, cells rely on anaerobic glycolysis and produce more lactate. After CPB, if perfusion is adequate and oxygen delivery meets tissue demand, tissues switch back to aerobic metabolism, producing far less lactate, and the liver (the main organ for clearing lactate) can efficiently remove what's already present. So, lactate normalization signals that perfusion is sufficient and metabolic processes are returning to normal. If lactate stayed high, it would suggest ongoing hypoperfusion or impaired clearance, but normalization most directly indicates resumed aerobic metabolism and adequate tissue perfusion. Excessive lipolysis, hepatic failure, or infection can influence lactate in other ways, but they don't align as cleanly with the meaning of normalization.

SAMPLE

4. What measures prevent circuit air entrainment during CPB setup?

A. Keeping reservoir closed.

B. Use of high suction pressure.

C. Avoid venting.

D. Proper priming, leak checks, and effective venting of the reservoir.

Preventing air from entering the bypass circuit starts with thorough priming, confirming all connections are leak-free, and venting the reservoir effectively to remove any trapped air before starting bypass. Proper priming displaces air with liquid, leak checks ensure the system is airtight, and active venting of the reservoir allows any rising air to escape, preventing bubbles from entering the pump and patient. Keeping the reservoir closed, using high suction, or avoiding venting would all increase the chance of air remaining or being drawn into the circuit, which is why those are not suitable.

5. What primarily determines systemic oxygen delivery (DO2) during CPB?

A. Hematocrit only.

B. Oxygen saturation alone.

C. PaO2 only.

D. Cardiac output and arterial oxygen content (CaO2).

Systemic oxygen delivery on CPB hinges on how much blood is being delivered and how much oxygen that blood can carry. The relationship is DO2 = CO × CaO2. Cardiac output (the pump's flow) determines the volume of blood reaching tissues per minute, while arterial oxygen content (CaO2) tells how much oxygen each liter of that blood can carry. CaO2 depends on hemoglobin concentration (and thus hematocrit), the oxygen saturation of hemoglobin (SaO2), and the dissolved oxygen (PaO2). In practice, you can change DO2 by adjusting pump flow or by altering CaO2 via hematocrit, SaO2, or PaO2. If hematocrit is very low (less Hb to carry O2) or the pump flow is reduced, DO2 falls even if SaO2 and PaO2 are adequate. Conversely, high CaO2 with low flow similarly limits DO2. That's why the best answer emphasizes both cardiac output and arterial oxygen content.

6. What is observed when the carotid artery is pressed?

A. Tachycardia

B. Bradycardia

C. Hypertension

D. No change

Activating the carotid sinus baroreceptors triggers a reflex that lowers heart rate. When the carotid sinus is pressed, these stretch sensors send signals to the brainstem, which increases parasympathetic (vagal) outflow to the heart and dampens sympathetic activity. The net effect is bradycardia, often with a drop in blood pressure. Tachycardia or hypertension would reflect the opposite reflex, not the response to carotid pulse, and a lack of change would imply the reflex wasn't engaged.

SAMPLE

7. For VA neoECMO, a common cannulation combination is which pair of vessels?

A. Right Internal Jugular and Right Carotid

B. Left Internal Jugular and Left Carotid

C. Right Femoral Vein and Right Femoral Artery

D. Left Subclavian and Left Carotid

In VA ECMO, blood is drained from the venous system and returned to the arterial system to support both circulation and oxygenation. In neonates, a very common setup is to drain from the right internal jugular vein and return via the right carotid artery. This neck configuration is favored because the right IJ provides reliable central venous access for drainage in a small patient, and the right common carotid artery offers accessible arterial return into the systemic circulation. Returning oxygenated blood through the carotid helps ensure effective cerebral perfusion and avoids the limb ischemia risks associated with femoral arterial cannulation. While other peripheral configurations exist, this neck pair is widely used as a standard approach in neonatal VA ECMO due to practicality and perfusion considerations.

8. During CPB, rising lactate indicates what?

A. Hypoxemia

B. Anaerobic metabolism and tissue hypoperfusion

C. Adequate perfusion

D. Hyperkalemia

Rising lactate during CPB shows tissues are not receiving enough oxygen and are switching to anaerobic glycolysis. When oxygen delivery falls short of demand, pyruvate is converted to lactate, leading to accumulation in the blood. This points to tissue hypoperfusion or insufficient effective oxygen delivery rather than adequate perfusion. If perfusion and oxygen delivery are good, lactate levels would stay normal or fall as clearance by the liver proceeds. Hyperkalemia isn't the driver of lactate production, though severe hypoxemia can contribute indirectly; the direct implication of a rising lactate is anaerobic metabolism due to hypoperfusion.

9. How does CPB priming contribute to hemodilution and what is RAP?

A. Priming with blood increases hematocrit; RAP is retrograde arterial perfusion.

B. Priming adds crystalloids to blood; RAP is rapid arterial pressure.

C. Priming reduces viscosity; RAP is retrograde autologous perfusion.

D. Priming dilutes blood; RAP replaces prime with patient's own blood to reduce dilution.

Priming the CPB circuit introduces a fluid that is not blood, typically crystalloids, so when the circuit starts circulating, the patient's blood becomes diluted. This hemodilution lowers hematocrit and can make oxygen delivery less efficient. Retrograde autologous priming is a technique to counter that by displacing part of the liquid prime with the patient's own blood from the venous reservoir before starting bypass. By doing this, the circuit is primed with more of the patient's red cells and less crystalloid solution, reducing dilution. So, priming dilutes blood, and RAP refers to replacing the prime with the patient's own blood to reduce dilution.

SAMPLE

10. What is the most common vascular ring?

A. Double aortic arch

B. Right aortic arch with aberrant left subclavian

C. Left aortic arch

D. Coarctation of the aorta

Vascular rings are congenital anomalies where parts of the aortic arch system encircle the trachea and esophagus, potentially causing compression in infancy. The most common scenario in which a complete ring forms is when both the right and left aortic arches persist, creating a full circle around the airway and esophagus. This configuration is more likely to produce symptoms like stridor or feeding difficulties, making it the typical vascular ring seen. A left aortic arch by itself is normal anatomy and does not encircle. A right aortic arch with an aberrant left subclavian can form a ring, but it is less common. Coarctation of the aorta narrows the vessel and does not create a complete ring around the trachea and esophagus.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://abcppbse.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE