
ABO NOCE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://abonoce.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. For sphere power greater than 6.50, what is the tolerance percentage?

A. 1%

B. 3%

C. 2%

D. 4%

2. What does the term 'refraction' describe in optics?

A. The reflection of light in lenses

B. The bending of light through different media

C. The color dispersion in lenses

D. The curvature measurement of a lens

3. In relation to ocular health, diabetes mellitus is primarily known for increasing the risk of which condition?

A. Glaucoma

B. Retinal vein occlusion

C. Cataracts

D. All of the above

4. What visual defect is associated with damage to the macula?

A. Blurry peripheral vision

B. Central vision loss

C. Night blindness

D. Double vision

5. Which agency is responsible for regulating the safety and approval of ocular medications?

A. EPA

B. CDC

C. FDA

D. WHO

SAMPLE

6. What is the tolerance for axis power based on cylinder power of 0.25-0.50?

A. 5°

B. 7°

C. 10°

D. 12°

7. What does the term 'base down prism' refer to?

A. A lens configuration

B. A visual phenomenon

C. A specific measurement

D. A type of lens material

8. In optical terminology, what does ‘vertex distance’ refer to?

A. The distance between two lenses

B. The distance from the back of the lens to the front of the eye

C. The distance between the pupils

D. The distance from the lens to the frame

9. How many times can candidates take the ABO NOCE exam within a 12-month period?

A. Two times

B. Three times

C. Four times

D. Five times

10. What is the tolerance for cylinder power when it is between 0-2.50?

A. 0.20D

B. 0.13D

C. 0.15D

D. 0.10D

SAMPLE

Answers

SAMPLE

1. C
2. B
3. D
4. B
5. C
6. B
7. A
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. For sphere power greater than 6.50, what is the tolerance percentage?

A. 1%

B. 3%

C. 2%

D. 4%

When considering sphere power greater than 6.50 diopters, the correct tolerance percentage is 2%. This tolerance is established based on the varying level of precision required in optical fittings, particularly for higher prescription lenses. Higher sphere powers introduce a greater optical challenge, and thus, the acceptable margin of error, or tolerance, is generally set at 2%. This percentage ensures that lenses with higher powers maintain visual clarity and comfort for the wearer. While other percentages are listed, they do not adequately reflect the standards set for higher sphere power prescriptions in optical practice. For instance, a 1% tolerance would be unreasonably strict for such high powers, and higher percentages (like 3% or 4%) would not typically align with the precision required in this range, which helps in accurately correcting vision for those with significant refractive errors.

2. What does the term 'refraction' describe in optics?

A. The reflection of light in lenses

B. The bending of light through different media

C. The color dispersion in lenses

D. The curvature measurement of a lens

The term 'refraction' in optics specifically refers to the bending of light as it passes from one medium to another, which has a different density. This bending occurs due to the change in speed of light as it enters a new medium—like air to water or glass. The degree of bending is described by Snell's Law, which quantifies how light behaves at the interface of two media. When light transitions from, for example, air into glass, it slows down, leading to a change in direction or bending of the light rays. This phenomenon is fundamental in understanding how lenses work, as it is the refraction of light that allows lenses to focus or disperse light beams. The other options, while related to optics, do not accurately capture the essence of refraction. Reflection describes the bouncing of light off surfaces, color dispersion pertains to the separation of light into its component colors (as seen in prisms), and curvature measurement of a lens relates to its physical shape but does not encompass the action of bending light. Therefore, the correct answer clearly identifies the core concept of refraction in optics.

3. In relation to ocular health, diabetes mellitus is primarily known for increasing the risk of which condition?

A. Glaucoma

B. Retinal vein occlusion

C. Cataracts

D. All of the above

Diabetes mellitus is linked to a range of ocular health issues, and recognizing the comprehensive impact of this condition is crucial. The correct answer indicates that diabetes can increase the risk of all the specified conditions: glaucoma, retinal vein occlusion, and cataracts. Diabetes can lead to glaucoma by increasing the risk of intraocular pressure due to changes in the drainage of aqueous humor, particularly in those with diabetic retinopathy. It also is associated with retinal vein occlusion, where high blood sugar levels can contribute to changes in blood vessels, leading to blockages. Additionally, individuals with diabetes are more prone to the development of cataracts because elevated glucose levels can lead to changes in the lens of the eye, causing clouding. Each of these conditions poses significant risks to vision, and understanding their association with diabetes underscores the importance of regular eye examinations for individuals with this condition. Thus, the comprehensive impact of diabetes on ocular health justifies that it increases the risk for all these conditions.

EXAMPLE

4. What visual defect is associated with damage to the macula?

A. Blurry peripheral vision

B. Central vision loss

C. Night blindness

D. Double vision

Damage to the macula, which is the central part of the retina, primarily affects central vision. The macula is responsible for high-acuity vision tasks, such as reading and recognizing faces. When the macula is damaged, it results in a loss of sharp central vision, making it difficult for individuals to see fine details clearly. This condition is often associated with age-related macular degeneration and can lead to difficulties in daily activities that require detailed vision. The other options refer to different vision issues. Blurry peripheral vision is typically associated with problems in other areas of the retina or conditions affecting the optic nerve. Night blindness is related to difficulties seeing in low light but is not specifically linked to the macula; it usually involves issues with rod cells in the retina. Double vision, or diplopia, is connected to misalignment of the eyes or problems with the eye muscles or nerves that control eye movements and does not arise from macular damage. Therefore, central vision loss is the most accurate answer in the context of macular damage.

5. Which agency is responsible for regulating the safety and approval of ocular medications?

A. EPA

B. CDC

C. FDA

D. WHO

The agency responsible for regulating the safety and approval of ocular medications is the FDA, or the Food and Drug Administration. This government entity plays a crucial role in ensuring that all pharmaceuticals, including those used for eye care, meet rigorous safety and efficacy standards before they can be marketed to the public. The FDA conducts extensive reviews of clinical data submitted by pharmaceutical companies and oversees the approval process for new medications and treatments. In the context of ocular medications, the FDA's responsibilities include evaluating the clinical trial results that demonstrate the effectiveness of the drug for treating specific eye conditions, assessing potential side effects, and monitoring the manufacturing processes to ensure product quality. The FDA also provides updates and guidelines for the proper use of these medications to healthcare providers and patients, aiming to minimize risks associated with their use. Other agencies, such as the EPA (Environmental Protection Agency), focus on environmental safety; the CDC (Centers for Disease Control and Prevention) concentrates on public health and disease prevention; and the WHO (World Health Organization) is involved in international health issues and guidelines. While these organizations have important roles in public health, they do not directly regulate the approval and safety of ocular medications as the FDA does. Hence, the FDA is the correct choice regarding the regulation of ocular medications.

SAMPLE

6. What is the tolerance for axis power based on cylinder power of 0.25-0.50?

A. 5°

B. 7°

C. 10°

D. 12°

The tolerance for axis power related to cylinder power is determined by clinical guidelines that specify how much deviation is acceptable when it comes to aligning the corrective lenses correctly in astigmatic prescriptions. In this context, cylinder powers between 0.25 and 0.50 generally have a tolerance of 7 degrees for the axis alignment. When working with very low cylinder powers, such as 0.25 and 0.50, it is important to ensure that deviations from the prescribed axis are minimal to maintain optimal visual acuity. The 7-degree tolerance strikes a balance, allowing for minor adjustments without significantly impacting the corrective effect, thus providing a practical guideline for practitioners in ensuring their patients receive the most accurate prescription possible. Higher tolerances, such as 10 or 12 degrees, would not apply in this case because they could lead to greater discrepancies in vision correction, potentially causing visual disturbances or inadequate treatment for astigmatism at such low cylindrical values. This careful calibration is essential for maintaining the integrity of the prescription and ensuring patient satisfaction with their eyewear.

7. What does the term 'base down prism' refer to?

A. A lens configuration

B. A visual phenomenon

C. A specific measurement

D. A type of lens material

The term 'base down prism' specifically refers to a lens configuration where the thicker edges of the prism are oriented at the bottom, causing light to bend downward as it passes through the prism. This configuration is often used in optical devices to help correct certain types of visual issues, such as those experienced by individuals with convergence insufficiency or other binocular vision problems. By diverting light in a specific direction, base down prisms can aid in aligning images seen by each eye, helping the brain to process visual information more effectively. This particular lens configuration is a fundamental concept in optics and is widely utilized in the field of optometry and vision therapy. It is essential for practitioners to understand how and when to use a base down prism to optimize a patient's visual experience.

8. In optical terminology, what does 'vertex distance' refer to?

A. The distance between two lenses

B. The distance from the back of the lens to the front of the eye

C. The distance between the pupils

D. The distance from the lens to the frame

Vertex distance is defined as the distance from the back surface of a corrective lens to the front of the eye, specifically to the point where light rays entering the eye can be considered to focus correctly on the retina. This measurement is crucial in optical prescriptions, particularly for eyeglasses, as it ensures that the lenses are positioned at the optimal distance for effective vision correction. When lenses are positioned too close or too far from the eye, it can lead to visual distortions or discomfort. Understanding vertex distance allows opticians to properly adjust frame styles and lens specifications to maximize visual clarity for the wearer. The other options focus on different aspects of optical measurements, but they do not accurately represent the definition of vertex distance.

SAMPLE

9. How many times can candidates take the ABO NOCE exam within a 12-month period?

A. Two times

B. Three times

C. Four times

D. Five times

Candidates are allowed to take the ABO NOCE exam up to three times within a 12-month period. This limit is established to ensure that candidates have sufficient time to study and prepare for the exam after each attempt. Allowing three attempts provides flexibility while also encouraging a meaningful engagement with the material and exam content. This policy aims to maintain a standard for certification, ensuring that only those who are adequately prepared and knowledgeable attain certification.

10. What is the tolerance for cylinder power when it is between 0-2.50?

A. 0.20D

B. 0.13D

C. 0.15D

D. 0.10D

When assessing cylinder power in the context of refractive errors, the tolerance refers to the acceptable variation or measurement error for the prescribed cylinder power, particularly when it falls within the range of 0 to 2.50 diopters (D). The correct tolerance for cylinder power in this scenario is established at 0.13D. This tolerance level is based on recommendations from industry standards that ensure lenses can effectively correct astigmatism without excessive deviation from the prescribed values. A tolerance of 0.13D allows for a small margin of error while maintaining the efficacy of the prescription in providing clear vision to the patient. Understanding this tolerance is crucial for optometrists and ophthalmologists, as accurate measurements directly impact patient care, comfort, and visual outcomes. A tolerance that is too large may result in suboptimal vision correction, while one that is too strict could lead to unnecessary adjustments and complications in the fitting process.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://abonoce.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE