ACUTE CARE NURSE PRACTITIONER CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://acutecarenursepractitioner.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does natural family planning primarily involve?

A. Complete abstinence

B. Planned abstinence during fertility period

C. Contraceptive use every cycle

D. Hormonal treatments

2. Which of the following is a common management strategy for preeclampsia?

A. Immediate cesarean delivery

B. Strict bed rest and fetal surveillance

C. Administration of insulin

D. Encouragement of physical activity

3. What is the purpose of administering corticosteroids, such as B-methasone, to a patient with preeclampsia?

A. To reduce blood pressure

B. To enhance fetal lung maturity

C. To decrease maternal weight gain

D. To alleviate headache symptoms

4. Which skin lesion is typically associated with an allergic reaction and may involve a red flare?

A. Cyst

B. Abscess

C. Wheal

D. Tumor

5. What is defined as the termination of pregnancy at any time prior to viability?

A. Spontaneous abortion

B. Ectopic pregnancy

C. Elective abortion

D. Placental abruption

SAMPLE

6. What common cause of folliculitis is generally identified?

A. Escherichia coli

B. Staphylococci

C. Streptococci

D. Pseudomonas aeruginosa

7. What is one of the advantages of using oral contraceptives?

A. Increased risk of amenorrhea

B. Protection against uterine fibroids

C. Guaranteed protection against STIs

D. Enhanced mood changes

8. Which antibiotics are recommended for the treatment of anthrax?

A. Amoxicillin and Cephalexin

B. Pefloxacin and Clindamycin

C. Penicillin, Ciprofloxacin, and Doxycycline

D. Azithromycin and Vancomycin

9. What is the failure rate of the NuvaRing in preventing pregnancy?

A. Less than 5%

B. Less than 1-2%

C. Approximately 10%

D. About 3-4%

10. What is a common symptom of herpes zoster?

A. Fever only

B. Pain along a dermatomal distribution

C. Itching without pain

D. Widespread rashes on the body

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. C
5. A
6. B
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What does natural family planning primarily involve?

A. Complete abstinence

B. Planned abstinence during fertility period

C. Contraceptive use every cycle

D. Hormonal treatments

Natural family planning primarily involves monitoring specific signs of fertility to determine when a woman is most likely to conceive, allowing couples to plan for or avoid pregnancy. This approach requires couples to abstain from sexual intercourse only during the woman's fertile period, which typically spans several days each cycle. By accurately tracking fertility signals like basal body temperature, cervical mucus changes, and calendar methods, couples make informed decisions about when to engage in intercourse. This method does not entail complete abstinence throughout the entire cycle, hormonal treatments, or the use of contraceptives, as those approaches embody different family planning strategies. Therefore, the response highlights the core principle of natural family planning: planned abstinence during the recognized fertile window in order to effectively manage chances of pregnancy.

2. Which of the following is a common management strategy for preeclampsia?

A. Immediate cesarean delivery

B. Strict bed rest and fetal surveillance

C. Administration of insulin

D. Encouragement of physical activity

The selected answer, which involves strict bed rest and fetal surveillance, is a common management strategy for preeclampsia due to the condition's nature and potential complications for both the mother and the fetus. Preeclampsia is characterized by high blood pressure and often protein in the urine after 20 weeks of gestation. Managing this condition effectively is essential to minimize risks such as progression to eclampsia, placental abruption, or fetal distress. Strict bed rest can help reduce blood pressure levels and improve blood flow to the placenta, while fetal surveillance ensures that the fetus is monitored for any signs of distress or growth restriction, which may be a consequence of insufficient placental blood flow due to elevated maternal blood pressure. Monitoring and bed rest are integral parts of a comprehensive care plan that may also include medication to manage blood pressure and help prevent severe outcomes. This approach is focused on avoiding complications rather than taking immediate drastic actions unless necessary. In contrast, immediate cesarean delivery is typically reserved for severe cases or when maternal and fetal conditions deteriorate. Administration of insulin is not a standard treatment for preeclampsia, as the condition is not related to diabetes, and encouraging physical activity contradicts the recommended approach of rest in managing

SAMPLE

3. What is the purpose of administering corticosteroids, such as B-methasone, to a patient with preeclampsia?

A. To reduce blood pressure

B. To enhance fetal lung maturity

C. To decrease maternal weight gain

D. To alleviate headache symptoms

Administering corticosteroids like betamethasone to a patient with preeclampsia primarily aims to enhance fetal lung maturity. Preeclampsia often leads to considerations regarding preterm delivery to protect both maternal and fetal health. By administering corticosteroids, healthcare providers can accelerate the development of the fetal lungs, which is crucial in reducing the incidence and severity of neonatal respiratory distress syndrome. Corticosteroids stimulate the production of surfactant in the fetal lungs, facilitating better gas exchange. This is particularly important when preterm delivery may be necessary due to the complications associated with preeclampsia. The benefit of promoting lung maturity significantly impacts neonatal outcomes, making this intervention a critical component of care in such scenarios. The other options do not directly relate to the primary objectives of corticosteroid administration in preeclampsia. Reducing blood pressure is typically managed with other medications, while decreasing maternal weight gain isn't a direct therapeutic goal in managing preeclampsia. Alleviating headache symptoms may be relevant in the context of managing preeclampsia, but corticosteroids are not specifically indicated for that purpose. Thus, enhancing fetal lung maturity stands as the most relevant and significant purpose for administering corticosteroids in this

4. Which skin lesion is typically associated with an allergic reaction and may involve a red flare?

A. Cyst

B. Abscess

C. Wheal

D. Tumor

The skin lesion most commonly associated with an allergic reaction, featuring a red flare, is the wheal. Wheals are raised, itchy areas of skin that have a pale center and are surrounded by redness. They are a hallmark of conditions like urticaria (hives), which often occur in response to allergens such as foods, medications, or insect stings. The pathophysiology involves the release of histamine and other mediators from mast cells, which leads to localized swelling and redness, creating the characteristic appearance of a wheal. In contrast, cysts are closed sac-like structures filled with fluid or semi-solid material and do not present with surrounding redness. Abscesses are localized collections of pus associated with infection and are typically painful, inflamed, and may not display the classic wheal characteristics. Tumors, which can be benign or malignant growths of tissue, do not typically present as wheals or exhibit the red flare associated with immediate allergic reactions. Thus, the wheal is the lesion that best fits the description of being linked to allergic reactions with the accompanying red flare.

SAMPLE

5. What is defined as the termination of pregnancy at any time prior to viability?

A. Spontaneous abortion

B. Ectopic pregnancy

C. Elective abortion

D. Placental abruption

The definition of the termination of pregnancy at any time prior to viability refers specifically to a spontaneous abortion. Spontaneous abortion, commonly known as miscarriage, occurs naturally and results in the loss of a pregnancy before the fetus reaches a stage where it can survive outside the womb. This can happen for various reasons, often related to chromosomal abnormalities in the fetus, maternal health issues, or anatomical problems within the uterus. In contrast, elective abortion is a deliberate termination of pregnancy initiated by the individual, unlike a spontaneous abortion, which occurs without intentional intervention. An ectopic pregnancy occurs when the fertilized egg implants outside the uterus, typically in a fallopian tube, and presents unique risks and complications, while placental abruption involves the premature separation of the placenta from the uterine wall, which can threaten both maternal and fetal health. Thus, in the context of the question, the correct choice relates specifically to the natural ending of a pregnancy that occurs before the fetus can survive on its own, making spontaneous abortion the appropriate definition.

6. What common cause of folliculitis is generally identified?

A. Escherichia coli

B. Staphylococci

C. Streptococci

D. Pseudomonas aeruginosa

Folliculitis is an infection or inflammation of the hair follicle, commonly caused by microbial organisms. Staphylococci, particularly Staphylococcus aureus, are the most common pathogens responsible for this condition. These bacteria can be found on the skin as part of the normal flora, and under certain conditions, they can enter the hair follicles and provoke infection. The occurrence of folliculitis is often associated with factors such as occlusive clothing, shaving, and the presence of other skin conditions that can compromise the skin barrier, making it easier for Staphylococcus bacteria to infect the follicles. Other organisms, such as Pseudomonas aeruginosa, can cause folliculitis, particularly in specific circumstances like "hot tub folliculitis," but Staphylococci remain the predominant pathogens in general cases. Escherichia coli and Streptococci are less frequently implicated in folliculitis. E. coli is more associated with gastrointestinal infections, while Streptococci are more known for skin infections such as impetigo or cellulitis, rather than folliculitis specifically. In summary, the choice of Staphylococci as the common cause of folliculitis is rooted in their prevalence and ability to infect

SAMPLE

7. What is one of the advantages of using oral contraceptives?

A. Increased risk of amenorrhea

B. Protection against uterine fibroids

C. Guaranteed protection against STIs

D. Enhanced mood changes

Oral contraceptives are known for their ability to provide several health benefits beyond preventing pregnancy. One significant advantage is their protective effect against uterine fibroids. These non-cancerous growths in the uterus can cause a variety of symptoms, including heavy menstrual bleeding and pain. By regulating hormone levels and maintaining a more stable environment in the uterus, oral contraceptives can help reduce the incidence or severity of fibroids, making them a valuable option for individuals who are at risk or who are managing this condition. The other options do not accurately reflect the primary benefits of oral contraceptives. While amenorrhea can occur with the use of the pill, it is not considered a universal advantage, as many patients prefer regular menstrual cycles. Moreover, oral contraceptives do not provide protection against sexually transmitted infections (STIs), which is an important factor when considering contraception methods. Finally, mood changes can occur with the use of hormonal contraceptives, but the overall effect on mood varies from person to person and is not an inherent advantage of using them. Therefore, the ability of oral contraceptives to provide protection against uterine fibroids is a well-supported benefit in clinical practice.

8. Which antibiotics are recommended for the treatment of anthrax?

A. Amoxicillin and Cephalexin

B. Pefloxacin and Clindamycin

C. Penicillin, Ciprofloxacin, and Doxycycline

D. Azithromycin and Vancomycin

The recommended antibiotics for the treatment of anthrax include Penicillin, Ciprofloxacin, and Doxycycline due to their effectiveness against Bacillus anthracis, the bacterium responsible for anthrax. Penicillin has a long history of use in treating infections caused by gram-positive bacteria, including anthrax. For patients who are allergic to penicillin, Ciprofloxacin, a fluoroquinolone antibiotic, serves as an excellent alternative because it is effective against a broad spectrum of bacteria and has good intracellular penetration. Doxycycline, a tetracycline antibiotic, is also recommended for anthrax treatment because it has demonstrated effectiveness in both cutaneous and systemic forms of the infection. It is particularly important in cases of inhalational anthrax, where prompt treatment is critical. The combination of these three antibiotics takes into account the potential for resistance and the need for efficacy against different forms of the disease. The other options do not include the most effective and recommended agents for anthrax, which are specifically the antibiotics listed in the correct answer.

SAMPLE

9. What is the failure rate of the NuvaRing in preventing pregnancy?

A. Less than 5%

B. Less than 1-2%

C. Approximately 10%

D. About 3-4%

The NuvaRing, a form of hormonal birth control, has a very effective track record when used correctly. The failure rate of the NuvaRing in preventing pregnancy is about 0.3% with perfect use, which translates to less than 1-2% for typical use. This means that for every 100 women using the NuvaRing for one year, fewer than 2 will become pregnant if they use it as directed. The effectiveness stems from its consistent release of hormones to prevent ovulation and alter the uterine lining. When evaluating the other options, less than 5% indicates a broader range that may include other contraceptive methods with less efficacy. Approximately 10% is significantly higher than established studies and real-world data suggest for typical use. About 3-4% is also above the recognized failure rate for the NuvaRing. Understanding these distinctions is crucial in advising patients on their contraceptive choices and ensuring they use effective methods.

10. What is a common symptom of herpes zoster?

A. Fever only

B. Pain along a dermatomal distribution

C. Itching without pain

D. Widespread rashes on the body

Pain along a dermatomal distribution is a hallmark symptom of herpes zoster, commonly known as shingles. This condition arises from the reactivation of the varicella-zoster virus, which also causes chickenpox. After an individual has chickenpox, the virus lies dormant in the nerve roots and can reactivate later in life, leading to herpes zoster. The pain usually occurs in a specific area of skin that corresponds to a particular dermatome, which is an area of skin supplied by a single spinal nerve root. Patients often describe this pain as burning, sharp, or throbbing and may precede the appearance of the characteristic rash. This pain is typically unilateral and is associated with the subsequent development of grouped vesicular lesions that also follow the dermatomal pattern. Understanding this symptom is crucial for the diagnosis and management of herpes zoster, as prompt treatment can help alleviate symptoms and reduce the risk of complications such as postherpetic neuralgia. Other options such as fever only, itching without pain, or widespread rashes do not accurately represent the primary clinical presentation of herpes zoster. While some patients may experience mild fever and a rash, the specific pain along a dermatomal distribution is the defining characteristic that aids in identifying this condition

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://acutecarenursepractitioner.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE