ACVIM SMALL ANIMAL INTERNAL MEDICINE (SAIM) SEMINAL PAPER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://seminalpaperacvimsaim.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What was used as the positive control tissue for Beclin-1?

A. Canine hepatic tissue

B. Canine cardiac muscle

C. Canine brain

D. Canine renal tubular epithelium

2. If II is below what value is subject based RI preferred?

A. II < 0.6

B. II > 1.4

C. II > 0.6

D. II ≈ 1.0

3. Which spatial niche was the focus for identifying Fusobacterium distribution in tissue?

A. Adherent mucus layer

B. Lumen

C. Submucosa

D. Bloodstream

4. What is Codman's triangle and how has its interpretation evolved?

A. Triangular periosteal reaction generally at lesion margin; historically pathognomonic for osteosarcoma but is nonspecific

B. Triangular lesion only seen in benign conditions

C. A sign always diagnostic of osteosarcoma

D. A sign of infection only

5. A nondiagnostic bone biopsy sample is most often due to sampling which part of the lesion?

A. Periosteal reactive bone

B. Medullary cavity

C. Soft tissue

D. Epiphysis

SAMPLE

6. In ileum ISH ASBT expression in CIE dogs vs controls?

A. Significantly higher

B. Not detected

C. Significantly lower

D. Numerically lower but not significantly different

7. What were the sensitivity and specificity of cytology for diagnosing a bone sarcoma?

A. 97% sensitivity and 100% specificity

B. 83% sensitivity and 82% specificity

C. 50% sensitivity and 60% specificity

D. 70% sensitivity and 90% specificity

8. Which two markers were evaluated for mucosal expression in GI biopsies from cats with small cell GI lymphoma versus inflammatory bowel disease?

A. TNF-α and IL-6

B. NF-κB and infiltrating CD11b+ immune cells

C. NF-κB and CD3+ T cells

D. TLR4 and CD21

9. Which tumor type commonly originates in flat bones such as ribs, skull, pelvis, and scapula and can be joint-centered?

A. Chondrosarcoma

B. Osteosarcoma

C. Giant Cell Tumor

D. Fibrosarcoma

10. What does Evaporative Dry Eye Disease (EDED) stand for?

A. Evaporative Dry Eye Disease

B. Endothelial Dry Eye Disorder

C. External Dry Eye Disorder

D. Epithelial Dry Eye Disease

SAMPLE

Answers

SAMPLE

1. D
2. A
3. A
4. A
5. A
6. D
7. A
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. What was used as the positive control tissue for Beclin-1?

A. Canine hepatic tissue

B. Canine cardiac muscle

C. Canine brain

D. Canine renal tubular epithelium

Beclin-1 is a key initiator of autophagy, so in immunohistochemistry the positive control should be a tissue that reliably expresses Beclin-1 to confirm the assay is working and the staining protocol is capable of detecting the target. canine renal tubular epithelium fits this role well because proximal tubule cells have high basal autophagic activity, leading to robust Beclin-1 expression that can be consistently detected with the antibody. This provides a clear, reproducible positive signal that helps verify the staining procedure across samples. Other tissues can show variable or weaker Beclin-1 expression under routine conditions, making them less dependable as universal positive controls. For example, hepatic tissue, cardiac muscle, or brain may not yield as consistent a positive signal in standard IHC settings, which is why renal tubular epithelium is preferred as the positive control.

2. If II is below what value is subject based RI preferred?

A. II < 0.6

B. II > 1.4

C. II > 0.6

D. II ≈ 1.0

The index of individuality tells you whether a population reference interval or a subject-specific baseline is more informative for interpreting a test result. It's the ratio of within-subject biological variation to between-subject variation (II = CV_I / CV_G). When this index is very small, meaning an individual's results vary little over time while the population shows wide variability, a person's own data are most informative. In practice, if II is below 0.6, subject-based reference intervals are preferred because a single population range doesn't adequately reflect an individual's typical values. If II is high (above about 1.4), results vary more within an individual than between individuals, so a population reference interval can help distinguish whether a result is typical for the population rather than for that specific person. Values in between are intermediate, where either approach can be acceptable depending on the clinical context. So for a threshold, subject-based RI is preferred when II is below 0.6.

3. Which spatial niche was the focus for identifying Fusobacterium distribution in tissue?

A. Adherent mucus layer

B. Lumen

C. Submucosa

D. Bloodstream

The key idea is that Fusobacterium tends to localize at the mucosal interface, attaching to and residing within the adherent mucus layer that coats the epithelium. This niche is the immediate environment where these bacteria attach, form biofilms, and interact with host cells and the immune system, making it the most informative site to map their distribution in tissue. Sampling or imaging focused on the adherent mucus layer reveals where bacteria persist and how they might influence local pathology, whereas the lumen is a hollow space not directly representative of tissue-associated localization, the submucosa is a deeper tissue layer not typically where initial mucosal colonization is measured, and the bloodstream would indicate systemic invasion rather than tissue distribution at the mucosal surface.

SAMPLE

4. What is Codman's triangle and how has its interpretation evolved?

A. Triangular periosteal reaction generally at lesion margin; historically pathognomonic for osteosarcoma but is nonspecific

B. Triangular lesion only seen in benign conditions

C. A sign always diagnostic of osteosarcoma

D. A sign of infection only

Codman's triangle is a radiographic sign of an aggressive periosteal reaction. It occurs when rapid growth of a lesion lifts the periosteum away from the bone cortex, and new bone forms along the elevated periosteum, creating a triangular wedge at the edge of the lesion. Historically this feature was considered highly suggestive of osteosarcoma, but it is not specific to that disease. Any fast-growing process that irritates the periosteum—such as other malignant bone tumors, osteomyelitis, metastasis, or even trauma—can produce a Codman's triangle. The modern interpretation emphasizes that its presence indicates an aggressive lesion but does not diagnose osteosarcoma by itself; accurate diagnosis relies on clinical context and often histopathology.

5. A nondiagnostic bone biopsy sample is most often due to sampling which part of the lesion?

A. Periosteal reactive bone

B. Medullary cavity

C. Soft tissue

D. Epiphysis

Sampling the periosteal reactive bone tends to be nondiagnostic because this tissue is a reactive, non-neoplastic rim that forms in response to an underlying lesion. It often contains primarily new bone, fibrous tissue, and inflammatory cells rather than the actual pathological tissue (tumor cells or infectious organisms) driving the lesion. The diagnostic tissue is usually within the lesion itself—in the medullary cavity or the internal tumor mass (or its soft-tissue extension). Therefore, targeting the periosteal surface tends to miss the true pathology, leading to nondiagnostic results. When possible, biopsy should be directed toward the center of the lesion or areas of cortical destruction with imaging guidance to capture the actual disease process.

6. In ileum ISH ASBT expression in CIE dogs vs controls?

A. Significantly higher

B. Not detected

C. Significantly lower

D. Numerically lower but not significantly different

The main point here is how inflammation in the ileum can affect a specific transporter's gene expression and how that is interpreted when measured by in situ hybridization. ASBT (the apical sodium–bile acid transporter) is normally expressed in ileal enterocytes, and ISH detects its mRNA within tissue sections, giving a picture of how much transcript is present in the mucosa. In dogs with chronic inflammatory enteropathy, inflammation can influence gene expression, sometimes lowering transporters like ASBT. The finding described indicates a numerical decrease in ileal ASBT mRNA signal in CIE dogs compared with controls, but the difference did not reach statistical significance. That means there is a trend toward lower expression, yet the data aren't strong enough to rule out that the observed difference could be due to random variation. Factors such as sample size, variability between dogs, disease severity, and technical sensitivity of the ISH assay can all affect significance. It's also important to remember that ISH measures mRNA, not protein or transporter function. Even if transcript levels aren't significantly different, post-transcriptional regulation or protein activity could vary. So the takeaway is a trend toward lower ASBT expression in the disease group, but not a statistically solid difference.

SAMPLE

7. What were the sensitivity and specificity of cytology for diagnosing a bone sarcoma?

A. 97% sensitivity and 100% specificity

B. 83% sensitivity and 82% specificity

C. 50% sensitivity and 60% specificity

D. 70% sensitivity and 90% specificity

Cytology for bone sarcoma is evaluated by how well it identifies disease (sensitivity) and how well it rules out disease in non-diseased cases (specificity). In this context, the reported performance is extremely high: sensitivity around 97% means that nearly all true bone sarcoma cases are detected by cytology, and specificity at 100% means there are no false positives among non-sarcoma lesions. So a positive cytology result showing malignant bone tumor features (such as malignant osteoblasts with osteoid production) is essentially definitive for sarcoma. A negative cytology still leaves a small chance of disease, so if clinical suspicion remains, histopathology or further workup is warranted. The other options reflect lower sensitivity and/or specificity, making them less consistent with the demonstrated diagnostic accuracy.

8. Which two markers were evaluated for mucosal expression in GI biopsies from cats with small cell GI lymphoma versus inflammatory bowel disease?

A. TNF-α and IL-6

B. NF-κB and infiltrating CD11b+ immune cells

C. NF-κB and CD3+ T cells

D. TLR4 and CD21

The two markers focus on different aspects of the mucosal immune environment that help distinguish inflammatory vs neoplastic processes in the feline GI tract. NF-κB is a key transcription factor that drives a wide range of inflammatory genes and is activated in many inflammatory conditions as well as in cancer-associated inflammation. Infiltrating CD11b+ immune cells identify innate myeloid cells, such as macrophages and neutrophils, whose presence reflects the degree and pattern of mucosal inflammation and cellular recruitment. In cats with small cell GI lymphoma versus inflammatory bowel disease, evaluating both NF-κB activity and CD11b+ cell infiltration provides a complementary view: NF-κB indicates active inflammatory signaling within the mucosa, while CD11b+ infiltration reflects the extent of innate immune cell recruitment. The combination can reveal a mucosal signature more consistent with neoplastic lymphoid infiltration in lymphoma versus the prominent myeloid-driven inflammation seen in IBD, making these two markers the most informative pair for comparing these two conditions.

SAMPLE

9. Which tumor type commonly originates in flat bones such as ribs, skull, pelvis, and scapula and can be joint-centered?

A. Chondrosarcoma

B. Osteosarcoma

C. Giant Cell Tumor

D. Fibrosarcoma

Tumors have characteristic patterns of where they arise in the skeleton, and the location helps point to the type. Chondrosarcoma originates from cartilaginous tissue and, in many species, shows a preference for flat bones such as the ribs, pelvis, skull, and scapula. These sites can bring the tumor into proximity with joints because the articular surfaces and cartilage-rich regions of flat bones are near joints, so a chondrosarcoma may present as a lesion centered on or around a joint as it grows along the cartilage and into adjacent bone. Osteosarcoma, by contrast, most often starts in the metaphyses of long bones and tends to be associated with a rapid, destructive process in tubular bones rather than flat bones. Giant cell tumors are classically epiphyseal (near joints) of long bones rather than arising in flat bones. Fibrosarcoma can occur in bone but does not have the same strong association with flat bones and joint-centric origins as chondrosarcoma. So the description fits chondrosarcoma best, given its origin in cartilaginous tissue of flat bones and its potential to be centered around a joint.

10. What does Evaporative Dry Eye Disease (EDED) stand for?

A. Evaporative Dry Eye Disease

B. Endothelial Dry Eye Disorder

C. External Dry Eye Disorder

D. Epithelial Dry Eye Disease

The name itself encodes the mechanism. EDED expands to Evaporative Dry Eye Disease, meaning dry eye caused by increased tear evaporation. This is usually due to a deficient lipid layer from Meibomian gland dysfunction, which destabilizes the tear film and leads to rapid tear evaporation and ocular surface irritation. It's distinct from aqueous-deficient dry eye, where tear production is reduced rather than evaporation increased. The other terms would imply involvement of different tissues or non-evaporative mechanisms, so they don't fit the concept of an evaporation-driven tear film disorder.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://seminalpaperacvimsaim.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE