ACVPM EPIDEMIOLOGY AND BIOSTATISTICS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://acvpmepidemiologybiostats.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In Koch's postulates, what does 'must be isolated and grown in pure culture' imply?

A. The agent must be present in every case.

B. The agent must be isolated and grown in pure culture.

C. The agent must cause disease upon inoculation.

D. The agent must be recovered from the host.

2. Which statement best describes a way to quantify time to event in survival analysis?

A. Overall probability of event

B. Mean time to event

C. Incidence rate

D. Prevalence

3. In the component-cause model, disease occurs when

A. A single factor is present.

B. All possible factors are present.

C. A sufficient combination of factors is present.

D. No factors are present.

4. In eradication criteria, what does 'acceptability to industry' refer to?

A. Regulatory approval

B. Economic considerations

C. Stakeholder support and willingness to participate

D. Public acceptance

5. Which term describes local spatial patterns of association such as clustering of similar values?

A. Second-order (local or spatial autocorrelation)

B. First-order (global)

C. Spatial lag

D. Spatial heterogeneity

SAMPLE

6. The adjacent category model is used when categories are ordered and somewhat equidistant and assumes that which statement is true?

A. The predictor decreases log odds of all categories equally

B. The predictor increases log odds of a category occurring by a fixed amount

C. The predictor affects only a single category

D. The model relies on linear relationship with outcome

7. Does your sample size go up or down when you want to not only detect but estimate prevalence in a herd?

A. Increase

B. Decrease

C. Remain the same

D. Varies with prevalence

8. Which mechanisms describe indirect transmission?

A. Direct contact.

B. Droplet spread.

C. Airborne transmission.

D. Vehicle borne (fomite) or vector borne (mechanical or biological).

9. What are the two methods of measuring incidence?

A. Cross-sectional survey and case-control study

B. Cohort followed over time and incidence density in a dynamic population

C. Prevalence study and attack rate

D. Point prevalence and period prevalence

10. What is true about r and r^2?

A. r^2 is the variance of the data

B. The coefficient of determination r^2 is the square of the correlation coefficient r

C. r^2 is the covariance

D. r is the slope of the regression line

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. A
6. B
7. A
8. D
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. In Koch's postulates, what does 'must be isolated and grown in pure culture' imply?

A. The agent must be present in every case.

B. The agent must be isolated and grown in pure culture.

C. The agent must cause disease upon inoculation.

D. The agent must be recovered from the host.

The important idea here is that the suspected microorganism must be obtainable as a pure culture—grown in isolation from other microbes. This means you can separate exactly one organism from a mixture and grow it alone, so you have a known, uncontaminated inoculum. With that pure culture, you can test whether introducing it into a healthy susceptible host reproduces the disease, which helps prove causation. This purification step is about having a single, identifiable organism to study and to use in experiments; it isn't itself a statement about how often the agent appears in disease or about the outcome after inoculation, which are addressed by the other steps. It also doesn't entail recovering the agent from the host at this moment—another postulate covers that recovery. The essence is that isolating and growing the organism in a pure culture provides a definitive, controllable way to link a specific microbe to the disease.

2. Which statement best describes a way to quantify time to event in survival analysis?

A. Overall probability of event

B. Mean time to event

C. Incidence rate

D. Prevalence

In survival analysis, the key idea is to capture how long it takes for an event to occur for each subject. The statement that describes the mean time to the event directly quantifies this duration, giving the expected amount of time until the event happens. This reflects the time-to-event nature of the data and aligns with how survival distributions are used to summarize patterns of timing. Other options don't measure time until the event. A simple probability of the event looks at whether it occurs within a fixed window, not how long it takes. An incidence rate expresses how fast events occur per person-time, which is a rate rather than a duration for each individual. Prevalence is just a snapshot proportion of people with the condition at a point in time, not the timing of the event. Note that in practice, the mean can be affected by censoring and skewed survival times, so the median survival time is often reported as a robust alternative. Still, the concept of time-to-event is best conveyed by a measure that summarizes the duration until the event occurs, such as the mean time to event.

3. In the component-cause model, disease occurs when

A. A single factor is present.

B. All possible factors are present.

C. A sufficient combination of factors is present.

D. No factors are present.

In the component-cause model, a disease arises when a sufficient set of factors is present. A sufficient set, or sufficient cause, is a complete combination of component factors that, together, can produce the disease in an individual who has them. There can be multiple such sets for the same disease, and no single factor by itself must be present or be sufficient. It's not required that all possible factors be present, and having no factors would not form a sufficient cause. So the disease occurs when a sufficient combination of factors is present.

SAMPLE

4. In eradication criteria, what does 'acceptability to industry' refer to?

A. Regulatory approval

B. Economic considerations

C. Stakeholder support and willingness to participate

D. Public acceptance

Acceptability to industry means whether the people and organizations with a stake in the eradication effort—farmers, veterinarians, processors, suppliers, and industry groups—view the plan as workable and are willing to participate. It includes their readiness to carry out required actions such as reporting, surveillance, movement controls, vaccination or culling when needed, and to align with new practices and incentives designed to reduce burdens or risks. Without this buy-in from the industry, implementation stalls because participation is essential for surveillance, data sharing, and coordinated control measures. This concept is distinct from regulatory approval, which is about legal authority; from economic considerations, which focus on costs and funding; and from public acceptance, which concerns the general population rather than industry stakeholders.

5. Which term describes local spatial patterns of association such as clustering of similar values?

A. Second-order (local or spatial autocorrelation)

B. First-order (global)

C. Spatial lag

D. Spatial heterogeneity

Local spatial autocorrelation describes how nearby locations tend to have similar values, creating clusters where high values cluster with high values and low values cluster with low values. This is a second-order measure because it considers the relationship between observations across space, not just the overall distribution of values. By examining the local neighborhood around each location, you can map where these high–high or low–low clusters occur, revealing localized patterns of association. This differs from first-order or global approaches, which summarize the overall variability without regard to where values occur. Spatial lag refers to the idea that a value at one location may be influenced by neighboring values in a modeling sense, rather than describing a pattern of local clustering itself. Spatial heterogeneity speaks to differences in relationships or processes across space (non-stationarity), rather than a single localized pattern of similar values.

6. The adjacent category model is used when categories are ordered and somewhat equidistant and assumes that which statement is true?

A. The predictor decreases log odds of all categories equally

B. The predictor increases log odds of a category occurring by a fixed amount

C. The predictor affects only a single category

D. The model relies on linear relationship with outcome

In an adjacent-category logit model, the effect of a predictor is assumed to be the same across all neighboring category comparisons. That means a one-unit increase in the predictor shifts the log odds of being in one category versus the adjacent next category by a fixed amount, and this fixed shift applies no matter which adjacent pair you look at. In other words, the predictor changes the log odds by a constant amount across all adjacent category contrasts. This is why the statement describing a fixed, uniform change in log odds per unit increase in the predictor best captures the model's assumption. The other ideas don't fit: the effect isn't limited to a single category, nor does it imply a universal decrease across all categories, and while the model uses a linear form on the log-odds scale, saying it relies on a linear relationship with the outcome itself is not the precise point of this model.

SAMPLE

7. Does your sample size go up or down when you want to not only detect but estimate prevalence in a herd?

A. Increase

B. Decrease

C. Remain the same

D. Varies with prevalence

When you want to not only detect but also estimate prevalence in a herd, you need more samples to get a reliable, precise estimate. Estimating a proportion comes with sampling variability: the standard error of a prevalence estimate is roughly sqrt[p(1−p)/n]. To achieve a given width of a confidence interval (better precision), you must increase the sample size. If you only aim to detect whether the disease is present, you can often use a smaller sample because you're making a binary yes/no decision about presence (as long as you meet a chosen confidence level for that detection). But for an accurate estimate of how common the disease is, especially if the true prevalence is low, more observations are required to reduce uncertainty. So the general rule is that sample size goes up when you move from mere detection to estimating prevalence.

8. Which mechanisms describe indirect transmission?

A. Direct contact.

B. Droplet spread.

C. Airborne transmission.

D. Vehicle borne (fomite) or vector borne (mechanical or biological).

Indirect transmission happens when a pathogen moves to a new host through an intermediary rather than by direct person-to-person contact. The intermediaries are either inanimate objects that become contaminated (fomites, a vehicle in this sense) or living organisms that carry the pathogen (vectors). Fomite transmission occurs when touching a contaminated surface—like a doorknob, towel, or equipment—leads to infection. Vector transmission involves an animal or insect carrying the pathogen to a new host, either mechanically (pathogen on the vector's body) or biologically (the pathogen multiplies or develops inside the vector before transfer). Direct contact and droplet spread require close, physical interaction with an infected person, and airborne transmission involves pathogens traveling through the air without an intermediary object or organism. Therefore, the mechanism that best describes indirect transmission is vehicle borne (fomite) or vector borne (mechanical or biological).

9. What are the two methods of measuring incidence?

A. Cross-sectional survey and case-control study

B. Cohort followed over time and incidence density in a dynamic population

C. Prevalence study and attack rate

D. Point prevalence and period prevalence

Incidence is about new disease occurrences over time. The two standard ways to measure it are: following a group that starts free of the disease over time and recording who develops the disease, which gives cumulative incidence (risk) over that period; and, in populations where people enter or leave the population, computing incidence density (incidence rate) as the number of new cases divided by the total person-time at risk. The first method provides a straightforward risk over a defined period in a fixed cohort, while the second accounts for changing population membership by using person-time as the denominator. Cross-sectional or case-control designs don't track new cases over time to produce incidence, and prevalence measures (point or period prevalence) capture existing cases, not new ones; attack rate is a special cumulative-incidence measure used in outbreaks but not a general method for measuring incidence in a population.

SAMPLE

10. What is true about r and r^2?

A. r^2 is the variance of the data

B. The coefficient of determination r^2 is the square of the correlation coefficient r

C. r^2 is the covariance

D. r is the slope of the regression line

The key idea is that the correlation r measures the strength and direction of a linear relationship between two variables, while r^2 (the coefficient of determination) tells you what proportion of the variance in one variable is explained by that linear relationship with the other. This makes r^2 the square of r, and it always falls between 0 and 1 (even if r is negative). It's not the data's variance (that's variance), nor the covariance (which involves multiplying deviations without squaring and scaling by standard deviations), and the regression slope is not r itself but r scaled by the ratio of the standard deviations of the two variables. So r^2 being the square of the correlation coefficient is the correct statement. For example, if r = 0.8, r^2 = 0.64, meaning about 64% of the variance in the outcome is explained by the linear relationship with the predictor.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://acvpmepidemiologybiostats.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE