
ADAA X-RAY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://adaaxray.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a limitation of bitewing radiographs in detecting occlusal caries?

A. They primarily show proximal surfaces; occlusal caries can be missed and may require additional bitewings or clinical examination.

B. They primarily show occlusal surfaces and are ideal for occlusal caries.

C. They measure bone density.

D. They show only soft tissues.

2. What should you do if a radiograph shows a metallic artifact obscuring anatomy?

A. Remove metallic object if possible, re-take with proper shielding or repositioning, and document the reason for retake.

B. Ignore; artifacts don't affect diagnosis.

C. Delete image and reuse film.

D. Increase exposure to overcome artifact.

3. What is the recommended vertical angulation for a mandibular molar periapical radiograph using the paralleling technique?

A. Approximately 15 to 25 degrees

B. Approximately -5 to 0 degrees

C. Approximately 10 to 15 degrees

D. Approximately 0 to 5 degrees

4. On which tooth number is the star located in the fourth example?

A. 11

B. 9

C. 24

D. 14

5. List the standard processing steps for film radiographs and the purpose of each step.

A. Develop (reduces exposed silver halide to metallic silver producing a visible image), Rinse (stops development), Fixer (removes unexposed silver halide and hardens the emulsion), Wash (removes chemicals), Dry.

B. Rinse, Develop, Dry, Wash

C. Develop, Fixer, Rinse, Dry, Wash

D. Dry, Wash, Develop, Rinse, Fixer

SAMPLE

6. Which statement is true regarding elongation and foreshortening?

A. Elongation occurs when vertical angulation is excessively reduced.

B. Elongation occurs when vertical angulation is excessive.

C. Foreshortening occurs when horizontal angulation is excessive.

D. Foreshortening occurs when vertical angulation is reduced.

7. Which reference landmark is used to quantify alveolar bone loss on radiographs?

A. Occlusal plane

B. Tissue color

C. Cemento-enamel junction

D. Tooth crown apex

8. Which option is NOT listed as a type of x-ray in the material?

A. Bitewing

B. Panorex

C. Cephalometric

D. MRI

9. What tooth number is the star on?

A. 18

B. 3

C. 9

D. 21

10. Which instrument in the basic set-up is used to evacuate large amounts of saliva and debris?

A. HVE

B. Air/Water Tip

C. Mirror

D. Cotton pliers

SAMPLE

Answers

SAMPLE

1. A
2. A
3. D
4. D
5. A
6. A
7. C
8. D
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What is a limitation of bitewing radiographs in detecting occlusal caries?

A. They primarily show proximal surfaces; occlusal caries can be missed and may require additional bitewings or clinical examination.

B. They primarily show occlusal surfaces and are ideal for occlusal caries.

C. They measure bone density.

D. They show only soft tissues.

Bitewing radiographs are best at showing the crowns of the back teeth and the spaces where proximal surfaces meet. That design makes them excellent for detecting interproximal caries and for assessing bone height around the teeth, but it also means the chewing surfaces themselves—the occlusal surfaces—aren't captured in detail. Occlusal caries begin in pits and fissures on those chewing surfaces and often stay within enamel or just reach dentin, which can be hard to see on bitewings. Because of this focus on proximal areas, bitewings can miss occlusal caries unless the lesion is advanced enough to become radiographically evident or unless another imaging view or careful clinical examination is used. To catch occlusal caries more reliably, clinicians may use additional bitewings with different angles, periapical or occlusal radiographs, and, importantly, thorough clinical inspection and tactile exploration.

2. What should you do if a radiograph shows a metallic artifact obscuring anatomy?

A. Remove metallic object if possible, re-take with proper shielding or repositioning, and document the reason for retake.

B. Ignore; artifacts don't affect diagnosis.

C. Delete image and reuse film.

D. Increase exposure to overcome artifact.

Metallic artifacts occur when a metal item in or on the patient intersects the X-ray beam, creating areas that obscure anatomy and potentially mimic or hide findings. The appropriate action is to remove the metallic item if possible and safe, then re-take the image with the beam aimed to avoid the artifact or with a better positional setup. This often means asking the patient to remove jewelry, dentures, earrings, or other metal objects, and adjusting the patient's position or projection so the anatomy of interest is clear. Always apply the ALARA principle and avoid increasing exposure to "overcome" the artifact, since higher dose does not guarantee artifact removal and only adds unnecessary radiation. If the object cannot be removed, optimize technique through alternative projections or shielding and acknowledge the limitation in the record. Documentation should note what was removed, how the projection was adjusted, the reason for the retake, and any shielding or positioning changes, ensuring a clear and traceable quality record.

SAMPLE

3. What is the recommended vertical angulation for a mandibular molar periapical radiograph using the paralleling technique?

A. Approximately 15 to 25 degrees

B. Approximately -5 to 0 degrees

C. Approximately 10 to 15 degrees

D. Approximately 0 to 5 degrees

In the paralleling technique, the receptor is kept parallel to the tooth's long axis and the X-ray beam is directed perpendicular to the receptor. For a mandibular molar, this means only a small vertical tilt is needed to align the beam with the tooth's roots without distorting the image. A vertical angulation around 0 to 5 degrees achieves this, minimizing foreshortening or elongation and ensuring the root apices and crown are captured accurately. Using a much larger angulation would tilt the beam more and distort the image, while a negative (upward) tilt would also cause distortion. The 0 to 5 degrees range best matches the goal of keeping the geometry as true to life as possible for mandibular molars using paralleling.

4. On which tooth number is the star located in the fourth example?

A. 11

B. 9

C. 24

D. 14

Interpreting a star on a radiograph relies on mapping position to a tooth number using a standard system. In the widely used FDI two digit notation, the first digit indicates the quadrant (1 = upper right, 2 = upper left, 3 = lower left, 4 = lower right) and the second digit shows the tooth's position from the midline in that quadrant (1 = central incisor, 2 = lateral incisor, 3 = canine, 4 = first premolar, 5 = second premolar, 6 = first molar, 7 = second molar, 8 = third molar). If the star marks the first premolar in the upper right quadrant, that tooth is the one in position 4 of quadrant 1. In the choices given, the other options would correspond to central incisors or premolars in other quadrants, while the star's position matches the upper right first premolar. So the star is on the upper right first premolar.

5. List the standard processing steps for film radiographs and the purpose of each step.

A. Develop (reduces exposed silver halide to metallic silver producing a visible image), Rinse (stops development), Fixer (removes unexposed silver halide and hardens the emulsion), Wash (removes chemicals), Dry.

B. Rinse, Develop, Dry, Wash

C. Develop, Fixer, Rinse, Dry, Wash

D. Dry, Wash, Develop, Rinse, Fixer

Film radiograph processing is about turning a latent image into a permanent, visible one through a sequence of chemical steps. First, development uses a developing agent to reduce the exposed silver halide crystals in the emulsion to metallic silver. This creates the dark areas that form the image, while unexposed crystals stay mostly untouched, so they don't create image density. A rinse follows to wash away most of the developer and to halt further development, helping to prevent overdevelopment and controlling image contrast. Next comes fixation, which removes the unexposed silver halide crystals from the emulsion and hardens the gelatin. This step locks the image in place and makes it insensitive to light, so the film won't darken when exposed to ambient light. Washing then removes all residual fixer and developer chemicals from the film, preventing chemical reactions that could stain or damage the emulsion over time and ensuring long-term stability. Finally, drying eliminates moisture so the film can be handled, viewed, and stored without smearing or sticking.

SAMPLE

6. Which statement is true regarding elongation and foreshortening?

A. Elongation occurs when vertical angulation is excessively reduced.

B. Elongation occurs when vertical angulation is excessive.

C. Foreshortening occurs when horizontal angulation is excessive.

D. Foreshortening occurs when vertical angulation is reduced.

Vertical angulation controls how long or short the tooth image appears. If the X-ray beam is tilted too little in the vertical plane (reduced vertical angulation), the tooth image lengthens, producing elongation. If you tilt the beam too much (excessive vertical angulation), the tooth is captured at a steeper angle and appears shorter, causing foreshortening. Therefore, elongation occurs when vertical angulation is excessively reduced, which matches the statement you're considering. The other ideas don't fit: excessive vertical angulation leads to foreshortening, not elongation; horizontal angulation affects side-to-side overlap rather than length distortion; and reduced vertical angulation does not cause foreshortening.

7. Which reference landmark is used to quantify alveolar bone loss on radiographs?

A. Occlusal plane

B. Tissue color

C. Cemento-enamel junction

D. Tooth crown apex

Alveolar bone loss on radiographs is quantified by measuring the distance from the cementoenamel junction to the alveolar crest. The cementoenamel junction is used because it is a fixed, reproducible landmark on the tooth that remains relatively constant over time, unlike soft tissue levels. In health, the crest sits about 1–2 mm apical to the CEJ; as bone is lost, the crest moves farther from the CEJ, increasing that measurement. The occlusal plane isn't a reference for bone height, tissue color reflects soft tissue status rather than bone height on X rays, and the tooth crown apex isn't a reliable baseline for assessing alveolar bone support.

8. Which option is NOT listed as a type of x-ray in the material?

A. Bitewing

B. Panorex

C. Cephalometric

D. MRI

Understanding dental imaging modalities involves recognizing which are X-ray techniques and which are not. Bitewing, Panorex (panoramic), and cephalometric radiographs are all X-ray based methods routinely used in dentistry to visualize teeth, bone levels, and craniofacial relationships. The option that is not an X-ray type is MRI, which uses magnetic fields and radiofrequency waves to image soft tissues and does not rely on X-ray photons. Because MRI isn't an X-ray technique, it isn't listed among the X-ray types.

SAMPLE

9. What tooth number is the star on?

A. 18

B. 3

C. 9

D. 21

The star is placed on a specific tooth using the universal numbering system, which assigns numbers 1 through 32 to adult teeth. In this system, the lower left quadrant numbers run from the midline toward the back: central incisor is the last in that quadrant, followed by the lateral incisor, canine, first premolar, second premolar, first molar, second molar, and finally the third molar at the back. If the star is on the first premolar in the lower left quadrant, that tooth corresponds to twenty-one. So the star marks the lower left first premolar, tooth number twenty-one.

10. Which instrument in the basic set-up is used to evacuate large amounts of saliva and debris?

A. HVE

B. Air/Water Tip

C. Mirror

D. Cotton pliers

High-volume evacuation is the instrument designed to remove large amounts of saliva, fluids, and debris quickly from the mouth. Its larger tubing and strong suction let it pull away a lot of material at once, keeping the working area clear and reducing splatter and aerosols during procedures. The other tools have different roles: the air/water tip is used for rinsing and drying, a mirror helps with indirect vision and lighting, and cotton pliers are used to place or retrieve cotton rolls or pellets, not for suction.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://adaaxray.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE