ADULT ASSESSMENT-OT PROCESS, FRAMEWORK AND ACTIVITY ANALYSIS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://adultassmtotprocess.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement about the Functional Independence Measure (FIM) is correct?

A. To diagnose the type of disability.

B. To measure employment potential.

C. To assess social participation restrictions.

D. To assess level of disability and independence across self-care, mobility, cognition, and communication to inform discharge planning.

2. Which of the following is listed as a potential discharge outcome?

A. Continue OT as planned

B. Review current intervention

C. Discontinue OT services

D. All of the above

3. Which statement about SMART goals is accurate?

A. They are vague and nonspecific.

B. They are therapist-centered only.

C. Specific, Measurable, Achievable, Relevant, Time-bound and aligned with client priorities and occupations.

D. They focus only on the medical condition.

4. What is the primary objective of occupational therapy practice according to the OTPF-4?

A. Enable participation in meaningful occupations by optimizing occupational performance across contexts and life roles.

B. Restore physical function regardless of context.

C. Improve only basic self-care skills.

D. Cure diseases through remediation.

5. Which action demonstrates grading down in activity analysis?

A. Reducing task demands to match current abilities while preserving achievable challenge.

B. Increasing task demands beyond current capacity.

C. Removing tasks without replacement.

D. Ignoring user abilities.

SAMPLE

6. Which statement best describes what AMPS evaluates?

A. To predict future employment.

B. To measure social satisfaction.

C. To assess gross motor strength.

D. To assess observationally the quality of performance on ADL tasks during chosen activities.

7. Which population/context is given as a bottom-up example in the material?

A. Developmental contexts with children

B. Stroke rehabilitation focusing on ADL

C. Geriatric home safety

D. Psychiatric occupational therapy

8. In advocacy, which additional elements are mentioned alongside promoting access to opportunities?

A. Accommodations, education

B. Documentation, billing

C. Medication, side effects

D. Scheduling, transportation

9. Into which domain would you categorize skills like attention, memory, problem-solving, and social interaction during occupation?

A. Perceptual/cognitive or social

B. Strength

C. ROM

D. Gravity

10. Which items are identified as components of evidence-based intervention?

A. Clinical expertise

B. Patient values

C. The best most recent research

D. All of the above

SAMPLE

Answers

SAMPLE

1. D
2. D
3. C
4. A
5. A
6. D
7. A
8. A
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Which statement about the Functional Independence Measure (FIM) is correct?

A. To diagnose the type of disability.

B. To measure employment potential.

C. To assess social participation restrictions.

D. To assess level of disability and independence across self-care, mobility, cognition, and communication to inform discharge planning.

Functional Independence Measure focuses on how independently a person can perform daily activities and communicate, across key areas like self-care, mobility, cognition, and communication. This tool provides a single way to quantify the level of disability and the degree of independence, which is used to plan discharge from rehab or other care settings. It isn't a diagnostic tool for identifying the type of disability, nor is it intended to measure employment potential. While the cognitive and communication domains touch on social functioning, the primary purpose is to inform care planning and determine what level of assistance and supports are needed after discharge. Clinically, scores range from 18 to 126, with higher values indicating greater independence, and the measure is used to track progress and justify post-acute care needs.

2. Which of the following is listed as a potential discharge outcome?

A. Continue OT as planned

B. Review current intervention

C. Discontinue OT services

D. All of the above

Discharge planning in OT involves choosing an outcome that fits the client's progress and current needs. If the client is benefiting and continuing therapy as planned makes sense, the discharge plan can keep OT as planned. If the progress isn't meeting goals or the approach needs adjustment, the team can review the current intervention to modify goals or methods. If goals are achieved or services are no longer necessary, discontinuing OT services is appropriate. Because any of these can be the right move depending on the situation, the option that includes all of them is the best choice.

3. Which statement about SMART goals is accurate?

A. They are vague and nonspecific.

B. They are therapist-centered only.

C. Specific, Measurable, Achievable, Relevant, Time-bound and aligned with client priorities and occupations.

D. They focus only on the medical condition.

SMART goals in occupational therapy are client-centered objectives that are Specific, Measurable, Achievable, Relevant, and Time-bound, and they should align with the client's priorities and valued occupations. This combination makes goals clear, feasible, and meaningful in daily life, so progress can be tracked and interventions tailored to what the client wants to do. The statement captured here lists exactly those elements and ties them to the client's priorities and occupations, which is why it's the best description. It focuses on specificity, measurable progress, realistic achievability, relevance to the client's life, and a clear timeframe, all while keeping the client's goals rooted in their daily activities and roles. Other descriptions miss essential parts: labeling goals as vague and nonspecific ignores the Specific and Measurable components; stating goals are therapist-centered contradicts the client-centered nature of OT practice; and focusing only on the medical condition omits the important occupational and daily life focus that drives meaningful change for clients.

SAMPLE

4. What is the primary objective of occupational therapy practice according to the OTPF-4?

A. Enable participation in meaningful occupations by optimizing occupational performance across contexts and life roles.

B. Restore physical function regardless of context.

C. Improve only basic self-care skills.

D. Cure diseases through remediation.

The main idea is that occupational therapy aims to enable participation in meaningful occupations by optimizing how people perform in real life across different contexts and life roles. This means therapy focuses on helping someone engage in the activities that matter to them—at home, work, school, and in the community—by improving performance, adapting environments, and using strategies that fit their daily life. It isn't about restoring a single function in isolation or curing a disease; it's about how well a person can do the activities they value across different settings and responsibilities. So, the objective goes beyond basic self-care or physical recovery alone. It incorporates how context (like home layout or social supports) and roles (such as student, caregiver, or employee) influence what is possible. The other options either narrow OT to just basic skills, focus solely on physical function without context, or imply a curative aim that OT does not promise.

5. Which action demonstrates grading down in activity analysis?

A. Reducing task demands to match current abilities while preserving achievable challenge.

B. Increasing task demands beyond current capacity.

C. Removing tasks without replacement.

D. Ignoring user abilities.

Grading down in activity analysis means adjusting a task so its demands fit the learner's current abilities while keeping enough challenge to promote growth. Reducing task demands allows the person to perform the activity successfully, practice the essential steps, and build confidence and skills gradually. This keeps participation meaningful and progress achievable in OT practice. For example, you might simplify a cooking task by pre-measuring ingredients or using larger, easier-to-handle utensils—the goal remains the same, but the difficulty is lowered to match current abilities. Increasing demands beyond capacity would overwhelm and hinder performance. Removing tasks without replacement eliminates needed components of the activity. Ignoring the person's abilities fails to support participation and skill development.

6. Which statement best describes what AMPS evaluates?

A. To predict future employment.

B. To measure social satisfaction.

C. To assess gross motor strength.

D. To assess observationally the quality of performance on ADL tasks during chosen activities.

AMPS measures how well a person performs daily activities by observing the quality of their performance as they complete chosen tasks. It focuses on both motor skills (how well they move and coordinate during the task) and process skills (how they plan, organize, adapt, and pace themselves). The assessment happens in a functional context with real ADL tasks, so it highlights safety, independence, and efficiency in everyday life. This isn't about predicting future employment, measuring social satisfaction, or testing isolated physical strength. Those areas involve different assessments or goals, whereas AMPS specifically targets the observed quality of ADL performance during chosen activities.

SAMPLE

7. Which population/context is given as a bottom-up example in the material?

A. Developmental contexts with children

B. Stroke rehabilitation focusing on ADL

C. Geriatric home safety

D. Psychiatric occupational therapy

Bottom-up work in occupational therapy starts with underlying skills and body functions, building from the foundation up before tackling real-life tasks. Developmental contexts with children are a classic example because therapy often targets foundational abilities—sensory processing, motor coordination, postural control, reflex integration, and fine motor skills. By strengthening these underpinnings first, the child becomes more capable of engaging in occupations and activities later on. In contrast, rehab approaches that focus on ADLs after a stroke, or safety and performance in older adults, tend to start with the tasks themselves and goals, which is a top-down orientation. That's why the material identifies developmental contexts with children as the bottom-up example.

8. In advocacy, which additional elements are mentioned alongside promoting access to opportunities?

A. Accommodations, education

B. Documentation, billing

C. Medication, side effects

D. Scheduling, transportation

Advocacy in OT is about expanding participation by removing barriers and enabling access. Accommodations help fit tasks, environments, or supports to a person's abilities so they can participate more fully. Education equips the person and others with knowledge about rights, resources, and how to obtain services, which empowers ongoing access and self-advocacy. Together, these elements directly promote opportunities for engagement in daily life and community activities. The other options focus more on administrative tasks, medical management, or logistics, which don't embody the advocacy-focused pairing that expands access through supportive changes and knowledge.

9. Into which domain would you categorize skills like attention, memory, problem-solving, and social interaction during occupation?

A. Perceptual/cognitive or social

B. Strength

C. ROM

D. Gravity

Attention, memory, problem-solving, and social interaction describe how a person thinks, processes information, plans, and engages with others during tasks. In occupational therapy, these mental processes and interpersonal skills fit the perceptual/cognitive or social performance domain because they capture cognitive processing and social engagement that occur during occupation. They aren't about physical capacity like how strong someone is, how much they can move a joint (ROM), or the forces related to gravity. So the best domain for categorizing these skills during occupation is perceptual/cognitive or social.

SAMPLE

10. Which items are identified as components of evidence-based intervention?

A. Clinical expertise

B. Patient values

C. The best most recent research

D. All of the above

The idea being tested is that evidence-based intervention blends three essential elements. The strongest approach uses the best available research to show what tends to work, but it also relies on the clinician's own expertise to interpret and apply that evidence to the individual's situation. Equally important are the patient's values and preferences, which shape which options are acceptable and meaningful to pursue. When you bring together rigorous research, seasoned clinical judgment, and the person's goals and context, the intervention is both effective and appropriate. That's why the option that includes all three components is the best choice. Focusing on just one element—such as only the latest research, or only clinical experience, or only patient preferences—misses part of what makes interventions truly evidence-based.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://adultassmtotprocess.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE