ADULT-GERONTOLOGY ACUTE CARE NP (AGACNP) CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://agacnpcert.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What best describes collaboration in a healthcare setting?

A. Competition between providers

B. True partnership

C. Supervision based approach

D. Hierarchical decision-making

2. What is the normal creatinine clearance (CrCl) in women under age 40?

A. 80-100

B. 87-107

C. 90-110

D. 95-115

3. Which population is most commonly affected by multiple sclerosis?

A. African descent

B. Western European descent

C. Asian descent

D. Middle Eastern descent

4. What is the medical term for low platelet counts resulting from the autoimmune destruction of platelets?

A. Thrombocytopenia

B. Hemophilia

C. Thrombotic Thrombocytopenic Purpura

D. Immune Thrombocytopenic Purpura

5. What is the main characteristic of ulcerative colitis?

A. Localized inflammation of the stomach

B. Diffuse mucosal inflammation of the small intestine

C. Diffuse mucosal inflammation of the colon

D. Acute inflammation of the pancreas

6. What is the normal range for ferritin levels?

A. 10-150

B. 20-200/500

C. 100-300

D. 200-400

SAMPLE

7. Which pharmacotherapy is commonly used for treating angina?

A. ACE inhibitors

B. Nitrates

C. Statins

D. Antiplatelets

8. Which condition is required to be reported for public health tracking?

A. Cold and flu

B. Asthma

C. Chlamydia

D. Seasonal allergies

9. Which type of discharge is associated with candidiasis?

A. Thin, watery, grey discharge

B. Thick, white curd-like discharge

C. Malodorous, yellowish-green discharge

D. Frothy, green discharge

10. What is considered the strongest method to evaluate teaching effectiveness?

A. Written examination

B. Peer review

C. Returned demonstration

D. Self-assessment

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. D
5. C
6. B
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What best describes collaboration in a healthcare setting?

A. Competition between providers

B. True partnership

C. Supervision based approach

D. Hierarchical decision-making

In a healthcare setting, collaboration is best described as a true partnership. This involves healthcare providers from various disciplines working together towards a common goal, which is the delivery of optimal patient care. It encompasses mutual respect, shared decision-making, and the integration of different perspectives and expertise. True partnership in collaboration signifies that all team members, regardless of their specific roles, actively contribute to the planning, implementation, and evaluation of patient care strategies. This approach fosters an environment of open communication, which is essential for addressing complex patient needs and improving health outcomes. In contrast, competition between providers can lead to fragmented care and negatively affect patient outcomes, as it prioritizes individual achievements over team success. A supervision-based approach places authority in a hierarchical structure, potentially limiting the contributions of team members and stifling collaborative efforts. Similarly, hierarchical decision-making can undermine the collaborative spirit, as it may inhibit input from those with valuable frontline experience. Overall, recognizing collaboration as a true partnership emphasizes the important role of teamwork in enhancing patients' care experiences and outcomes.

2. What is the normal creatinine clearance (CrCl) in women under age 40?

A. 80-100

B. 87-107

C. 90-110

D. 95-115

The normal creatinine clearance (CrCl) in women under age 40 typically falls within the range of 87 to 107 mL/min. This range is established based on standardized measurements and reflects the efficiency of the kidneys in filtering creatinine from the blood, which is an important indicator of renal function. Creatinine clearance values in this range are considered normal for younger women, as they generally have better renal function compared to older adults, and physiological changes with age can lead to decreased clearance rates. The values derived from the Cockcroft-Gault equation, which accounts for factors such as age, gender, weight, and serum creatinine levels, help in estimating kidney function effectively. Understanding these normal ranges is particularly vital in clinical practice to assess renal health, adjust medication dosages, and detect potential renal impairment early in younger populations.

SAMPLE

3. Which population is most commonly affected by multiple sclerosis?

A. African descent

B. Western European descent

C. Asian descent

D. Middle Eastern descent

Multiple sclerosis (MS) is a chronic autoimmune disease that affects the central nervous system, and certain populations are statistically more likely to be diagnosed with the condition. Research indicates that individuals of Western European descent are among those with the highest prevalence rates of MS when compared to other ethnic groups. This increased incidence is particularly notable in regions such as Northern Europe, Canada, and the northern United States. The underlying reasons for this disparity are believed to involve a combination of genetic, environmental, and possibly lifestyle factors that contribute to the risk of developing MS. For instance, Western European populations may have certain genetic predispositions that increase susceptibility to autoimmune responses that characterize MS. Additionally, environmental factors like vitamin D levels, exposure to sunlight, and infectious agents might vary across populations, further influencing the risk of developing the disease. In contrast, other populations such as those of African, Asian, or Middle Eastern descent tend to have lower rates of MS, which highlights the importance of considering geography, ethnicity, and genetics when examining the epidemiology of this condition. This understanding helps guide clinicians in identifying at-risk populations and tailoring prevention and intervention strategies accordingly.

4. What is the medical term for low platelet counts resulting from the autoimmune destruction of platelets?

A. Thrombocytopenia

B. Hemophilia

C. Thrombotic Thrombocytopenic Purpura

D. Immune Thrombocytopenic Purpura

The correct response identifies the medical term 'Immune Thrombocytopenic Purpura' (ITP) as the condition characterized by low platelet counts resulting from autoimmune destruction of platelets. In ITP, the immune system mistakenly targets and destroys platelets, leading to a decrease in their numbers in circulation, which can result in easy bruising, bleeding, and other symptoms associated with thrombocytopenia. This condition is classified as primary or secondary, with primary ITP occurring without an identifiable underlying condition and secondary ITP being associated with other medical disorders or conditions. The key aspect of ITP is the autoimmune mechanism involved, where antibodies are produced that label platelets for destruction, primarily by the spleen. While thrombocytopenia is a general term that refers to low platelet counts, it does not specify the underlying cause, which is critical for diagnosing and treating the patient appropriately. Hemophilia, on the other hand, refers to a genetic disorder affecting blood clotting factors, and thrombotic thrombocytopenic purpura involves a different pathophysiological process characterized by thrombotic microangiopathy and is not specifically an autoimmune destruction of platelets as seen in ITP.

SAMPLE

5. What is the main characteristic of ulcerative colitis?

A. Localized inflammation of the stomach

B. Diffuse mucosal inflammation of the small intestine

C. Diffuse mucosal inflammation of the colon

D. Acute inflammation of the pancreas

Ulcerative colitis is primarily characterized by diffuse mucosal inflammation of the colon. This inflammatory bowel disease involves the inner lining of the colon and rectum, leading to symptoms such as diarrhea, abdominal pain, and rectal bleeding. The inflammation is typically continuous and may vary in severity, affecting different segments of the colon. The condition is specifically associated with ulcerations and a risk of complications such as colorectal cancer. The other options describe different medical issues that do not pertain to ulcerative colitis. Localized inflammation of the stomach refers to conditions such as gastritis, while diffuse mucosal inflammation of the small intestine would be more aligned with Crohn's disease affecting that region or celiac disease. Acute inflammation of the pancreas describes pancreatitis, which is a distinct pathological process not related to the inflammatory processes of ulcerative colitis. Understanding these distinctions is crucial for diagnosing and treating gastrointestinal disorders accurately.

6. What is the normal range for ferritin levels?

A. 10-150

B. 20-200/500

C. 100-300

D. 200-400

Ferritin is a key protein that stores and releases iron in the body, serving as an important marker for assessing iron status. The normal range for ferritin levels can differ based on various factors, including sex and laboratory reference values, but typically falls between 20 to 500 ng/mL for adult males and females. This wide range accounts for individual variations and different lab standards. The provided range of 20-200/500 encompasses the lower threshold of normal ferritin levels while also acknowledging that some laboratories may report different upper limits depending on their testing methods. Therefore, recognizing that ferritin levels can vary helps to ensure accurate assessments of a patient's iron stores and overall health status is crucial in clinical practice. This answer recognizes the physiological relevance of ferritin in iron metabolism and reflects a comprehensive understanding of how ferritin levels are interpreted clinically.

7. Which pharmacotherapy is commonly used for treating angina?

A. ACE inhibitors

B. Nitrates

C. Statins

D. Antiplatelets

Nitrates are commonly used as a first-line pharmacotherapy for treating angina due to their ability to dilate blood vessels, which enhances blood flow to the heart muscle. This vasodilation reduces myocardial oxygen demand by decreasing preload and afterload, alleviating the pain associated with angina. Nitrates are effective in both stable and unstable angina episodes and can be administered in various forms, including sublingual tablets, transdermal patches, and intravenous formulations. While other classes of medications, such as ACE inhibitors, statins, and antiplatelets, play important roles in the overall management of cardiovascular disease, they do not directly relieve the symptoms of angina in the same manner as nitrates. ACE inhibitors primarily assist in managing blood pressure and reducing heart failure risk, statins are focused on cholesterol reduction to lower cardiovascular risk, and antiplatelets are used to prevent thrombotic events. Therefore, nitrates are the most appropriate choice for immediate relief of anginal symptoms, making them the correct answer in this context.

SAMPLE

8. Which condition is required to be reported for public health tracking?

A. Cold and flu

B. Asthma

C. Chlamydia

D. Seasonal allergies

Chlamydia is required to be reported for public health tracking due to its status as a sexually transmitted infection (STI) that can have significant health implications if left untreated. The monitoring and reporting of chlamydia cases help public health officials understand the prevalence and incidence of the infection in the community, enabling the implementation of targeted interventions, educational campaigns, and resource allocation aimed at prevention and management. The reporting of STIs like chlamydia is essential for tracking transmission trends, ensuring timely treatment of affected individuals, and preventing complications such as pelvic inflammatory disease. By maintaining awareness of chlamydia cases, public health authorities can effectively address and mitigate outbreaks, ultimately improving community health outcomes. In contrast, conditions such as the cold and flu, asthma, and seasonal allergies are generally not mandated for public health reporting in the same way. Cold and flu are common and often self-limiting illnesses that do not necessitate tracking, while asthma is a chronic condition that does not have the same public health surveillance requirements. Seasonal allergies, being primarily influenced by environmental factors and not considered communicable diseases, also lack the necessity of formal reporting.

9. Which type of discharge is associated with candidiasis?

A. Thin, watery, grey discharge

B. Thick, white curd-like discharge

C. Malodorous, yellowish-green discharge

D. Frothy, green discharge

Candidiasis, commonly known as a yeast infection, is typically characterized by a thick, white curd-like discharge. This is due to the overgrowth of Candida species, especially Candida albicans, which often leads to a specific set of symptoms. The discharge is often described as having a cottage cheese consistency and may be accompanied by symptoms such as itching, irritation, and redness in the affected area. Understanding the nature of the discharge is important for differentiating candidiasis from other types of infections. For instance, a thin, watery, grey discharge is more commonly associated with bacterial vaginosis, which has a different etiology. Similarly, a malodorous, yellowish-green discharge often indicates a trichomoniasis infection, while a frothy, green discharge is associated with the same. Each of these types of discharge serves as a clinical clue that aids healthcare providers in making a correct diagnosis and selecting the appropriate treatment.

SAMPLE

10. What is considered the strongest method to evaluate teaching effectiveness?

A. Written examination

B. Peer review

C. Returned demonstration

D. Self-assessment

The strongest method to evaluate teaching effectiveness is often considered to be returned demonstration. This method involves the learner actively demonstrating the knowledge or skills they have acquired as a result of the instruction. In a clinical or procedural education context, returned demonstration allows the instructor to directly observe the learner's ability to apply what has been taught in a practical scenario. This real-time observation provides insight into the learner's understanding and competence, highlighting not just theoretical knowledge but the ability to perform tasks correctly and safely. Furthermore, returned demonstration facilitates immediate feedback, which is critical for the learning process. Instructors can assess not only if the learner has grasped the concepts, but also if they can translate that understanding into practice. This method promotes active engagement and can inform future teaching approaches tailored to the needs of the learner. While other methods, such as written examinations, peer review, and self-assessment, can provide valuable information regarding teaching effectiveness, they may not have the same direct correlation with practical skill application. Written examinations assess theoretical knowledge but do not measure the ability to perform tasks. Peer review relies on subjective evaluations from colleagues, potentially limiting its effectiveness. Self-assessment can provide insight into a learner's perception of their abilities but might not accurately reflect their actual performance. Hence, returned

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://agacnpcert.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE