ADVANCED FIRST AID PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://advfirstaid.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why document exposure to disease?

A. To receive appropriate follow-up care.

B. To help with hospital admissions decisions.

C. To diagnose the disease.

D. To schedule follow-up tests.

2. Which are the five components of the primary survey in Advanced First Aid?

A. Airway, Breathing, Circulation, Disability, Exposure

B. Airway, Breathing, Circulation, Exposure, Disability

C. Airway, Breathing, Disability, Circulation, Exposure

D. Airway, Breathing, Circulation, Exposure, Disability

3. In START triage, which color tag indicates the highest priority for immediate treatment?

A. Green indicates those who can wait for treatment.

B. Red indicates the highest priority for immediate treatment.

C. Black indicates deceased or expectant.

D. Yellow indicates delayed or secondary priority.

4. When splinting an injured body part, how should you support it?

A. In the position you found it

B. Move it to a straight position

C. Elevate above heart level

D. Remove clothing around the injury

5. In suspected poisoning, what is the first action a First Responder should take?

A. Survey the Scene

B. Check for vital signs

C. Call for help

D. Apply a tourniquet

SAMPLE

6. What is the easiest way to slow bleeding and contractions of the uterus after childbirth?

A. Nurse the baby.

B. Massage the uterus.

C. Apply ice to the abdomen.

D. Administer medications.

7. When dealing with downed electrical wires at a car crash, you should

A. Move the crowd toward the scene

B. Assume the wires are energized and move the crowd away from the scene

C. Attempt to touch the wires to check if they are live

D. Use a metal rod to probe the wires

8. What is the recommended number of back blows and abdominal thrusts for a choking child?

A. 5 back blows and 5 abdominal thrusts

B. 10 back blows

C. 3 back blows

D. 7 abdominal thrusts

9. Which of the following statements best describes implied consent?

A. It requires explicit verbal confirmation

B. It is assumed when the patient cannot respond but would consent if able

C. It is always overridden by a family member's wishes

D. It applies only to pediatric cases

10. Which factors influence triage prioritization in a mass casualty event?

A. Weather conditions and time of day.

B. Insurance status.

C. Patient age only.

D. Injury severity, likelihood of survival, and resource availability.

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. A
5. A
6. A
7. B
8. A
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. Why document exposure to disease?

A. To receive appropriate follow-up care.

B. To help with hospital admissions decisions.

C. To diagnose the disease.

D. To schedule follow-up tests.

Documenting exposure to disease is primarily about ensuring the person can receive the right follow-up care after a potential risk. When exposure is recorded, clinicians can act quickly to assess risk, offer post-exposure measures (such as prophylaxis or vaccination if indicated), plan appropriate follow-up tests within the recommended timeframes, and monitor for developing symptoms. It also helps ensure clear communication among healthcare providers and may support legal or occupational health requirements. This isn't about diagnosing the disease, directing hospital admission, or merely scheduling tests—the goal is to enable appropriate, timely care based on the exposure.

2. Which are the five components of the primary survey in Advanced First Aid?

A. Airway, Breathing, Circulation, Disability, Exposure

B. Airway, Breathing, Circulation, Exposure, Disability

C. Airway, Breathing, Disability, Circulation, Exposure

D. Airway, Breathing, Circulation, Exposure, Disability

The primary survey uses an ABCDE approach to quickly identify and treat life-threatening problems in order of urgency. The five components are Airway, Breathing, Circulation, Disability, and Exposure. This order matters because you first ensure a clear airway and adequate ventilation, then assess circulation to maintain perfusion, then quickly evaluate neurological status (Disability), and finally check for hidden injuries or conditions across the body (Exposure) while preventing heat loss. Airway meaningfully prompts you to keep the airway open and patent; if blocked, you address it immediately. Breathing focuses on whether the patient is breathing adequately and providing support if needed. Circulation involves monitoring blood flow and controlling severe bleeding to prevent shock. Disability is a rapid neurological check to gauge consciousness and responsiveness. Exposure involves examining the entire body for injuries, while draping and warming the patient to avoid hypothermia. Other options mix up the order or omit a component, which would risk missing a critical life threat or delaying assessment.

3. In START triage, which color tag indicates the highest priority for immediate treatment?

A. Green indicates those who can wait for treatment.

B. Red indicates the highest priority for immediate treatment.

C. Black indicates deceased or expectant.

D. Yellow indicates delayed or secondary priority.

In START triage, color coding is used to quickly indicate who needs care first. The red tag is for immediate treatment because it marks individuals with life-threatening conditions that can still be saved if they receive rapid intervention (such as airway, breathing, or circulation issues). This makes red the highest priority for urgent care. Green represents those with minor injuries who can wait, yellow is for those who need care but are not in immediate danger, and black is for deceased or expectant patients. The system hinges on rapid assessment of breathing, perfusion, and mental status to decide who must be treated first, which is why red is the top priority color.

SAMPLE

4. When splinting an injured body part, how should you support it?

A. In the position you found it

B. Move it to a straight position

C. Elevate above heart level

D. Remove clothing around the injury

During splinting, the priority is to minimize movement and prevent further injury. Keep the injured part supported in the position it is found, because moving it to a straight position can worsen fractures or dislocations, damage nerves or blood vessels, and increase pain. By immobilizing the limb in its current alignment and securing a splint around it, you preserve any natural alignment and reduce the risk of additional harm until professional care can assess and treat it. Pad as needed for comfort and secure the splint above and below the injury site, and always check circulation before and after applying the splint.

5. In suspected poisoning, what is the first action a First Responder should take?

A. Survey the Scene

B. Check for vital signs

C. Call for help

D. Apply a tourniquet

Surveying the scene to ensure safety is the first action. Before you touch the patient or provide care in a suspected poisoning, you must quickly assess the environment for hazards such as toxic fumes, spills, or contaminated surfaces. This check protects you, bystanders, and the patient by preventing exposure and guiding you on what PPE or precautions are needed. Once the area is deemed safe, you can proceed with the next steps—assessing responsiveness and breathing, calling for help if needed, and initiating appropriate care. Checking vital signs comes after you've established scene safety, calling for help is essential but should follow the initial safety assessment, and applying a tourniquet isn't indicated for poisoning.

6. What is the easiest way to slow bleeding and contractions of the uterus after childbirth?

A. Nurse the baby.

B. Massage the uterus.

C. Apply ice to the abdomen.

D. Administer medications.

The easiest way to slow postpartum bleeding is to have the baby nurse. When the baby nurses, nipple stimulation triggers the release of oxytocin from the brain. Oxytocin tells the uterus to contract more strongly. Those contractions help clamp down the blood vessels where the placenta separated, reducing bleeding and helping the uterus shrink back to its normal size. Other actions can help in specific situations—massaging the uterus can be used if the uterus isn't firm to manually stimulate contraction, but it's a hands-on method. Ice on the abdomen may ease pain and swelling but doesn't actively promote uterine contraction. Medications can aid control of bleeding, but they require orders and aren't as immediate or natural as the breastfeeding reflex.

SAMPLE

7. When dealing with downed electrical wires at a car crash, you should

A. Move the crowd toward the scene

B. Assume the wires are energized and move the crowd away from the scene

C. Attempt to touch the wires to check if they are live

D. Use a metal rod to probe the wires

Downed electrical wires pose a immediate electric shock hazard; they can energize the car, the ground, and anything touching them even if the wires don't look damaged. The safest approach is to treat the wires as live and keep people well away from the scene. That means establishing a wide perimeter, warning bystanders to stay back, and calling emergency services so utilities can de-energize the lines before anyone approaches. You cannot tell by sight whether a line is live, and approaching can cause severe or fatal electrocution through direct contact or through conductivity of the ground and vehicle. The correct action focuses on preventing anyone from becoming a path to ground or an arc, rather than trying to assess or touch the wires yourself.

8. What is the recommended number of back blows and abdominal thrusts for a choking child?

A. 5 back blows and 5 abdominal thrusts

B. 10 back blows

C. 3 back blows

D. 7 abdominal thrusts

The technique being tested is the cycle used to relieve a choking obstruction in a child who can respond. You perform five firm back blows between the shoulder blades to create air movement and try to loosen the object. If the object doesn't dislodge, you then do five abdominal thrusts to push air from the lungs upward and help eject the object. You repeat these cycles of five back blows and five abdominal thrusts until the blockage is cleared or the child can breathe again. This 5-and-5 sequence is preferred because it combines two effective actions in a balanced way, rather than relying on just one maneuver. If the child becomes unresponsive, call for emergency help and begin CPR, checking the mouth for the object before giving breaths.

9. Which of the following statements best describes implied consent?

A. It requires explicit verbal confirmation

B. It is assumed when the patient cannot respond but would consent if able

C. It is always overridden by a family member's wishes

D. It applies only to pediatric cases

Implied consent means that in an emergency, when the patient cannot respond, you treat because you assume they would want life-saving care. This matches the statement that best describes implied consent: it is assumed when the patient cannot respond but would consent if able. It allows you to act without delaying for explicit permission, which is crucial when every moment counts. This isn't about obtaining verbal agreement, and in true emergencies, you proceed even if family members disagree, as long as there's no known directive from the patient. It isn't limited to pediatric cases—any person who cannot communicate may be covered by implied consent in an emergency. If the patient regains capacity and explicitly refuses treatment, you must honor that decision and stop further care. When a patient can communicate, explicit consent is required.

SAMPLE

10. Which factors influence triage prioritization in a mass casualty event?

A. Weather conditions and time of day.

B. Insurance status.

C. Patient age only.

D. Injury severity, likelihood of survival, and resource availability.

In mass casualty triage, the goal is to save as many lives as possible by making quick, objective decisions about who can benefit most from limited resources. The best guiding factors are how severe the injuries are, the likelihood of survival with the care available, and whether there are enough resources to treat them now. These criteria directly reflect medical urgency and the potential benefit of treatment, which is why they determine priority. Weather conditions or time of day can affect how quickly care can be delivered, but they don't set the medical priority. Insurance status has no bearing on who needs urgent care or who is most likely to benefit. Age by itself isn't used to decide priority, as it doesn't by itself predict severity, survivability with treatment, or resource needs.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://advfirstaid.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE