
# ADVANCED PERIODONTICS EXAM & MOBILITY & ORAL IRRIGATION CLINIC II PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://advperiomobilityoralirrigationclinic2.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents

Copyright ..... 1
Table of Contents ..... 2
Introduction ..... 3
How to Use This Guide ..... 4
Questions ..... 5
Answers ..... 8
Explanations ..... 10
Next Steps ..... 15

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. Which tip is used for subgingival irrigation with a soft rubber tip?**

A. Delivery tip

B. Filament-type tip

C. Ortho tip

D. Subgingival tip

**2. What is the purpose of the plus sign on the crown when recording fremitus on a periodontal chart?**

A. To indicate fremitus is present

B. To indicate absence of motion

C. To indicate radiographic changes

D. To indicate attachment loss

**3. What are the key considerations for maintenance therapy in patients with implants and a history of periodontitis?**

A. Schedule maintenance every 3–6 months based on risk, emphasize meticulous plaque control, monitor peri-implant tissues, perform regular radiographs, and intervene early for signs of peri-implant disease.

B. Annually check only

C. No special maintenance needed

D. Only rely on homecare, no clinical visits

**4. Irrigation is defined as the targeted application of a steady stream of water or other irrigant for _____ purposes.**

A. Diagnostic

B. Preventative

C. Therapeutic

D. Cosmetic

**5. Testing for mobility without the metal instruments can be misleading because**

A. The metal instruments are required

B. The soft tissue of the fingertips can move and give an illusion of tooth movement

C. It is easier to test with fingers

D. It has no effect on readings

SAMPLE

**6. Universal curets are ideal for removing**

A. large deposits quickly and efficiently

B. precise fine scaling in deep pockets

C. selective debridement in furcations

D. subgingival root planing only

**7. What should be done at the end of SCRP to promote healing?**

A. Irrigate the pocket to remove blood and debris

B. Apply topical antiseptic gel

C. Seal the pocket with resin

D. Rinse with saline only

**8. A blunt-tipped irrigating cannula attached to a syringe is an example of what?**

A. An irrigant solution

B. An irrigation system type

C. A pharmaceutical agent

D. A dental instrument used for polishing

**9. Class II furcation description?**

A. The concavity can be felt but not entered

B. The furcation is through and through

C. The furcation cannot be accessed

D. The probe is able to partially enter the furcation but cannot pass completely through

**10. How are implant surfaces evaluated regarding peri-implant bone loss?**

A. Assess crestal bone level changes relative to baseline radiographs and implant shoulder

B. Measure probing depths alone around implants

C. Evaluate keratinized tissue width as the sole indicator

D. Rely solely on patient-reported symptoms

SAMPLE

# Answers

SAMPLE

1. D
2. A
3. B
4. B
5. B
6. A
7. A
8. B
9. D
10. A

SAMPLE

# Explanations

SAMPLE

## 1. Which tip is used for subgingival irrigation with a soft rubber tip?

A. Delivery tip

B. Filament-type tip

C. Ortho tip

D. Subgingival tip

*The main idea here is choosing a tip that can reach into the periodontal pocket without causing tissue trauma. A subgingival irrigation tip is specifically designed to be slender and flexible, with a soft rubber distal end. This soft rubber tip allows safe insertion into the sulcus or pocket and delivers irrigant directly where bacteria and debris accumulate, flushing the area effectively while minimizing injury to the soft tissues and root surface. Other tips are built for different purposes: a delivery tip is generally used for supragingival irrigation and may be less forgiving in the pocket; a filament-type tip is designed more for mechanical cleaning or specific device functions; an ortho tip is tailored for cleaning around braces and similar appliances, not for subgingival access.*

## 2. What is the purpose of the plus sign on the crown when recording fremitus on a periodontal chart?

A. To indicate fremitus is present

B. To indicate absence of motion

C. To indicate radiographic changes

D. To indicate attachment loss

*Fremitus is a clinical sign of tooth movement or vibration that occurs when the tooth contacts its opposing tooth during function. Placing a plus sign on the crown on the chart is a quick way to indicate that movement is present for that tooth. This helps clinicians recognize occlusal dynamics and possible occlusal trauma or reduced periodontal support. The other options don't fit because absence of motion would be shown by not marking a plus (or using a minus in some charts), radiographic changes are evaluated on X rays, and attachment loss is assessed by probing and recession, not by fremitus notation.*

SAMPLE

**3. What are the key considerations for maintenance therapy in patients with implants and a history of periodontitis?**

A. Schedule maintenance every 3–6 months based on risk, emphasize meticulous plaque control, monitor peri-implant tissues, perform regular radiographs, and intervene early for signs of peri-implant disease.

B. Annually check only

C. No special maintenance needed

D. Only rely on homecare, no clinical visits

*Regular, risk-based maintenance is essential for implants in patients with a history of periodontitis. These individuals have a higher likelihood of peri-implant diseases, so follow-up should be scheduled more frequently than once a year—typically every 3–6 months, with shorter intervals for higher risk. The aim is to keep the implant surfaces clean, monitor tissue health, and catch problems early before they progress. During visits, meticulous plaque control around implants is reinforced, and professional cleaning is done with instruments safe for implant surfaces. The clinician evaluates the peri-implant soft tissues for redness, swelling, bleeding on probing, and any suppuration, and measures probing depths to detect early signs of inflammation or pocketing. Radiographs are used periodically to track crestal bone levels and identify any loss that could indicate peri-implant disease. The health and integrity of prosthetic components and occlusion are also reviewed, since improper fit or overload can contribute to tissue breakdown around implants. Patient education is reinforced, with guidance on effective home care, interdental cleaning around implants, and adherence to the maintenance plan. Early detection and timely intervention at the first signs of peri-implant mucositis or peri-implantitis are crucial to preserving implant longevity and function. An annual check or exclusive reliance on home care without professional visits does not provide the ongoing monitoring needed to prevent implant failure in this higher-risk group.*

**4. Irrigation is defined as the targeted application of a steady stream of water or other irrigant for _____ purposes.**

A. Diagnostic

B. Preventative

C. Therapeutic

D. Cosmetic

*Irrigation is about cleansing and protecting the tissues by delivering a steady stream of water or irrigant to flush away debris and reduce bacterial presence. This helps prevent periodontal infection and inflammation from developing or worsening, which is why its purpose is described as preventative. It isn't primarily used to diagnose a condition, improve aesthetics, or serve as the main treatment for existing disease. While irrigants can be used during therapy to aid treatment, the defining use emphasized here is prevention through cleaning and bacteria control.*

SAMPLE

## 5. Testing for mobility without the metal instruments can be misleading because

A. The metal instruments are required

B. The soft tissue of the fingertips can move and give an illusion of tooth movement

C. It is easier to test with fingers

D. It has no effect on readings

*When testing tooth mobility, using bare fingers can be misleading because the soft tissue at the fingertip is compliant and can move independently of the tooth. As you apply pressure, the skin and tissues can deform or shift, making it seem like the tooth itself is moving when the actual tooth may not have moved to the same extent. This illusion leads to an overestimation of mobility. Metal instruments provide a firm, point contact and deliver a more controlled, localized force directly to the tooth, reducing the influence of soft tissue movement and giving a truer reading of how the tooth itself moves within the socket. So the soft tissue of the fingertips moving under pressure is the reason this method can mislead.*

## 6. Universal curets are ideal for removing

A. large deposits quickly and efficiently

B. precise fine scaling in deep pockets

C. selective debridement in furcations

D. subgingival root planing only

*Universal curets are built with a broad, rounded blade and two cutting edges, so they can be used on both anterior and posterior teeth with a single instrument. This design lets you remove large supragingival calculus quickly and efficiently, covering more surface area in fewer strokes. For precise, fine scaling in deep pockets, you'd choose area-specific curets with longer, narrower blades that fit into confined spaces and follow root contours closely. Furcation areas require specialized, smaller instruments to access the irregular anatomy. Subgingival root planing is best done with instruments that can closely adapt to root surfaces—often area-specific curets or mini-blade designs—rather than universal curets. Thus, the universal curet's versatility makes it ideal for removing large deposits quickly and efficiently.*

## 7. What should be done at the end of SCRP to promote healing?

A. Irrigate the pocket to remove blood and debris

B. Apply topical antiseptic gel

C. Seal the pocket with resin

D. Rinse with saline only

*After SCRP, the wound needs a clean environment to heal effectively. Irrigating the pocket helps remove blood, debris, and loose plaque that can harbor bacteria and irritate the healing tissues. This mechanical cleansing reduces the local inflammatory burden and clears the surface so the root can reattach and the soft tissues can start to repair. While rinsing with saline can help, targeted irrigation is more effective at clearing material from the pocket. Applying topical antiseptic gel or sealing the pocket with resin introduces materials that can impede natural healing or trap bacteria, so they're not ideal choices for promoting optimal restoration of the periodontal tissues.*

SAMPLE

## 8. A blunt-tipped irrigating cannula attached to a syringe is an example of what?

A. An irrigant solution

B. An irrigation system type

C. A pharmaceutical agent

D. A dental instrument used for polishing

*The idea here is how we classify the way irrigation is delivered in periodontal care. A blunt-tipped irrigating cannula attached to a syringe is a manual method of delivering the irrigant, so it represents an irrigation system type. It's not the liquid itself (the irrigant), not a pharmaceutical agent, and not a polishing instrument. The blunt tip is designed to minimize tissue trauma and help guide the fluid into sulci or pockets, which is a key feature of this delivery method. In contrast, there are powered irrigation devices that use pumps or ultrasonic energy, which would be different system types.*

## 9. Class II furcation description?

A. The concavity can be felt but not entered

B. The furcation is through and through

C. The furcation cannot be accessed

D. The probe is able to partially enter the furcation but cannot pass completely through

*Partial entry of a periodontal probe into the furcation without it passing through to the opposite side defines a Class II furcation. This describes a cul-de-sac pattern where horizontal bone loss creates a pocket between the roots that the probe can enter, but the passage cannot be completed because the furcation connection to the other side is still blocked. It's distinct from a through-and-through furcation, where the probe can pass completely from one side to the other (that would be Class III). It also differs from scenarios where the furcation entrance can't be accessed at all.*

## 10. How are implant surfaces evaluated regarding peri-implant bone loss?

A. Assess crestal bone level changes relative to baseline radiographs and implant shoulder

B. Measure probing depths alone around implants

C. Evaluate keratinized tissue width as the sole indicator

D. Rely solely on patient-reported symptoms

*Evaluating peri-implant bone loss is all about tracking changes in the bone level around the implant over time using radiographs. You start with a baseline radiograph taken at implant placement or after loading, which provides a fixed reference point. Later radiographs are then compared to this baseline to measure vertical changes in the crestal bone relative to the implant shoulder. Using a standardized, calibrated radiographic technique (often with parallel both radiographs) ensures the measurements reflect true bone change rather than image distortion. The implant shoulder serves as a stable reference point, so the distance from the shoulder to the crestal bone (or first bone-to-implant contact) can be quantified in millimeters. This method gives an objective, longitudinal assessment of bone loss around the implant. Other measures—like probing depths—focus on soft tissue health and were not designed to quantify bone loss directly. Keratinized tissue width is a soft tissue parameter, and patient-reported symptoms are subjective. While these provide useful context about implant health, they do not provide the direct measurement of crestal bone changes that radiographic comparison offers.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://advperiomobilityoralirrigationclinic2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE