ADVANCED PLACEMENT (AP) BIOLOGY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ap-biology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is produced alongside NADH and FADH2 in the Krebs cycle?

A. Oxygen

B. Water

C. ATP

D. Carbon dioxide

2. What is the function of alcohol dehydrogenase?

A. It converts nontoxic substances into ethyl alcohol.

B. It breaks down formaldehyde.

C. It converts ethyl alcohol to nontoxic substances.

D. It metabolizes methyl alcohol into toxins.

3. In which phase of the cell cycle do cells typically spend most of their time?

A. M phase

B. G1 phase

C. Interphase

D. S phase

4. Which macromolecule is primarily responsible for structural support in plant cells?

A. Proteins

B. Carbohydrates

C. Nucleic acids

D. Lipids

5. Which best describes a chromosome?

A. A complex of proteins without DNA

B. A structure that separates during anaphase

C. A threadlike structure containing a DNA molecule

D. A cytoplasmic division entity

6. Which of the following best describes mitosis?

A. A process of cell growth

B. A process of nuclear division

C. A process of DNA replication

D. A process of cellular metabolism

SAMPLE

7. What type of pathway requires the formation of a dimer to proceed?

A. G-protein linked receptor pathway

B. Tyrosine kinase pathway

C. Ion channel receptor pathway

D. Glycoprotein receptor pathway

8. Which process allows organisms to cool down through the evaporation of water?

A. Condensation

B. Evaporative cooling

C. Transpiration

D. Thermal regulation

9. What characterizes geometric isomers?

A. Different covalent arrangements of atoms

B. Identical structural formulas but different spatial orientations

C. Identical physical properties

D. Mirror image structures

10. What is the definition of denatured enzymes?

A. Enzymes that have increased their activity

B. Enzymes that have lost their functional shape

C. Enzymes that are activated by temperature changes

D. Enzymes that have undergone substrate modification

SAMPLE

Answers

SAMPLE

1. C
2. C
3. C
4. B
5. C
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is produced alongside NADH and FADH2 in the Krebs cycle?

A. Oxygen

B. Water

C. ATP

D. Carbon dioxide

In the Krebs cycle, also known as the citric acid cycle, ATP is indeed produced alongside NADH and FADH2. This cycle involves a series of enzymatic reactions that process acetyl-CoA into carbon dioxide while transferring energy to electron carriers. During this process, one molecule of ATP (or GTP, which is readily converted to ATP in some organisms) is produced directly through substrate-level phosphorylation for each turn of the cycle. While the other compounds mentioned in the choices may be associated with cellular respiration and metabolic processes, they are not produced directly in the Krebs cycle in the same sense as ATP. Carbon dioxide is a product of the decarboxylation reactions during the Krebs cycle, where carbon is lost from the citric acid molecules, contributing to cellular respiration as a waste product. Oxygen and water, while vital in the overall process of cellular respiration, are not products of the Krebs cycle itself; rather, oxygen is used during the electron transport chain, and water is formed at that stage as a byproduct of the reduction of oxygen. Thus, the production of ATP in the Krebs cycle highlights its role as a key metabolic pathway facilitating energy transfer.

2. What is the function of alcohol dehydrogenase?

A. It converts nontoxic substances into ethyl alcohol.

B. It breaks down formaldehyde.

C. It converts ethyl alcohol to nontoxic substances.

D. It metabolizes methyl alcohol into toxins.

The function of alcohol dehydrogenase is to convert ethyl alcohol, commonly known as ethanol, into acetaldehyde, which is a toxic substance. This conversion is an important step in the metabolism of alcohol within the liver. Acetaldehyde is then further broken down by the enzyme aldehyde dehydrogenase into acetic acid, which is less toxic and can be utilized in various metabolic pathways. In this context, the correct choice highlights the role of alcohol dehydrogenase in the metabolism process, specifically relating to ethyl alcohol. The process plays a crucial role in the detoxification of ethanol in the body. Understanding this enzymatic pathway is essential in studying how different substances affect human metabolism and the potential toxicity of alcohol consumption.

3. In which phase of the cell cycle do cells typically spend most of their time?

A. M phase

B. G1 phase

C. Interphase

D. S phase

Cells typically spend most of their time in interphase, which is the phase of the cell cycle that encompasses three distinct stages: G1 (gap 1), S (synthesis), and G2 (gap 2). During interphase, the cell is actively preparing for division, engaging in various vital processes such as growth, DNA replication, and synthesis of proteins necessary for cell division. Within interphase, the G1 phase is primarily focused on cell growth and metabolic activity, while the S phase specifically involves the replication of DNA. The G2 phase continues to support growth and prepares the cell for mitosis. The M phase, or mitotic phase, is significantly shorter than interphase and involves the actual process of cell division. Given that interphase is the longest phase of the cell cycle, it is the best answer for determining where most of the cell's time is spent. Therefore, the correct answer highlights the extensive duration cells remain in interphase compared to the other stages.

SAMPLE

4. Which macromolecule is primarily responsible for structural support in plant cells?

A. Proteins

B. Carbohydrates

C. Nucleic acids

D. Lipids

The correct answer is carbohydrates, as they play a crucial role in providing structural support in plant cells. The primary carbohydrate involved in this function is cellulose, which is a major component of the plant cell wall. Cellulose is a polysaccharide composed of long chains of glucose units linked by beta-1,4-glycosidic bonds. This structure gives plant cells rigidity and strength, allowing them to maintain their shape and resist external pressures. In addition to cellulose, other polysaccharides such as hemicellulose and pectin also contribute to the structural integrity of plant cell walls. These carbohydrates work together to form a robust framework that supports the plant's overall structure and plays a key role in processes such as growth and transport of water and nutrients. While proteins, nucleic acids, and lipids have their own important functions within the cell, they do not primarily serve the structural support role that carbohydrates, specifically in the form of cellulose, provide in plant cells.

5. Which best describes a chromosome?

A. A complex of proteins without DNA

B. A structure that separates during anaphase

C. A threadlike structure containing a DNA molecule

D. A cytoplasmic division entity

A chromosome is best described as a threadlike structure containing a DNA molecule. Chromosomes are made up of tightly coiled DNA and proteins, specifically histones, which help in organizing and packaging the DNA into a compact form that fits within the nucleus of eukaryotic cells. Each chromosome consists of a DNA molecule that carries genetic information crucial for the growth, development, and functioning of an organism. During the process of cell division, chromosomes become visible under a microscope as distinct structures, but their primary function revolves around the storage and transmission of genetic material. They ensure that DNA is accurately replicated and distributed during cell division, which is central to the maintenance of genetic integrity across generations. While there are other components involved in cell division, and chromosomes do undergo separation during anaphase, this action alone does not fully encapsulate the essence of what a chromosome is. Similarly, while chromosomes play a role in processes related to cytoplasmic division, especially during the latter stages of cell division, the term 'cytoplasmic division entity' does not accurately define the structure or its function in genetics.

SAMPLE

6. Which of the following best describes mitosis?

A. A process of cell growth

B. A process of nuclear division

C. A process of DNA replication

D. A process of cellular metabolism

Mitosis is best described as a process of nuclear division, which is critical for the proper distribution of genetic material to daughter cells. During mitosis, a parent cell divides to produce two genetically identical daughter cells, ensuring that each new cell has the same number of chromosomes as the original cell. This process includes several stages—prophase, metaphase, anaphase, and telophase—each playing a specific role in the orchestration of chromosome separation and ultimately leading to the formation of two separate nuclei. The other options do not accurately represent the central feature of mitosis. Mitosis is not primarily about cell growth; instead, it is a specific phase in the cell cycle that enables division after growth has occurred. While DNA replication is crucial for preparing for mitosis, it actually takes place during a separate phase called interphase, which occurs prior to mitosis. Lastly, cellular metabolism encompasses a broad range of biochemical reactions necessary for maintaining life, but it does not specifically refer to the processes involved in the division of the nucleus. Therefore, describing mitosis as a process of nuclear division accurately captures its fundamental role in the life cycle of a cell.

7. What type of pathway requires the formation of a dimer to proceed?

A. G-protein linked receptor pathway

B. Tyrosine kinase pathway

C. Ion channel receptor pathway

D. Glycoprotein receptor pathway

The tyrosine kinase pathway is characterized by the requirement for receptor dimers to become activated. When a signaling molecule, such as a growth factor, binds to a tyrosine kinase receptor, it typically causes two of these receptors to come together, forming a dimer. This dimerization triggers autophosphorylation, where each receptor phosphorylates tyrosine residues on the other. This phosphorylation event activates the receptor's kinase activity, allowing it to relay signals inside the cell and initiate a cascade of downstream signaling events that ultimately lead to cellular responses like growth, differentiation, or metabolism. The other pathways do not involve dimer formation in the same way. For instance, G-protein linked receptor pathways often operate through the activation of guanine nucleotide-binding proteins but do not require receptor dimers for their signaling function. Ion channel receptor pathways allow ions to flow through channels directly in response to ligand binding, while glycoprotein receptors play roles in various recognition processes but do not inherently rely on dimerization for their activity. Thus, the unique feature of the tyrosine kinase pathway lies in its reliance on dimerization for activation and subsequent signaling.

SAMPLE

8. Which process allows organisms to cool down through the evaporation of water?

A. Condensation

B. Evaporative cooling

C. Transpiration

D. Thermal regulation

The process that allows organisms to cool down through the evaporation of water is evaporative cooling. This mechanism occurs when water changes from a liquid to a gas state, absorbing heat from the surrounding environment in the process. When organisms, such as humans or animals, sweat or have moisture evaporate from their surfaces, the heat energy from their bodies is used to facilitate this transition. As a result, the temperature of the organism decreases, providing a cooling effect. Transpiration refers specifically to the process in plants where water evaporates from the leaves during photosynthesis, also aiding in cooling but does not encompass all aspects of evaporative cooling in various organisms. Thermal regulation covers a range of mechanisms that organisms employ to maintain their body temperature, but it does not specifically highlight the cooling effect from evaporation. Condensation is the opposite of evaporation, where water vapor turns back into liquid, which does not contribute to cooling. Therefore, evaporative cooling is the most precise and relevant process described in the context of cooling through water evaporation.

9. What characterizes geometric isomers?

A. Different covalent arrangements of atoms

B. Identical structural formulas but different spatial orientations

C. Identical physical properties

D. Mirror image structures

Geometric isomers are characterized by having identical structural formulas but differing in the spatial orientation of their atoms or groups around a double bond or a ring structure. This variation arises due to the limitations in rotation around double bonds, which prevents certain atoms or groups from freely rotating into different positions. As a result, geometric isomers can exist in different forms, typically referred to as cis and trans configurations, where specific groups maintain different relative positions to one another. While different covalent arrangements might pertain to structural isomers, geometric isomers maintain the same connectivity of their atoms. They also tend to exhibit differences in physical properties due to their distinct spatial arrangements, which is not consistent with the characteristic of having identical physical properties. Lastly, mirror image structures refer to enantiomers, not geometric isomers, which further distinguishes their characteristics.

SAMPLE

10. What is the definition of denatured enzymes?

A. Enzymes that have increased their activity

B. Enzymes that have lost their functional shape

C. Enzymes that are activated by temperature changes

D. Enzymes that have undergone substrate modification

Denatured enzymes refer to enzymes that have lost their functional shape due to changes in environmental conditions, such as temperature, pH, or the presence of certain chemicals. This loss of structure typically results in a disruption of the weak bonds and interactions that maintain the enzyme's specific three-dimensional conformation. Since the enzyme's activity is closely tied to its structure, any alteration that affects its shape can lead to a decrease or complete loss of its catalytic ability. In contrast, increases in enzyme activity would not pertain to denaturation, as those conditions would suggest the enzyme is functioning optimally. Additionally, while some enzymes can be activated by temperature changes, denaturation describes the irreversible process of losing shape rather than activation. Lastly, substrate modification pertains to changes in the substrate itself rather than the enzyme's conformation, which is independent of the definition of denaturation. Thus, the correct understanding of denatured enzymes is rooted in the loss of their functional shape, which impairs their biological activity.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ap-biology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE