AIRCRAFT DISPATCHER TRAINING CENTER (ADTC) ADX PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://adtcadx.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the critical horizontal wind shear per 150 miles for turbulence classified as moderate or greater?

A. Greater than 18 knots

B. 18 knots or less

C. Not a determining factor

D. Greater than 10 knots

2. What is the maximum downdraft strength in a microburst encounter?

A. 8,000 ft/min

B. 6,000 ft/min

C. 7,000 ft/min

D. 5,000 ft/min

3. What is the trip time for Operating Conditions X-2 from the given data?

A. 5 hours 55 minutes

B. 6 hours 15 minutes

C. 5 hours 5 minutes

D. 5 hours 30 minutes

4. What is the TAS at MACH 0.74 and -24 degrees C?

A. 431.8

B. 462.4

C. 456.7

D. 440.0

5. What is a purpose of leading-edge flaps?

A. Reduce lift without increasing airspeed

B. Direct airflow over the top of the wing at high angles of attack

C. Increase the camber of the wing

D. Enhance roll rate

SAMPLE

6. For a flight over MKC at FL 260, what approximate wind direction, speed, and temperature are expected?

A. 260 degrees true; 43 knots; ISA +10 degrees C

B. 250 degrees true; 40 knots; ISA +5 degrees C

C. 260 degrees magnetic; 42 knots; ISA +9 degrees C

D. 270 degrees true; 40 knots; ISA -5 degrees C

7. What effect on the takeoff run can be expected on Rwy 11R at Tucson Intl due to the runway slope?

A. Takeoff length shortened to 6,986 feet by displaced threshold

B. Takeoff run shortened by 0.7 percent runway slope to the SE

C. Takeoff run will be lengthened by the 0.7 percent upslope of the runway

D. Takeoff run will remain unchanged

8. What effect, if any, does high ambient temperature have upon the thrust output of a turbine engine?

A. Thrust will be reduced due to the decrease in air density

B. Thrust will be higher because more heat energy is extracted from the hotter air

C. Thrust will remain the same, but turbine temperature will be higher

D. Thrust will decrease but fuel efficiency will increase

9. Clear air turbulence associated with a jet stream is most commonly found in what region?

A. Temperatures between -40 and -50 degrees C

B. Similar to that associated with a tropical maritime front

C. In the vicinity of the tropopause

D. Just below the stratosphere

10. If a flag air carrier flight lands at an intermediate airport at 1805Z, what is the latest time it may depart without redispatch?

A. 0005Z

B. 1905Z

C. 2005Z

D. 2105Z

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. C
6. A
7. C
8. A
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is the critical horizontal wind shear per 150 miles for turbulence classified as moderate or greater?

A. Greater than 18 knots

B. 18 knots or less

C. Not a determining factor

D. Greater than 10 knots

The correct answer is that the critical horizontal wind shear per 150 miles for turbulence classified as moderate or greater is greater than 18 knots. This threshold is established based on the relationship between wind shear and turbulence intensity. When the horizontal wind shear exceeds 18 knots over a distance of 150 miles, it can create significant turbulence that may impact flight safety and performance. In aviation, understanding wind shear is essential, as it directly affects the aircraft's performance during different phases of flight, particularly during takeoff and landing. Pilots and dispatchers must be aware of these conditions to make informed decisions regarding flight paths and to ensure the safety of the operation. Turbulence classifications are based on specific criteria, with moderate or greater turbulence indicating a more hazardous environment. This connection underscores why wind shear thresholds are crucial for effective flight planning and operational safety.

2. What is the maximum downdraft strength in a microburst encounter?

A. 8,000 ft/min

B. 6,000 ft/min

C. 7,000 ft/min

D. 5,000 ft/min

The maximum downdraft strength in a microburst encounter is indeed a significant aspect to understand, especially for aircraft dispatchers and pilots. Microbursts can produce extremely strong vertical winds, and the correct answer reflects the upper limit of typical downdraft strengths observed in these phenomena, which can reach as much as 6,000 feet per minute. This strength can cause severe challenges for aircraft during takeoff and landing, as these intense downdrafts can result in rapid altitude loss and sudden changes in airspeed. Understanding this information is crucial for safety—we acknowledge that microbursts pose a serious threat to aviation. Therefore, recognizing the 6,000 feet per minute maximum as the correct figure helps to underscore the potential dangers and informs effective operational strategies for mitigating risks during adverse weather conditions. This knowledge ensures that decisions regarding flight operations are made with a clear comprehension of the severe weather factors at play.

SAMPLE

3. What is the trip time for Operating Conditions X-2 from the given data?

A. 5 hours 55 minutes

B. 6 hours 15 minutes

C. 5 hours 5 minutes

D. 5 hours 30 minutes

To determine the trip time for Operating Conditions X-2, it's important to analyze the relevant data provided, which includes factors like distance, average speed, and any specific operational considerations that may impact flight time. The correct answer, 6 hours 15 minutes, indicates that under the specified operating conditions, the calculated time aligns with the parameters typically used in flight planning, such as fuel consumption rates, air traffic patterns, and weather conditions. Understanding that various operating conditions can influence trip time is crucial. Conditions such as wind direction, aircraft performance, and air traffic control restrictions can lead to variations in how long a trip will take compared to ideal or standard conditions. In this case, the calculation that results in 6 hours 15 minutes suggests that, based on the provided operational parameters, this duration has been determined as the most accurate portrayal of the flight time needed to complete the trip efficiently and safely.

4. What is the TAS at MACH 0.74 and -24 degrees C?

A. 431.8

B. 462.4

C. 456.7

D. 440.0

To determine the True Airspeed (TAS) at a given mach number and temperature, you can use the formula that relates these variables. The TAS is influenced by the Mach number, which is a ratio of the aircraft's speed to the speed of sound in the surrounding air, and the air temperature affects the speed of sound. At a standard temperature of -24 degrees Celsius, it is essential to first convert this temperature to Kelvin or Rankine for calculation purposes, or directly use the conversion factors that are typically provided in aviation calculations. The speed of sound in air decreases as the temperature drops, and at -24 degrees Celsius, the speed of sound is lower than it would be at higher temperatures. To find the TAS at Mach 0.74, you can calculate the speed of sound under the specified temperature conditions and then multiply that by the Mach number: 1. Determine the speed of sound at -24 degrees Celsius: The speed of sound at 0 degrees Celsius is approximately 331.3 m/s plus an increase of about 0.6 m/s for each degree Celsius increase. By applying this calculation to -24 degrees Celsius, you find the speed of sound. 2. Calculate the TAS: TAS = Mach number × Speed

5. What is a purpose of leading-edge flaps?

A. Reduce lift without increasing airspeed

B. Direct airflow over the top of the wing at high angles of attack

C. Increase the camber of the wing

D. Enhance roll rate

Leading-edge flaps are designed to increase the camber of the wing, which in turn enhances the lift characteristics of the aircraft, especially during lower airspeeds or high angles of attack. By increasing camber, these flaps modify the shape of the wing, creating a more pronounced curve that allows for greater airflow over the wing surface. This effect is crucial during takeoff and landing phases, where maximizing lift is essential for safe and efficient operation. Although leading-edge flaps also influence other aerodynamic factors, such as delaying airflow separation and improving stall characteristics, the primary purpose is indeed to increase camber. This adjustment helps the aircraft maintain lift at lower speeds and aids in handling during critical phases of flight.

SAMPLE

6. For a flight over MKC at FL 260, what approximate wind direction, speed, and temperature are expected?

A. 260 degrees true; 43 knots; ISA +10 degrees C

B. 250 degrees true; 40 knots; ISA +5 degrees C

C. 260 degrees magnetic; 42 knots; ISA +9 degrees C

D. 270 degrees true; 40 knots; ISA -5 degrees C

In assessing the conditions for a flight over MKC at FL 260, the correct answer reflects the expected wind direction, speed, and temperature based on standard meteorological patterns and jet stream behavior. Wind direction at higher altitudes tends to be influenced by the prevailing westerlies, particularly near the latitude where MKC is located. A wind direction of 260 degrees true aligns with these expectations, indicating that the winds are coming from the west-southwest as flights ascend to altitude. The wind speed of 43 knots is also consistent with typical jet stream speeds at cruising altitudes. Jet streams can reach speeds of 40 knots or more, especially during favorable seasonal conditions, which supports the selected option. Finally, a temperature of ISA +10 degrees Celsius indicates that the temperature at this altitude is warmer than the standard atmospheric level for that flight level, which can occur due to certain weather conditions, such as warmer air masses aloft. The International Standard Atmosphere (ISA) defines the expected temperature profile, and deviations such as +10 degrees Celsius can happen in specific weather circumstances, making this choice plausible. This combination of wind direction from the west-southwest, a robust wind speed, and a temperature above the standard allows for a realistic understanding

7. What effect on the takeoff run can be expected on Rwy 11R at Tucson Intl due to the runway slope?

A. Takeoff length shortened to 6,986 feet by displaced threshold

B. Takeoff run shortened by 0.7 percent runway slope to the SE

C. Takeoff run will be lengthened by the 0.7 percent upslope of the runway

D. Takeoff run will remain unchanged

The correct answer is that the takeoff run will be lengthened by the 0.7 percent upslope of the runway. When a runway has an upslope, it means that the aircraft needs to exert more power to climb against the incline during its takeoff. This requires a longer takeoff distance because the aircraft must achieve a greater amount of lift as it ascends, thereby requiring a longer run to reach the necessary speed for takeoff. The effect of the slope on the takeoff run is significant; an upslope makes it harder for the aircraft to accelerate and generate lift, ultimately extending the required distance for takeoff. In contrast, a displaced threshold affects the available runway length for takeoff, which means it would lead to a limited takeoff distance rather than a notable extension. A slope in the opposite direction (downward) could shorten the takeoff distance, but in this scenario, the upslope clearly necessitates a longer takeoff run.

SAMPLE

8. What effect, if any, does high ambient temperature have upon the thrust output of a turbine engine?

A. Thrust will be reduced due to the decrease in air density

B. Thrust will be higher because more heat energy is extracted from the hotter air

C. Thrust will remain the same, but turbine temperature will be higher

D. Thrust will decrease but fuel efficiency will increase

High ambient temperature impacts the thrust output of a turbine engine primarily due to changes in air density. As the temperature increases, the density of the air decreases. This reduced density means that there are fewer air molecules entering the engine for combustion. Turbine engines rely on the intake of air to generate thrust through the combustion process, where air mixes with fuel and is ignited to produce high-energy exhaust gases. When the air is less dense, the engine cannot produce as much thrust because there is less oxygen available for combustion, which leads to a lower overall efficiency and reduced power output. This phenomenon is particularly noticeable during hot weather conditions, where aircraft may experience reduced performance on takeoff and climb, influencing operational considerations such as runway length and weight limitations. In contrast, the other options do not accurately reflect the effects of high ambient temperature on thrust output. For instance, while higher temperatures might allow for slightly more heat energy extraction, the fundamental limitation of reduced air density still predominates, making it clear that high ambient temperatures generally lead to a decrease in thrust.

9. Clear air turbulence associated with a jet stream is most commonly found in what region?

A. Temperatures between -40 and -50 degrees C

B. Similar to that associated with a tropical maritime front

C. In the vicinity of the tropopause

D. Just below the stratosphere

Clear air turbulence (CAT) associated with a jet stream is most commonly found in the vicinity of the tropopause. This is because the tropopause marks the boundary between the troposphere, which contains most of the Earth's weather, and the stratosphere above. Jet streams, which are fast flowing air currents in the atmosphere, occur near the tropopause, where there are steep temperature gradients. The turbulence can result from wind shear or changes in wind speed and direction occurring across this level. In the vicinity of the tropopause, the clear air can make this turbulence difficult to predict or detect, as it often occurs outside of areas with visible weather phenomena like clouds or storms. Understanding the relationship between the jet stream and the tropopause is essential for aircraft dispatchers as it impacts flight planning, safety, and navigation. Considering the other options: temperatures between -40 and -50 degrees Celsius may occur at high altitudes, but they do not specifically identify where CAT occurs. Similarly, the mention of a tropical maritime front relates to different atmospheric conditions not typically associated with jet streams. Lastly, while turbulence can occur just below the stratosphere, it is primarily the vicinity of the tropopause where clear air turbulence associated with a jet stream is most prevalent.

SAMPLE

10. If a flag air carrier flight lands at an intermediate airport at 1805Z, what is the latest time it may depart without redispatch?

A. 0005Z

B. 1905Z

C. 2005Z

D. 2105Z

To determine the latest time a flag air carrier flight may depart from an intermediate airport without needing to be redispatched, it is important to understand the regulations governing flight operations, particularly those applicable to flag carriers. A flag airline is subject to specific rules regarding flight durations and planning. According to FAA regulations, the flight must be able to continue its journey within a specific time frame following its arrival at that intermediate airport. The key regulation stipulates that for a flight that lands, the flight can use the calculated flight time to determine the boundary of its subsequent departure window. Given the information that the flight lands at 1805Z, we must consider the typical maximum time limit allowed without needing a redispatch. For flag carriers, this time limit is generally established based on operational needs and regulatory requirements. In many cases, this limit is often set to 6 hours after the flight's landing time. Calculating 6 hours after 1805Z results in a departure time of 0005Z the following day. This aligns with regulatory practices, ensuring that the carrier adheres to safety and planning protocols. Therefore, the latest time that the flight may depart without redispatch is indeed 0005Z. This conclusion is consistent with safety regulations governing operating

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://adtcadx.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE