AIRCRAFT EMERGENCY PROCEDURES – DECOMPRESSION, EVACUATION, AND MEDICAL FIRST AID PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
aircraftemergencydecompevacfirstaid.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. During turbulence or evacuation, how should medical equipment and supplies be managed?

A. Leave them unsecured to move faster.

B. Store them securely, keep aisles clear, ensure access to items is maintained and accessible to crew.

C. Place them under seats.

D. Discard them.

2. How should passengers be guided at overwater exits during ditching?

A. Move to the nearest safe exit, exit onto the slide/raft, and follow crew instructions to board and inflate the raft.

B. Exit through any available exit without guidance.

C. Stay seated until rescue.

D. Move to the nearest safe exit, exit onto the slide/raft, and follow crew instructions to board and inflate the raft.

3. What is the purpose of the S.P.E.C.I.A.L. protocol?

A. To guide brace, evacuation, exit use, and communications during an emergency.

B. To manage medical kits.

C. To instruct on in-flight meals.

D. To regulate crew rest periods.

4. If the pilot is incapacitated during flight, what may the FA be required to do?

A. Assist in a flight deck emergency.

B. Land the aircraft alone.

C. Navigate to the nearest airport by memory.

D. Notify ATC and remain passive.

5. What is the PSA transport policy?

A. Transport to nearest hospital only

B. Make every effort to transport all passengers.

C. Return to base and treat on board

D. Transport all passengers, regardless of feasibility

SAMPLE

6. Which action is NOT considered part of the cockpit's primary role during a decompression emergency?

A. Directly evacuating passengers from the cockpit using slides

B. Assessing altitude and maintaining aircraft control

C. Deciding on descent and potential evacuation

D. Communicating with cabin crew

7. Decompression occurs when?

A. When the aircraft cannot maintain needed cabin air pressure

B. When oxygen supply is unlimited

C. When cabin air becomes humid

D. When outside temperature drops

8. What is the purpose of the brace position?

A. To reduce injury by stabilizing the body during impact.

B. To improve aerodynamics during flight.

C. To allow more space for passengers during evacuation.

D. To facilitate easier movement after impact.

9. Under which condition should resuscitation be stopped?

A. After 30 minutes of no visible improvement.

B. Immediately after the incident.

C. Only if a physician arrives.

D. Never stop until a patient recovers.

10. What should flight attendants do immediately in rapid decompression?

A. Sit down and secure themselves

B. Run to the cockpit

C. Open the emergency exit

D. Begin serving passengers

SAMPLE

Answers

SAMPLE

1. B
2. D
3. A
4. A
5. B
6. D
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. During turbulence or evacuation, how should medical equipment and supplies be managed?

A. Leave them unsecured to move faster.

B. Store them securely, keep aisles clear, ensure access to items is maintained and accessible to crew.

C. Place them under seats.

D. Discard them.

During turbulence or an evacuation, the priority is safety and rapid, organized access to care. Medical equipment must be stored securely so it cannot become a dangerous projectile or shift into the wrong location during unexpected movement. Keeping aisles clear ensures passengers can move freely and crew can reach patients quickly without tripping over gear. Maintaining and ensuring access to items means the crew can immediately locate and deploy the necessary tools—oxygen, monitors, first-aid kits, defibrillators, and other lifesaving gear—without wasted time. This approach reduces the risk of injury from loose equipment, supports efficient patient care, and keeps evacuation flow smooth. Unsecured gear, placing items under seats, or discarding equipment would hinder safety and response, which is why secure storage and clear access are essential.

2. How should passengers be guided at overwater exits during ditching?

A. Move to the nearest safe exit, exit onto the slide/raft, and follow crew instructions to board and inflate the raft.

B. Exit through any available exit without guidance.

C. Stay seated until rescue.

D. Move to the nearest safe exit, exit onto the slide/raft, and follow crew instructions to board and inflate the raft.

In a ditching, the priority is to reach flotation and a ready evacuation device as quickly as possible. Passengers should move to the nearest safe exit that can deploy a slide or raft, then step onto the slide/raft and follow the crew's instructions to board and inflate it. This sequence gets you onto a buoyant platform designed to support multiple people, keeps the exit paths clear for others, and allows the crew to manage boarding, inflation, and spacing so everyone can be helped onto a raft safely and efficiently. Following crew directions is essential because they know which exits are armed and which rafts are ready, how many people a raft can carry, and how best to distribute passengers for balance. Exiting through an available exit without guidance can create confusion, misfires, or crowding, while staying seated until rescue delays getting to safety and increases exposure to the elements and separation from the raft.

3. What is the purpose of the S.P.E.C.I.A.L. protocol?

A. To guide brace, evacuation, exit use, and communications during an emergency.

B. To manage medical kits.

C. To instruct on in-flight meals.

D. To regulate crew rest periods.

The essential idea here is coordinating a safe and orderly response to an aircraft emergency. The S.P.E.C.I.A.L. protocol is about what passengers and crew should do to protect themselves and get out quickly and safely: brace for impact when needed, evacuate the cabin, use the available exits appropriately, and maintain clear communication to give and follow instructions. This combination keeps people alive by reducing injuries during an impact, guiding rapid and orderly egress, directing individuals to the safest routes, and ensuring everyone understands what to do through reliable messages. The other options describe tasks that aren't part of this emergency-response framework. Managing medical kits, instructing on meals, or regulating crew rest aren't the focus of a protocol that standardizes actions during a crisis.

SAMPLE

4. If the pilot is incapacitated during flight, what may the FA be required to do?

A. Assist in a flight deck emergency.

B. Land the aircraft alone.

C. Navigate to the nearest airport by memory.

D. Notify ATC and remain passive.

When a pilot becomes incapacitated, the crew must manage the emergency with the resources available, and flight attendants may be called on to provide active assistance in the flight deck emergency. This means supporting the remaining pilot by following emergency procedures, relaying information to air traffic control, and helping maintain cabin safety while the aircraft is diverted or prepared for an alternate landing. Flight attendants are trained to assist in cockpit emergencies to help keep control of the situation until a qualified pilot can assume full control. Landing the aircraft solo isn't appropriate for a flight attendant, since piloting requires specific certification and training. Navigating to a destination by memory is outside the FA role and would be unsafe without proper navigation tools and authorization. Notifying ATC and remaining passive ignores the need for proactive coordination and ongoing communication during an emergency.

5. What is the PSA transport policy?

A. Transport to nearest hospital only

B. Make every effort to transport all passengers.

C. Return to base and treat on board

D. Transport all passengers, regardless of feasibility

In an in-flight emergency, the emphasis is on getting passengers to definitive medical care whenever it's feasible. The best answer reflects that proactive approach: you make every effort to transport all passengers who could benefit from evacuation, while still respecting safety and operational limits. This means assessing each person's condition, the availability of appropriate transport, and constraints like weather, aircraft capabilities, and medical resources. Choosing the nearest hospital only would unnecessarily limit care for those who might need a different facility or sooner transport to a specialized center. Returning to base to treat on board delays care and diverts critical resources from those in need. Transporting all passengers regardless of feasibility ignores safety and practicality, risking unsafe landings, overtaxed crews, or insufficient medical support. So the policy strives to move as many passengers as possible to appropriate care, within what is realistically achievable and safe.

6. Which action is NOT considered part of the cockpit's primary role during a decompression emergency?

A. Directly evacuating passengers from the cockpit using slides

B. Assessing altitude and maintaining aircraft control

C. Deciding on descent and potential evacuation

D. Communicating with cabin crew

In a decompression emergency, the central duties in the cockpit are to keep the aircraft controllable, monitor altitude, and make the key decision about whether to descend and whether an evacuation is warranted. Those actions directly influence the safety of flight and the aircraft's path. Communicating with cabin crew, while essential for coordinating the overall response and ensuring passengers are managed properly, is not a primary flight-deck task. The cockpit's main focus is on flying the airplane and making the critical decision about descent and evacuation; cabin crew handle passenger safety and evacuations, with the pilots coordinating as needed. So, while pilots must communicate with the cabin crew, this coordination is considered a supporting duty rather than a core cockpit action during the emergency.

SAMPLE

7. Decompression occurs when?

A. When the aircraft cannot maintain needed cabin air pressure

B. When oxygen supply is unlimited

C. When cabin air becomes humid

D. When outside temperature drops

Decompression means the aircraft can no longer maintain the required cabin air pressure. In flight, the cabin is kept at a higher pressure than the outside air so passengers feel as if they're at a much lower altitude. If the pressurization system fails or a breach occurs, the cabin can no longer hold that pressure, and air rushes out toward the lower outside pressure. This drops the cabin altitude and, if not corrected quickly, can lead to inadequate oxygen for everyone on board. The immediate response is to provide oxygen to passengers and crew and, usually, to descend to a safer altitude where breathing air is comfortable. The other factors—oxygen supply being unlimited, cabin air becoming humid, or outside temperature dropping—do not cause decompression; they relate to other cabin conditions or environmental factors, not the loss of pressurization.

8. What is the purpose of the brace position?

A. To reduce injury by stabilizing the body during impact.

B. To improve aerodynamics during flight.

C. To allow more space for passengers during evacuation.

D. To facilitate easier movement after impact.

The brace position is used to minimize injuries during a crash by stabilizing the body during rapid deceleration. When a vehicle or aircraft stops suddenly, your body wants to keep moving forward. By adopting a compact, supported posture, you limit how much your head, neck, and torso can whip around or be forced into hard surfaces. This keeps the spine aligned and helps keep limbs in a position where they are less likely to collide with parts of the cabin or seat, reducing blunt force injuries and the potential for secondary impacts. The posture also helps the seat belt and restraint system do their job more effectively by keeping the upper body closer to the seat, distributing forces more safely and reducing the risk of chest or abdominal injuries. It's about protecting the most vulnerable areas during the initial impact so you're better prepared to evacuate when the situation allows.

9. Under which condition should resuscitation be stopped?

A. After 30 minutes of no visible improvement.

B. Immediately after the incident.

C. Only if a physician arrives.

D. Never stop until a patient recovers.

The main idea is knowing when resuscitation is no longer likely to help. If you've been performing CPR and there's no sign of improvement after a sustained, thorough effort, that signals the chance of revival is extremely low, so it's appropriate to stop and reassess. The 30-minute mark is presented as the practical threshold in this context: after no visible signs of life or stabilization for that period, continuing CPR is unlikely to change the outcome and may unnecessarily endanger rescuers or divert resources. Stopping immediately after the incident isn't appropriate because an attempt should be made to assess and treat first. Waiting for a physician to arrive isn't a universal rule either; trained responders use established criteria to decide when to terminate, not simply who is present. And never stopping until recovery happens isn't realistic in many real-world cases; there are situations where continuing indefinitely isn't beneficial, so termination criteria are used to guide the decision.

SAMPLE

10. What should flight attendants do immediately in rapid decompression?

A. Sit down and secure themselves

B. Run to the cockpit

C. Open the emergency exit

D. Begin serving passengers

In rapid decompression, the first priority is your own safety so you can function effectively afterward. The best action is to sit down and secure yourself. Fastening your seat belt and getting into a stable position protects you from being tossed by the sudden pressure, helps you stay conscious, and allows you to access your own oxygen mask quickly. Once you're secured and breathing normally again, you're in a better position to assist others. Rushing to the cockpit is risky because you may be exposed to hazards in the cabin or be unable to help passengers while disoriented. Opening an emergency exit during decompression is dangerous and not appropriate until procedures require it, as uncontrolled airflow can injure people and complicate the situation. Beginning to serve passengers would ignore the immediate need to protect yourself and establish safety, which is the foundation for effective crew coordination and evacuation if required.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aircraftemergencydecompevacfirstaid.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE