AMERICAN BOARD OF GENERAL DENTISTRY (ABGD) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://americanboardgendentistry.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which technique is commonly used to manage bleeding in dental procedures?

A. Physical obstruction via protein precipitation

B. Direct clot formation by pressure

C. Elevation of local tissue for enhanced visibility

D. Application of thermal coagulation

2. Which statement is true regarding migratory glossitis (geographic tongue)?

A. Most cases occur due to an allergic reaction to oral medicine.

B. Patients with psoriasis have a higher incidence of migratory glossitis.

C. Patients with a fissured tongue often have migratory glossitis.

D. B and C are true.

3. Advantages of rotational path RDP include all the following except?

A. Minimizes number of clasps

B. It can esthetically restore anterior gingival area

C. May prevent further tipping of abutment teeth

D. Can be used in absence of undercuts

4. Sharpness (decrease of penumbra) is maximized when?

A. The source-object distance is increased

B. The source-object distance is increased and the object-film distance is decreased

C. The object-film distance is increased

D. The object-film distance is decreased

5. Which of the following is true regarding Applegate's Rules for applying the Kennedy Classification?

A. If a first molar is missing, it is not considered in the classification

B. The most posterior edentulous area determines the classification

C. The extent of the modification is only considered by number of areas

D. There can be modification areas in Class IV arches

SAMPLE

6. What gas is produced by the setting reaction of polyvinylsiloxanes?

A. Carbon.

B. Nitrogen.

C. Hydrogen.

D. Oxygen.

7. Where is the film located when taking a Waters view radiograph?

A. Directly in front

B. Directly behind

C. In front with a 37 degree angle

D. In front with a -30 degree angle

8. Regarding necrotizing sialometaplasia, what can be said about its treatment?

A. Both statements are true.

B. The first statement is true; the second is false.

C. The first statement is false; the second is true.

D. Both statements are false.

9. Placement of membranes during GTR favors repopulation by which type of cells?

A. Epithelium

B. Periodontal ligament

C. Fibrous tissue

D. Blood cells

10. Which pulp test is deemed most accurate for determining a tooth's pulp health?

A. Cold testing

B. Heat testing

C. Electric pulp testing

D. Both cold and electric pulp tests

SAMPLE

Answers

SAMPLE

1. A
2. D
3. B
4. B
5. C
6. C
7. C
8. B
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. Which technique is commonly used to manage bleeding in dental procedures?

A. Physical obstruction via protein precipitation

B. Direct clot formation by pressure

C. Elevation of local tissue for enhanced visibility

D. Application of thermal coagulation

The technique that is commonly used to manage bleeding in dental procedures is direct clot formation by pressure. This method involves applying firm, direct pressure to the site of bleeding, which helps to facilitate the natural clotting process. When pressure is applied, it promotes platelet aggregation and localized clot formation, effectively controlling the bleeding. In dental procedures, maintaining a clear operative field is crucial, and managing bleeding promptly ensures that both the clinician and the patient can proceed safely and comfortably. This technique is simple, effective, and often used in conjunction with other methods, such as the application of hemostatic agents if needed. While other choices may have their uses in specific contexts, they do not serve as the primary method for managing bleeding in most dental procedures. For instance, physical obstruction via protein precipitation can be used in some hemostatic agents but is not a direct technique applied during a procedure. Elevating local tissue for enhanced visibility primarily aids in visualization rather than directly managing bleeding. Application of thermal coagulation may be applicable in certain surgeries but is less commonly employed in standard dental practice compared to applying pressure directly to the bleeding site.

2. Which statement is true regarding migratory glossitis (geographic tongue)?

A. Most cases occur due to an allergic reaction to oral medicine.

B. Patients with psoriasis have a higher incidence of migratory glossitis.

C. Patients with a fissured tongue often have migratory glossitis.

D. B and C are true.

Migratory glossitis, also known as geographic tongue, is characterized by the presence of irregular, smooth, red patches on the tongue that are surrounded by a whitish or yellow border. The condition tends to be benign and is often associated with other systemic conditions. The correct choice highlights that individuals with psoriasis indeed show a higher prevalence of migratory glossitis. This connection is important because psoriasis is an autoimmune condition that affects the skin, and its associated changes can extend to the tongue, leading to variations in the normal mucosal tissue. Additionally, there is a noted correlation between a fissured tongue and the occurrence of migratory glossitis. A fissured tongue, which presents with grooves or fissures on the dorsal surface, can coexist with geographic tongue. The two conditions may share common underlying factors such as genetics or immune dysfunction, leading to their co-occurrence. In summary, both the relationship between psoriasis and migratory glossitis, as well as the association between a fissured tongue and migratory glossitis, supports the validity of the statements in the correct choice.

SAMPLE

3. Advantages of rotational path RDP include all the following except?

A. Minimizes number of clasps

B. It can esthetically restore anterior gingival area

C. May prevent further tipping of abutment teeth

D. Can be used in absence of undercuts

Rotational path removable partial dentures (RPDs) offer several advantages based on their design and function. One key feature is that they minimize the number of clasps needed to retain the prosthesis. This is significant because fewer clasps can lead to improved aesthetics and comfort for the patient, as well as a more streamlined design that focuses on the natural contours of the mouth. Another advantage is that rotational path RPDs can help maintain the stability and alignment of abutment teeth. By using a design that incorporates a rotational movement during insertion and removal, these dentures can distribute forces more evenly, potentially preventing tipping or other undesirable movements of the supporting teeth. Additionally, these removable partial dentures can be designed in a way that allows them to function even in the absence of undercuts. This aspect provides flexibility in cases where traditional clasp-retained designs may not be feasible. However, regarding the aesthetic restoration of the anterior gingival area, while rotational path designs can achieve some aesthetic goals, they are primarily focused on functional stability and retention rather than providing an optimal cosmetic outcome in the anterior region. Anterior teeth and their surrounding soft tissue require careful consideration for aesthetics, and a rotational path design might not be the most favorable option in all cases, particularly when restoring

4. Sharpness (decrease of penumbra) is maximized when?

A. The source-object distance is increased

B. The source-object distance is increased and the object-film distance is decreased

C. The object-film distance is increased

D. The object-film distance is decreased

The sharpness of a radiographic image, often measured in terms of the penumbra, is influenced by the distances involved in the imaging process. When considering the factors that influence image sharpness, both the source-object distance and the object-film distance play significant roles. Increasing the source-object distance enhances sharpness because it minimizes the penumbra, which is the blurred area that appears around the edges of an object in the image. A larger distance allows for a narrower beam of radiation to converge on the object, thereby reducing the spread of the rays and enhancing the detail captured. Simultaneously, decreasing the object-film distance also contributes to sharper images. When the distance between the object and the film is minimized, the rays reaching the film do so more directly. This reduction in distance minimizes geometric distortion and further limits the penumbra area, contributing to a clearer image. Thus, when both the source-object distance is increased and the object-film distance is decreased, the maximum sharpness is achieved. This combination effectively optimizes image quality by reducing blurriness and ensuring that the object details are accurately represented on the film.

SAMPLE

5. Which of the following is true regarding Applegate's Rules for applying the Kennedy Classification?

A. If a first molar is missing, it is not considered in the classification

B. The most posterior edentulous area determines the classification

C. The extent of the modification is only considered by number of areas

D. There can be modification areas in Class IV arches

The true statement regarding Applegate's Rules for applying the Kennedy Classification is that the extent of the modification is only considered by the number of areas. In the Kennedy classification system, the primary classification is determined by the most posterior edentulous area. When modifications are present, they are indicated by the number of additional edentulous spaces that exist alongside the primary classification. Therefore, this statement accurately reflects that modifications are designated based solely on the count of these areas rather than their extent or other factors. In contrast, the essence of the other statements helps to clarify why they do not align with Applegate's Rules. For instance, while the classification does focus on the most posterior edentulous area, it does consider other factors like the presence of spaces, thus making the claim that a first molar's absence does not factor into the classification inaccurate. Moreover, modifications in the classification system indeed can occur for areas that extend beyond the main edentulous space, so the characterization that there cannot be modifications in Class IV arches is misleading.

6. What gas is produced by the setting reaction of polyvinylsiloxanes?

A. Carbon.

B. Nitrogen.

C. Hydrogen.

D. Oxygen.

The setting reaction of polyvinylsiloxanes, which are commonly used in dentistry for impressions and other applications, involves a process where siloxane groups polymerize to form a stable silicone network. This reaction typically utilizes a hydrosilylation reaction, where a vinyl group reacts with a silane that generates hydrogen gas as a byproduct. The production of hydrogen during this curing process is significant because it can influence the properties of the final material, including its ability to capture fine details of dental structures. Monitoring for the release of hydrogen is essential, particularly in clinical applications, as excessive gas could compromise the quality of the impression. Understanding this setting reaction and its byproducts, like hydrogen, is crucial for anyone involved in the use of these materials in dental practice, as it directly affects the performance and outcomes of the techniques being employed.

SAMPLE

7. Where is the film located when taking a Waters view radiograph?

A. Directly in front

B. Directly behind

C. In front with a 37 degree angle

D. In front with a -30 degree angle

In a Waters view radiograph, which is primarily used to visualize the maxillary sinuses and certain structures of the facial skeleton, the correct positioning of the film is crucial for obtaining accurate images. The film is positioned in front of the patient's face at a specific angle, which enhances the clarity of the anatomical structures being examined. The 37-degree angle allows the X-ray beam to pass through the orbital region while minimizing the superimposition of the nasal structures and the zygomatic arch, effectively capturing the desired areas without distortion. This positioning aligns the film properly to the patient's anatomy, thereby ensuring that the maxillary sinus is properly visualized above the dental arches. Understanding the geometric relationship between the film and the X-ray beam is essential for achieving high-quality diagnostic images, which is why the correct answer involves placing the film in front of the patient at the designated angle rather than directly in front or behind.

8. Regarding necrotizing sialometaplasia, what can be said about its treatment?

A. Both statements are true.

B. The first statement is true; the second is false.

C. The first statement is false; the second is true.

D. Both statements are false.

Necrotizing sialometaplasia is a benign condition that typically affects the salivary glands, presenting with tissue necrosis and a characteristic histopathological appearance. When considering its treatment, it's important to recognize that this condition usually resolves spontaneously without the need for invasive intervention. Supportive care may be recommended, and surgical treatment is generally not indicated unless there are complications or uncertainty in diagnosis. The concept of spontaneous resolution is essential in understanding the management of necrotizing sialometaplasia, as it often alleviates the need for aggressive medical or surgical interventions. This characteristic contributes to the recognition that a conservative approach is both practical and effective. It's also crucial to differentiate between necrotizing sialometaplasia and more serious conditions like malignancies, as the latter may require more intensive treatment modalities. Ensuring that a proper diagnosis is made before deciding on the treatment path is key in managing patients who present with symptoms suggestive of this condition. Therefore, the correct answer reflects an understanding of the benign nature of necrotizing sialometaplasia and the typical approach taken toward treatment, emphasizing reassurance and observation rather than invasive measures.

SAMPLE

9. Placement of membranes during GTR favors repopulation by which type of cells?

A. Epithelium

B. Periodontal ligament

C. Fibrous tissue

D. Blood cells

The placement of membranes during Guided Tissue Regeneration (GTR) is specifically designed to favor the repopulation of the periodontal ligament cells. GTR is a surgical procedure aimed at regenerating the lost periodontal tissues—those critical structures that help support the teeth, including bone, cementum, and periodontal ligament. During GTR, a barrier membrane is placed over the surgical site to prevent the fast-growing epithelial and connective tissues from occupying the space intended for regeneration. By impeding these quicker-repopulating cells, the procedure encourages the slower-replicating periodontal ligament cells to migrate into the area, thereby promoting a regenerative environment conducive to the proper healing and support of the teeth. It is important to note that the other cell types mentioned have roles that aren't aligned with the goals of GTR. Epithelial cells tend to fill the space more rapidly, which would inhibit the regeneration process. Fibrous tissue, while important for wound healing, does not provide the same support as periodontal ligament cells in the context of maintaining tooth structure and function. Blood cells are involved in the initial inflammatory response and healing but do not participate in the regeneration of the periodontal ligament specifically. Therefore, the focused approach of utilizing membranes in GTR maximizes the potential for effective periodontal regeneration

10. Which pulp test is deemed most accurate for determining a tooth's pulp health?

A. Cold testing

B. Heat testing

C. Electric pulp testing

D. Both cold and electric pulp tests

The determination of a tooth's pulp health is critical in diagnosing various dental conditions, and both cold and electric pulp testing are commonly used methods in clinical practice. Cold testing is particularly effective in assessing the vitality of the tooth by eliciting a response from the pulp, which indicates whether the pulp is alive or necrotic. It typically involves applying a cold stimulus, such as a cotton pellet soaked in refrigerant, to the tooth. A normal response indicates a healthy pulp, while a lack of response may suggest pulp necrosis. Electric pulp testing, on the other hand, uses an electrical stimulus to evaluate the pulp's vitality. This method is beneficial because it is less influenced by factors such as the surrounding temperature or the presence of a wet environment, which can sometimes affect cold tests. The electric test generates a response from healthy pulp tissue, whereas necrotic pulp would not respond. When both tests are used in conjunction, they provide a more comprehensive assessment of pulp health, as they address the limitations of each individual test. Using both cold and electric pulp tests together helps corroborate the findings, leading to a more accurate determination of a tooth's vitality. Thus, utilizing both methods gives a nuanced understanding of the pulp's condition and enhances diagnostic accuracy.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://americanboardgendentistry.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE