
AMERICAN PODIATRIC MEDICAL LICENSING EXAMINATION (APMLE) PART 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://apmlepart1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which antidote is used for iron toxicity?

A. BAL

B. Vitamin K

C. Fomepizol

D. Deferoxamine

2. Which organ systems are monitored for toxicity during vancomycin therapy?

A. Hepatotoxicity and pancreatitis.

B. Nephrotoxicity and hearing loss.

C. Respiratory depression and bradycardia.

D. Renal function and hearing (ototoxicity).

3. Which anti-malarial is associated with corneal deposits and ocular toxicity at high doses due to tissue concentrations in melanin-containing structures?

A. Primaquine

B. Quinine

C. Doxycycline

D. Chloroquine

4. Which drug is a bisphosphonate with weekly or monthly dosing used for osteoporosis?

A. Calcitonin

B. Raloxifen

C. Diclizumab

D. Zoledronate

5. Which antidote is used for ethylene glycol or methanol poisoning?

A. Naloxone

B. Protamine

C. Fomepizol or Ethanol

D. Vitamin K

SAMPLE

6. Quinine is primarily active against which stage of malaria?

A. Blood schizonticide

B. Liver schizonticide

C. Mosquito-stage gametocide

D. Hypnozoite-killer

7. Which proton pump inhibitor is a member of the 'prazole' class that inhibits the H+/K+ ATPase in parietal cells?

A. Esomeprazole

B. Omeprazole

C. Pantoprazole

D. Rabeprazole

8. Which of the following is a leukotriene synthesis inhibitor?

A. Montelukast

B. Zafirlukast

C. Zileuton

D. Omalizumab

9. Pyrazinamide is a first-line anti-TB drug; what is known about its mechanism against Mycobacterium?

A. The mechanism against Mycobacterium is unknown

B. Inhibits mycolic acid synthesis

C. Inhibits DNA gyrase

D. Inhibits RNA polymerase

10. Etanercept is a recombinant fusion protein that binds TNF. Which best describes its type?

A. Recombinant fusion protein that binds TNF

B. Monoclonal antibody against TNF

C. Chimeric monoclonal antibody

D. Small molecule TNF inhibitor

SAMPLE

Answers

SAMPLE

1. D
2. D
3. D
4. D
5. C
6. A
7. C
8. C
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which antidote is used for iron toxicity?

A. BAL

B. Vitamin K

C. Fomepizol

D. Deferoxamine

In iron toxicity, you treat the poisoning with a specific iron chelator that binds free iron and makes it easy to eliminate from the body. Deferoxamine works by binding ferric iron (Fe3+) to form ferrioxamine, a water-soluble complex that is excreted in the urine. This directly neutralizes the toxic iron and reduces ongoing cellular injury from iron overload, helping to reverse the metabolic derangements and support the patient's recovery. It is used when iron levels are markedly elevated or when there are significant clinical symptoms, because the chelation helps prevent further damage as iron is cleared. Other agents listed target different poisoning scenarios. BAL chelates certain heavy metals like arsenic, lead, and mercury but not iron. Vitamin K is used to reverse anticoagulation or address deficiency, not iron toxicity. Fomepizol inhibits alcohol dehydrogenase for methanol or ethylene glycol poisoning, not iron.

2. Which organ systems are monitored for toxicity during vancomycin therapy?

A. Hepatotoxicity and pancreatitis.

B. Nephrotoxicity and hearing loss.

C. Respiratory depression and bradycardia.

D. Renal function and hearing (ototoxicity).

When vancomycin is used, the main safety concerns are effects on the kidneys and the inner ear. The drug is cleared by the kidneys, so renal function is tracked to catch nephrotoxicity early. That means checking serum creatinine and estimating GFR, and adjusting dosing if kidney function declines. Ototoxicity, or hearing damage, is a recognized risk, particularly with higher doses or long courses, so hearing changes are monitored and, if therapy is extended, audiology assessment may be considered. Hepatic toxicity and pancreatitis are not typical concerns with vancomycin, and respiratory depression or bradycardia are not characteristic adverse effects of this antibiotic, so those systems are not routinely monitored for vancomycin toxicity.

3. Which anti-malarial is associated with corneal deposits and ocular toxicity at high doses due to tissue concentrations in melanin-containing structures?

A. Primaquine

B. Quinine

C. Doxycycline

D. Chloroquine

The question is about an anti-malarial that accumulates in melanin-rich eye tissues, causing corneal deposits and potential ocular toxicity with higher or long-term dosing. Chloroquine fits this pattern because it concentrates in pigmented structures in the eye, including the cornea and retina. This leads to corneal deposits that can be seen on exam and, with higher doses or prolonged use, retinal toxicity (often related to melanin binding in the retinal pigment epithelium). Corneal changes are usually reversible after stopping the drug, while retinal toxicity raises concerns for lasting vision effects if therapy is continued or used chronically. The other options don't share this ocular-deposition profile. Primaquine mainly causes hemolysis in G6PD deficiency. Quinine is known for cinchonism and other systemic effects rather than pigmented-eye deposits. Doxycycline is associated with photosensitivity and other side effects, not corneal deposition from melanin binding.

SAMPLE

4. Which drug is a bisphosphonate with weekly or monthly dosing used for osteoporosis?

A. Calcitonin

B. Raloxifen

C. Diclizumab

D. Zoledronate

Bisphosphonates slow bone loss by inhibiting osteoclast activity, making them a primary class used to treat osteoporosis. The drug listed here is zoledronic acid, a potent bisphosphonate. It works by binding to bone surfaces and, when osteoclasts try to resorb bone, it disrupts cellular pathways that lead to osteoclast death and markedly reduced bone turnover, which helps strengthen bone and reduce fracture risk. Many bisphosphonates can be taken on a weekly or monthly schedule when given orally—like alendronate or ibandronate—depending on the specific agent. Zoledronic acid, however, is given by intravenous infusion and is typically administered on a yearly basis for osteoporosis, though it remains in the same drug class with the same antiresorptive effect. Other options in the list are not bisphosphonates: calcitonin is a hormone that can modestly affect bone resorption, raloxifene is a selective estrogen receptor modulator, and the remaining drug is not used for osteoporosis. Therefore, the bisphosphonate option is the correct choice.

5. Which antidote is used for ethylene glycol or methanol poisoning?

A. Naloxone

B. Protamine

C. Fomepizol or Ethanol

D. Vitamin K

When methanol or ethylene glycol is ingested, the danger comes from their metabolites, which are formed by the enzyme alcohol dehydrogenase. Blocking this enzyme prevents the toxic compounds from building up, reducing metabolic acidosis and organ injury. Fomepizol is a potent inhibitor of alcohol dehydrogenase and is the treatment of choice because it directly stops the harmful metabolism with fewer complications. If fomepizol isn't available, ethanol can be used instead because it competes for the same enzyme, slowing production of the toxic metabolites, though it requires careful dosing and monitoring due to its own effects. Early use is important to limit damage, and in severe cases, additional measures like dialysis may be needed to remove the parent compounds and their metabolites. The other options are antidotes for entirely different situations—naloxone for opioid overdose, protamine for reversing heparin, and vitamin K for warfarin bleeding.

6. Quinine is primarily active against which stage of malaria?

A. Blood schizonticide

B. Liver schizonticide

C. Mosquito-stage gametocide

D. Hypnozoite-killer

Stage targeting by antimalarial drugs is being tested here. Quinine acts on the parasite during the blood stage inside red blood cells, killing the asexual forms (the trophozoites and schizonts) and thereby functioning as a blood schizonticide. It achieves this by interfering with the parasite's handling of heme, leading to toxic buildup and parasite death within the RBCs. It does not target parasites in the liver (the hepatic schizonts or hypnozoites) and has only limited activity against mature gametocytes, so it does not serve as a liver schizonticide, hypnozoite killer, or reliable mosquito-stage gametocide. Therefore, the best description is that quinine is a blood schizonticide.

SAMPLE

7. Which proton pump inhibitor is a member of the 'prazole' class that inhibits the H+/K+ ATPase in parietal cells?

A. Esomeprazole

B. Omeprazole

C. Pantoprazole

D. Rabeprazole

Proton pump inhibitors work by blocking the final step of acid production in the stomach: the H+/K+ ATPase in gastric parietal cells. They are prodrugs that become activated in the acidic canaliculus of these cells and convert to a reactive form that covalently binds the pump, irreversibly inhibiting it and markedly reducing acid secretion for a day or more with continued dosing. Pantoprazole is one of these inhibitors in the prazole class, so it inhibits the H+/K+ ATPase just like the others listed. While omeprazole, esomeprazole, and rabeprazole are also PPIs, pantoprazole fits the same mechanism and is a common example used to illustrate this class. In practice, pantoprazole is sometimes chosen when fewer drug interactions are a concern, due to its metabolic profile.

8. Which of the following is a leukotriene synthesis inhibitor?

A. Montelukast

B. Zafirlukast

C. Zileuton

D. Omalizumab

Leukotriene synthesis inhibitors block the production of leukotrienes, key inflammatory mediators in asthma. Zileuton specifically inhibits 5-lipoxygenase, the enzyme that converts arachidonic acid into leukotrienes (such as LTC4, LTD4, and LTE4). By stopping their synthesis, it reduces bronchoconstriction, mucus production, and vascular permeability driven by leukotrienes. In contrast, montelukast and zafirlukast are leukotriene receptor antagonists; they prevent leukotrienes from binding to the CysLT1 receptor but do not stop their production. Omalizumab is an anti-IgE antibody that lowers allergic responses rather than interfering with the leukotriene pathway.

9. Pyrazinamide is a first-line anti-TB drug; what is known about its mechanism against Mycobacterium?

A. The mechanism against Mycobacterium is unknown

B. Inhibits mycolic acid synthesis

C. Inhibits DNA gyrase

D. Inhibits RNA polymerase

The key idea is that pyrazinamide acts as a prodrug that needs activation by the mycobacterial enzyme pyrazinamidase to pyrazinoic acid, and, despite decades of study, the exact cellular target of its active form remains not definitively identified. This is why the statement that the mechanism is unknown is considered the best answer: we know it must be activated inside the bacterium and that its activity is greatest in acidic environments and against dormant or semi-dormant bacilli, but a single, proven molecular target has not been established. The other described mechanisms correspond to other TB drugs—mycolic acid synthesis inhibition with isoniazid, DNA gyrase inhibition with fluoroquinolones, and RNA polymerase inhibition with rifampin—so they don't describe pyrazinamide's action.

SAMPLE

10. Etanercept is a recombinant fusion protein that binds TNF. Which best describes its type?

A. Recombinant fusion protein that binds TNF

B. Monoclonal antibody against TNF

C. Chimeric monoclonal antibody

D. Small molecule TNF inhibitor

Etanercept is a recombinant fusion protein that binds TNF, acting as a decoy receptor. It is created by fusing the extracellular TNF receptor binding domain to the Fc portion of human IgG1, making a soluble receptor mimic rather than an antibody. This structure allows it to soak up circulating TNF—especially TNF-α—preventing it from engaging cell-surface TNF receptors and driving inflammatory signals. It's not a monoclonal antibody, which are typical antibody molecules produced by B cells (and include single, uniform antigen-binding sites). Nor is it a small molecule inhibitor, which are low-molecular-weight drugs. So, its designation as a recombinant fusion protein that binds TNF best describes its type.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://apmlepart1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE