AMERICAN SOCIETY OF ADDICTION MEDICINE (ASAM) ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://asamassmt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of programs are Alcoholics Anonymous and Narcotics Anonymous considered as?

A. Religious support groups

B. Spiritual support programs

C. Psychological treatment programs

D. Medical intervention programs

2. What is the correct rank order of past year prevalence for use of cannabis, cocaine, and inhalants among 12 to 17 year olds?

A. Cocaine > cannabis > inhalants

B. Cannabis > inhalants > cocaine

C. Inhalants > cocaine > cannabis

D. Cannabis = cocaine > inhalants

3. What is the purpose of Prescription Drug Monitoring Programs (PDMPs)?

A. To eliminate all prescription medications

B. To increase prescription rates

C. To monitor and reduce prescription drug abuse

D. To encourage doctor shopping

4. Prepubertal use of anabolic steroids can lead to all of the following effects, except:

A. Decrease in sperm production

B. Early closure of growth plates

C. Increase in hirsutism

D. Increase in sperm production

5. What is the best method for screening alcoholism among older individuals?

A. General health questionnaires

B. Family interviews

C. A screening questionnaire specific to seniors

D. Routine blood tests

SAMPLE

6. Which medication is indicated for addressing depression and sexual behavior disorder?

A. Sertraline (SSRI)

B. Citalopram (SSRI)

C. Bupropion

D. Fluoxetine (SSRI)

7. What is considered an important aspect of preventive care in substance use disorder management?

A. Providing medications only

B. Engaging in health education

C. Restricting patient freedoms

D. Ignoring comorbid conditions

8. When assessing addiction in safety sensitive workers, what aspect is deemed crucial?

A. Their professional duties

B. The volume of their patient interactions

C. Their personal background

D. The time spent on treatment

9. In clinical settings, when might confirmatory testing results not be available?

A. When the patient is asymptomatic

B. During urgent clinical decision-making

C. Only during follow-up appointments

D. In cases of low suspicion for drug use

10. What percentage of individuals visiting the emergency department who were drinking relates their alcohol use to their injury during motor vehicle crashes?

A. 10%

B. 30%

C. 50%

D. 70%

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. D
5. C
6. B
7. B
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What type of programs are Alcoholics Anonymous and Narcotics Anonymous considered as?

A. Religious support groups

B. Spiritual support programs

C. Psychological treatment programs

D. Medical intervention programs

Alcoholics Anonymous (AA) and Narcotics Anonymous (NA) are considered spiritual support programs because they emphasize a recovery process that involves spiritual growth and support from peers who share similar experiences with addiction. These programs are built on the foundation of the Twelve Steps, which encourage individuals to acknowledge a higher power and take personal inventory of their actions, fostering a sense of accountability and community. While these organizations do draw on aspects that could be associated with psychological treatment, their primary focus is on spirituality and mutual support rather than clinical therapeutic interventions. They do not function as medical intervention programs, as they do not provide medical treatment or healthcare services. Additionally, while the programs may involve components that are spiritual in nature, categorizing them solely as religious support groups does not adequately capture the broader concept of spirituality they embrace, which can be interpreted in a variety of personal and non-religious contexts. Thus, describing AA and NA specifically as spiritual support programs best captures their essence and primary function in the realm of addiction recovery.

2. What is the correct rank order of past year prevalence for use of cannabis, cocaine, and inhalants among 12 to 17 year olds?

A. Cocaine > cannabis > inhalants

B. Cannabis > inhalants > cocaine

C. Inhalants > cocaine > cannabis

D. Cannabis = cocaine > inhalants

The correct order of past year prevalence for the use of cannabis, cocaine, and inhalants among 12 to 17-year-olds reflects the trends in substance use among adolescents. Research and surveys consistently indicate that cannabis is the most commonly used substance in this age group. This is often due to increasing acceptance and access, along with its perception as less harmful compared to other illicit drugs. Following cannabis, inhalant use tends to have a higher prevalence than cocaine use among this demographic. Inhalants are often more accessible as they are common household products, which may lead to higher use rates among younger individuals trying these substances. Cocaine, while it is a serious substance misuse concern, generally sees lower prevalence than cannabis and inhalants in this age bracket. Overall, the rank order of prevalence among adolescents highlights how substance availability, societal perceptions, and usage patterns can significantly influence the substance use landscape.

SAMPLE

3. What is the purpose of Prescription Drug Monitoring Programs (PDMPs)?

A. To eliminate all prescription medications

B. To increase prescription rates

C. To monitor and reduce prescription drug abuse

D. To encourage doctor shopping

The purpose of Prescription Drug Monitoring Programs (PDMPs) is to monitor and reduce prescription drug abuse. PDMPs are state-run electronic databases that track the prescriptions of controlled substances and are designed to provide critical information to healthcare providers about their patients' prescription histories. This aims to prevent the misuse of these drugs, identify potential cases of prescription drug abuse or addiction, and ensure that patients are receiving safe and appropriate care. By monitoring the prescriptions written and dispensed, PDMPs help to combat the epidemic of prescription drug abuse by making it more difficult for individuals to "doctor shop" — that is, obtaining prescriptions from multiple doctors without their knowledge. These programs serve as a tool for healthcare providers to make informed prescribing decisions, ultimately promoting patient safety and responsible prescribing practices. In this context, the use of PDMPs is a proactive measure to curtail the misuse of potentially harmful medications.

4. Prepubertal use of anabolic steroids can lead to all of the following effects, except:

A. Decrease in sperm production

B. Early closure of growth plates

C. Increase in hirsutism

D. Increase in sperm production

The correct answer reflects an understanding of the physiological effects of anabolic steroids, particularly during prepubertal development. Anabolic steroids are synthetic derivatives of testosterone that can have significant impacts on growth and development in young individuals. During puberty and prepuberty, the body is undergoing critical growth and hormonal changes. Anabolic steroids can disrupt this process by mimicking testosterone, leading to premature closure of growth plates in bones. This is a well-documented effect that can result in stunted growth in young individuals. Thus, the early closure of growth plates and the associated decrease in sperm production due to hormonal imbalances are expected consequences of using anabolic steroids. Hirsutism, characterized by excessive hair growth in areas typically associated with male-pattern hair distribution, is another effect of increased levels of androgens, such as testosterone. Prepuberal exposure to anabolic steroids can indeed increase the levels of these hormones, leading to hirsutism. In contrast, anabolic steroid use does not lead to an increase in sperm production. In fact, it often results in decreased sperm production as the body's natural hormonal regulation is disrupted. With exogenous steroids in the system, the feedback mechanism can reduce the stimulation of the testes, leading to lower sperm production. Therefore, the statement that

SAMPLE

5. What is the best method for screening alcoholism among older individuals?

A. General health questionnaires

B. Family interviews

C. A screening questionnaire specific to seniors

D. Routine blood tests

Using a screening questionnaire specific to seniors is the best method for screening alcoholism among older individuals due to the unique factors and characteristics that influence alcohol use in this population. Older adults often face different social, psychological, and physical challenges that can affect their drinking behavior. Standardized screening tools designed specifically for seniors take into account these factors, making them more effective in identifying alcohol misuse or dependency. Such questionnaires can address common age-related issues, such as medication interactions, cognitive decline, and changes in social dynamics that may lead to increased or altered alcohol consumption. They also facilitate the identification of at-risk drinking patterns that may not be effectively captured by general health questionnaires, family interviews, or routine blood tests, which may overlook significant indicators of alcohol-related problems or fail to recognize the subtleties of drinking in an older demographic. Using a targeted approach allows for better assessment and understanding of an individual's alcohol use in the context of their overall health and life circumstances. This leads to more appropriate interventions and support tailored to the specific needs of older adults.

6. Which medication is indicated for addressing depression and sexual behavior disorder?

A. Sertraline (SSRI)

B. Citalopram (SSRI)

C. Bupropion

D. Fluoxetine (SSRI)

The selection of bupropion as the medication indicated for addressing both depression and sexual behavior disorder is particularly relevant. Bupropion is an atypical antidepressant that primarily works on the norepinephrine and dopamine neurotransmitter systems, making it distinct from selective serotonin reuptake inhibitors (SSRIs) like sertraline, citalopram, and fluoxetine. Bupropion is often chosen for patients who experience sexual side effects from SSRIs, which can sometimes exacerbate sexual dysfunction. This property makes it beneficial for individuals experiencing depressive symptoms while also struggling with sexual behavior concerns. Unlike SSRIs, which can lead to decreased libido and sexual dysfunction in some patients, bupropion is less likely to cause these side effects and can even improve sexual functioning in certain cases. In contrast, the SSRIs listed are effective for treating depression but have a higher likelihood of contributing to sexual side effects. SSRIs are generally not the first line of treatment for patients specifically dealing with a combination of depression and sexual dysfunction due to this tendency to affect sexual performance negatively. Thus, bupropion emerges as the more suitable option for addressing the combined issues of depression along with sexual behavior disorder.

SAMPLE

7. What is considered an important aspect of preventive care in substance use disorder management?

A. Providing medications only

B. Engaging in health education

C. Restricting patient freedoms

D. Ignoring comorbid conditions

Engaging in health education is an important aspect of preventive care in substance use disorder management because it empowers individuals with knowledge about the risks associated with substance use, the benefits of treatment, and available resources. Health education can help clients understand their choices, promote healthy decision-making, and encourage them to seek help before their substance use escalates into more severe issues. This proactive approach is crucial in preventing substance use disorders and supporting recovery efforts, as it fosters awareness and informed participation in one's own health care. In contrast, providing medications alone does not encompass the essential holistic approach needed for effective substance use disorder management, and restricting patient freedoms can lead to resistance and negatively impact the therapeutic relationship. Ignoring comorbid conditions fails to address the full scope of a patient's health, which is vital for effective treatment planning and management.

8. When assessing addiction in safety sensitive workers, what aspect is deemed crucial?

A. Their professional duties

B. The volume of their patient interactions

C. Their personal background

D. The time spent on treatment

In the context of assessing addiction in safety-sensitive workers, understanding their professional duties is crucial because these roles carry significant responsibilities that can impact public safety and the well-being of others. Safety-sensitive positions often include those in transportation, healthcare, and public safety, where impairment due to substance use can lead to serious accidents or harm. Evaluating a worker's professional duties allows for an understanding of the risks involved if that individual were to engage in substance use. It helps to determine the level of oversight and support required, tailoring interventions to ensure both the safety of the individual and those affected by their work. Recognizing the particular demands and risks associated with their roles is essential for creating effective treatment plans and ensuring compliance with safety regulations. The other options, while potentially relevant in specific contexts, do not directly address the immediate implications of addiction in the context of responsibilities pertinent to safety-sensitive work.

SAMPLE

9. In clinical settings, when might confirmatory testing results not be available?

A. When the patient is asymptomatic

B. During urgent clinical decision-making

C. Only during follow-up appointments

D. In cases of low suspicion for drug use

In clinical settings, confirmatory testing results may not be available during urgent clinical decision-making because these situations often require immediate action based on the information at hand. For example, in emergency situations, clinicians may need to make rapid assessments to determine the appropriate course of treatment without waiting for lab results, which can take hours or even days. This emphasizes the need for timely clinical judgment based on initial screening results, patient history, and other diagnostic information. The other contexts presented do not typically interfere with the availability of confirmatory testing results. When a patient is asymptomatic, it does not negate the availability of tests; it simply may not prompt immediate testing. Follow-up appointments are generally planned in advance and allow for confirmatory testing to be completed prior to the appointment. Furthermore, low suspicion for drug use may influence the decision to conduct testing, but it does not inherently affect the availability of test results if they were ordered. Thus, urgent clinical scenarios stand out as circumstances where results may be unavailable due to the need for rapid assessment and decision-making.

10. What percentage of individuals visiting the emergency department who were drinking relates their alcohol use to their injury during motor vehicle crashes?

A. 10%

B. 30%

C. 50%

D. 70%

The correct percentage related to individuals visiting the emergency department who attribute their alcohol use to their injury during motor vehicle crashes is indeed 30%. This statistic reflects the significant role that alcohol plays in various types of accidents and highlights the public health implications of alcohol use, particularly in the context of driving. Understanding this statistic is crucial because it underscores the need for interventions aimed at reducing alcohol consumption among drivers. The 30% figure can serve as a foundation for campaigns promoting responsible drinking and safe driving, as well as for discussions about the availability and accessibility of treatment for alcohol use disorders among those who engage in risky behaviors such as drinking and driving. This percentage emphasizes the connection between alcohol use and motor vehicle crashes, which is vital for emergency room staff, policymakers, and addiction specialists when designing prevention strategies and providing appropriate care to affected individuals.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://asamassmt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE