ANATOMY AND PHYSIOLOGY DIAGNOSTIC IMAGING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
anatomyphysiodiagnosticimaging.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which MRI sequence is especially useful for identifying demyelinating plaques in the brain?

A. T1-weighted sequence

B. T2-weighted sequence

C. FLAIR

D. Diffusion-weighted imaging

2. What is the purpose of decubitus views in thoracic imaging and what pathology do they help detect?

A. Decubitus views help differentiate small pleural effusions from atelectasis by layering fluid with gravity and can reveal layering effusions not visible on upright views.

B. They measure lung volumes.

C. They replace upright views.

D. They diagnose tumors.

3. Which ultrasound finding is specifically associated with biliary pathology during ultrasound examination?

A. Sonographic Murphy sign

B. Posterior acoustic shadowing

C. Renal pelvis dilation

D. Pleural effusion

4. If the knee is distal to the thigh, the thigh is proximal to the knee.

A. Distal to the knee

B. Medial to the knee

C. Proximal to the knee

D. Superior to the knee

5. How does diffusion-weighted MRI help differentiate acute ischemia from an abscess?

A. Ischemia shows restricted diffusion with high signal on DWI and low ADC; abscess shows restricted diffusion with high DWI signal and very low ADC due to pus, often with ring enhancement.

B. Ischemia shows high ADC; abscess shows high DWI signal and high ADC.

C. Both show restricted diffusion with similar ADC.

D. Ischemia shows diffusion restriction only on ADC but not DWI.

SAMPLE

6. Why is pediatric imaging especially careful about radiation dose, and what adjustments are typically made?

A. Children are less sensitive to radiation and have shorter lifetimes; occasionally adjust dosage.

B. Radiation dose is not a concern in pediatrics.

C. Use higher dose to compensate for movement.

D. Children are more sensitive to radiation and have longer lifetimes; use ALARA, lower kVp/mA, shielding, prefer ultrasound or MRI when possible.

7. Which chest X-ray findings are commonly associated with congestive heart failure?

A. Cardiomegaly

B. Cardiomegaly, interstitial edema, pleural effusions

C. Lobar consolidation

D. Normal chest radiograph

8. Which chest radiography finding, in conjunction with cardiomegaly, supports congestive heart failure diagnosis?

A. Interstitial edema

B. Pulmonary nodules

C. Lobar consolidation

D. Hyperinflation

9. The pericardial cavity is known to enclose what structure?

A. The liver

B. The heart

C. The stomach

D. The brain

10. Beam hardening artifact in CT is characterized by what and how is it mitigated?

A. Filtration, higher kVp, thinner slices, and metal artifact reduction algorithms

B. Dark spots in soft tissue that require lower kVp

C. Bright halos around bone due to scattering mitigated by increased exposure

D. No significant artifact mitigated by lowering dose

SAMPLE

Answers

SAMPLE

1. C
2. A
3. A
4. C
5. A
6. D
7. B
8. A
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. Which MRI sequence is especially useful for identifying demyelinating plaques in the brain?

A. T1-weighted sequence

B. T2-weighted sequence

C. FLAIR

D. Diffusion-weighted imaging

Demyelinating plaques, like those seen in multiple sclerosis, tend to cluster near CSF spaces in the brain, especially in periventricular and juxtacortical white matter. To pick them out clearly, you want an MRI sequence that suppresses the bright signal from CSF so these nearby lesions aren't hidden. FLAIR achieves this by nulling CSF signal, which makes demyelinating plaques adjacent to the ventricles stand out as bright spots against a dark CSF background. This contrast is particularly helpful for detecting periventricular lesions and subtle white-matter changes that might be less obvious on standard T2 or T1 images. In contrast, T2 still shows CSF bright signal near the ventricles, which can obscure small plaques; diffusion-weighted imaging highlights acute diffusion changes rather than the chronic demyelination pattern; and T1 imaging may reveal chronic, dark "holes" but is less sensitive for identifying the full extent of demyelinating plaques. So the sequence that best highlights these plaques is FLAIR because it suppresses CSF and enhances visibility of periventricular white-matter pathology.

2. What is the purpose of decubitus views in thoracic imaging and what pathology do they help detect?

A. Decubitus views help differentiate small pleural effusions from atelectasis by layering fluid with gravity and can reveal layering effusions not visible on upright views.

B. They measure lung volumes.

C. They replace upright views.

D. They diagnose tumors.

Decubitus thoracic imaging uses gravity to let pleural fluid layer and reveal its presence clearly. The main idea is to detect small pleural effusions and tell them apart from atelectasis by showing a distinct fluid level when the patient is positioned on their side. If an effusion is present, the fluid settles to the dependent side and forms a sharp meniscus along the chest wall that is often visible even when upright films are inconclusive; in contrast, atelectasis does not produce a free-flowing fluid level, so the opacity tends to be a collapsed lung segment rather than a layering fluid. These views are not used to measure lung volumes, do not replace upright films, and are not for diagnosing tumors; they primarily aid in identifying and characterizing pleural effusions.

SAMPLE

3. Which ultrasound finding is specifically associated with biliary pathology during ultrasound examination?

A. Sonographic Murphy sign

B. Posterior acoustic shadowing

C. Renal pelvis dilation

D. Pleural effusion

The main concept is identifying a sign on ultrasound that directly points to biliary pathology, specifically gallbladder inflammation. The sonographic Murphy sign is observed when gentle compression with the ultrasound probe over the gallbladder elicits sharp tenderness or a halt in inspiration, indicating underlying gallbladder inflammation such as acute cholecystitis. This sign is tightly linked to the biliary system and becomes a practical, bedside cue that inflammation is present in the gallbladder. Posterior acoustic shadowing can occur with gallstones, but it is not specific to biliary pathology and can be seen with calcifications elsewhere as well; it shows a physical blockage or stone but does not by itself confirm active gallbladder inflammation. Renal pelvis dilation signals hydronephrosis in the urinary tract, and pleural effusion involves fluid around the lungs—neither relates to the biliary system. Therefore the sonographic Murphy sign is the best stand-alone indicator of biliary pathology on ultrasound.

4. If the knee is distal to the thigh, the thigh is proximal to the knee.

A. Distal to the knee

B. Medial to the knee

C. Proximal to the knee

D. Superior to the knee

Proximal and distal describe positions relative to the trunk along a limb. If the knee is distal to the thigh, that means the thigh is closer to the body's trunk than the knee. So the thigh is proximal to the knee. Medial or superior aren't specified by the given relationship, and while the thigh is indeed above the knee in the vertical axis, the most precise term for this limb-segment relationship is proximal to the knee.

5. How does diffusion-weighted MRI help differentiate acute ischemia from an abscess?

A. Ischemia shows restricted diffusion with high signal on DWI and low ADC; abscess shows restricted diffusion with high DWI signal and very low ADC due to pus, often with ring enhancement.

B. Ischemia shows high ADC; abscess shows high DWI signal and high ADC.

C. Both show restricted diffusion with similar ADC.

D. Ischemia shows diffusion restriction only on ADC but not DWI.

Diffusion-weighted MRI measures how freely water molecules move in tissue. When diffusion is restricted, the diffusion-weighted image lights up and the ADC map shows low values. In acute ischemia, cytotoxic edema reduces the extracellular space and severely restricts water movement, so you see high signal on DWI with a low ADC. In a brain abscess, the purulent center is very viscous and densely cellular, causing even more restricted diffusion. That leads to a bright appearance on DWI and an especially low ADC. The abscess often also shows a ring-enhancing capsule after contrast, which is a helpful clue. So the diffusion pattern is restricted in both situations, but the abscess tends to produce a more pronounced (very low) ADC and is typically accompanied by ring enhancement, whereas acute ischemia lacks that ring and has a more typical infarct distribution. The other options misstate the diffusion behavior: diffusion restriction is observed on DWI, not absent there; ischemia does not exhibit high ADC; and the idea that both conditions show similar ADC or that restriction appears only on ADC is inaccurate.

SAMPLE

6. Why is pediatric imaging especially careful about radiation dose, and what adjustments are typically made?

A. Children are less sensitive to radiation and have shorter lifetimes; occasionally adjust dosage.

B. Radiation dose is not a concern in pediatrics.

C. Use higher dose to compensate for movement.

D. Children are more sensitive to radiation and have longer lifetimes; use ALARA, lower kVp/mA, shielding, prefer ultrasound or MRI when possible.

Radiation exposure is kept as low as reasonably achievable in pediatric imaging because children are more sensitive to radiation and have a longer lifetime in which radiation-related effects could develop. Their growing tissues and organs are more vulnerable to stochastic effects, and the longer life expectancy after exposure means any potential risks can accumulate over time. To protect kids, imaging teams apply ALARA and tailor techniques to the child's size and the clinical question. This includes using the lowest dose that still yields diagnostic quality, shortening exposure times, and often lowering technique factors such as kVp and mA to match pediatric-sized bodies. Shielding of radiosensitive organs is used when appropriate, and every effort is made to avoid repeats. Whenever feasible, ultrasound or MRI—which do not use ionizing radiation—are preferred to provide the necessary information without radiation.

7. Which chest X-ray findings are commonly associated with congestive heart failure?

A. Cardiomegaly

B. Cardiomegaly, interstitial edema, pleural effusions

C. Lobar consolidation

D. Normal chest radiograph

Congestive heart failure raises pressures in the heart and lungs, leading to fluid backing up into the lungs and around the heart. On a chest X-ray the hallmark is an enlarged cardiac silhouette from dilation or volume overload, along with interstitial edema that shows as more prominent markings near the hila and other tissues (sometimes described as Kerley lines), and fluid accumulating in the pleural spaces as effusions. When these findings—cardiomegaly plus interstitial edema and pleural effusions—appear together, they fit the pattern most commonly seen with CHF. A lobar consolidation would point to pneumonia, and a normal radiograph can occur in early CHF but isn't the typical picture of established congestive failure. So the combination described best reflects congestive heart failure.

SAMPLE

8. Which chest radiography finding, in conjunction with cardiomegaly, supports congestive heart failure diagnosis?

A. Interstitial edema

B. Pulmonary nodules

C. Lobar consolidation

D. Hyperinflation

Interstitial edema on a chest radiograph reflects fluid pushed into the lung interstitium by elevated pressure from an enlarged, failing heart. When you see an enlarged heart along with diffuse or perihilar interstitial markings, sometimes with Kerley B lines and vascular congestion, that pattern strongly points to pulmonary edema due to congestive heart failure. It indicates that fluid is backing up into the lungs, which fits with the deficient cardiac pumping underlying CHF. Other findings don't fit as well with heart failure in this context: discrete pulmonary nodules would suggest metastases or granulomatous disease, lobar consolidation points to a focal infection like pneumonia, and hyperinflation is more typical of obstructive conditions such as COPD or asthma.

9. The pericardial cavity is known to enclose what structure?

A. The liver

B. The heart

C. The stomach

D. The brain

The pericardial cavity encloses the heart. It is the small, fluid-filled space between the visceral and parietal layers of serous pericardium located in the mediastinum of the thoracic cavity, providing lubrication as the heart beats. The liver and stomach reside in the abdominal region, and the brain sits in the cranial cavity—outside this space—so they are not enclosed by the pericardial cavity.

10. Beam hardening artifact in CT is characterized by what and how is it mitigated?

A. Filtration, higher kVp, thinner slices, and metal artifact reduction algorithms

B. Dark spots in soft tissue that require lower kVp

C. Bright halos around bone due to scattering mitigated by increased exposure

D. No significant artifact mitigated by lowering dose

Beam hardening happens when the x ray beam loses the soft, low energy photons as it passes through dense material, shifting toward higher energies. This nonuniform spectrum causes artifacts such as dark streaks or shading between dense structures like bone or metal implants. The best way to counter this is to adjust the beam and the reconstruction: add filtration to remove the low-energy photons, use a higher kVp to produce a fuller, higher-energy spectrum, and use thinner slices to reduce partial-volume effects that contribute to streaking. Modern CT also employs metal artifact reduction algorithms to lessen the streaks and shading around dense objects. Lowering dose or relying on lower kVp alone doesn't address beam hardening and can worsen image quality in those regions.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://anatomyphysiodiagnosticimaging.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE