
ANGIO AND IR IMAGING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://angioirimaging.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What are the two main components of the circulatory system?

A. Cardiovascular system and endocrine system

B. Cardiovascular system and lymphatic system

C. Cardiac system and respiratory system

D. Nervous system and lymphatic system

2. Which part of the brain does the internal jugular vein NOT drain?

A. Brainstem

B. Meninges

C. Frontal lobe

D. Cerebellum

3. What is digital subtraction angiography (DSA)?

A. A technique that enhances background structures

B. A method that highlights blood vessels by removing static backgrounds

C. A process that only captures static images

D. A technique used solely for surgery

4. How many oblique views are typically taken for the right coronary artery during angiography?

A. 1

B. 2

C. 3

D. 4

5. Which process can be used to maintain vessel patency after deployment?

A. Clot dissolution

B. Balloon-expandable stenting

C. Fluid infusion

D. Image-guided needle biopsy

6. In angiography, the term "ejection fraction" refers to:

A. The volume of blood pumped per heartbeat

B. The percentage of blood ejected from the ventricle

C. The total blood volume in circulation

D. The heart rate during physical exertion

SAMPLE

7. What complication may occur after stent placement?

A. Vasospasm and vessel rupture

B. Graft failure

C. Allergic reaction to contrast

D. Neuropathy

8. Why is patient history critical prior to an angiographic procedure?

A. To gather insurance information

B. To assess for factors that may increase the risk of complications

C. To determine hospital food preferences

D. To schedule future appointments

9. What does the term "embolization" refer to in interventional radiology?

A. The intentional thorough cleaning of blood vessels

B. The deliberate blocking of a blood vessel

C. The insertion of catheters into vessels

D. The removal of blockages from blood vessels

10. What is the lower portion of the heart referred to as?

A. Apex

B. Base

C. Epicardium

D. Endocardium

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. B
7. A
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What are the two main components of the circulatory system?

A. Cardiovascular system and endocrine system

B. Cardiovascular system and lymphatic system

C. Cardiac system and respiratory system

D. Nervous system and lymphatic system

The correct answer identifies the two main components of the circulatory system as the cardiovascular system and the lymphatic system. The cardiovascular system is responsible for transporting blood throughout the body, supplying tissues with oxygen and nutrients while removing waste products. It includes the heart, blood vessels, and blood. The lymphatic system, on the other hand, plays a crucial role in fluid balance, immune function, and the transport of dietary lipids. It helps to maintain the body's homeostasis by draining excess interstitial fluid and returning it to the bloodstream, as well as facilitating the transport of immune cells. In conjunction, these two systems work together to ensure that bodily tissues receive the necessary substances for proper function and that waste products are effectively removed, highlighting the interconnected nature of cardiovascular health and immune response. Other options do not accurately reflect the primary components related to circulatory functions, as they either include systems not primarily concerned with circulation or mix unrelated systems that do not serve as the foundational elements of the circulatory process.

2. Which part of the brain does the internal jugular vein NOT drain?

A. Brainstem

B. Meninges

C. Frontal lobe

D. Cerebellum

The internal jugular vein primarily drains blood from the brain, specifically from the cerebral hemispheres, the brainstem, and the meninges. When considering the regions listed, the frontal lobe is indeed part of the brain supplied by other major venous drainage systems, particularly through the deep venous system (i.e., the superficial and deep cerebral veins), which ultimately connect to the internal jugular system. However, the frontal lobe's direct drainage may not be primarily through the internal jugular vein when considering the larger context of venous drainage routes. The brainstem, meninges, and cerebellum are directly influenced by drainage into the internal jugular vein, making them regions where the vein plays a significant role in collecting venous blood. Since the frontal lobe's drainage predominantly involves other pathways before connecting to the internal jugular vein, this makes it the correct answer in the context of which part of the brain is not directly drained by the internal jugular vein.

SAMPLE

3. What is digital subtraction angiography (DSA)?

A. A technique that enhances background structures

B. A method that highlights blood vessels by removing static backgrounds

C. A process that only captures static images

D. A technique used solely for surgery

Digital subtraction angiography (DSA) is a specialized imaging technique used primarily to visualize blood vessels. It enhances the appearance of these vessels by digitally removing or 'subtracting' the static background structures from the final image, which allows for improved visualization of the vascular system. In the DSA procedure, two images are taken: one before the contrast agent is introduced and another after. The software processes these images to subtract the background information that remains unchanged, leaving only the vessels filled with the contrast agent visible. This technique is particularly valuable because it provides clearer images of the blood vessels, making it easier for healthcare professionals to diagnose conditions such as aneurysms or blockages. Other options describe aspects that are not aligned with the primary function of DSA. For example, highlighting background structures or capturing only static images misrepresents the technique's purpose, which is to emphasize dynamics pertaining to vascular flow. Additionally, while DSA may be used in conjunction with surgical procedures, it is not limited to that context. Instead, it is widely utilized for diagnostic purposes in various medical fields, particularly in interventional radiology.

4. How many oblique views are typically taken for the right coronary artery during angiography?

A. 1

B. 2

C. 3

D. 4

During angiography of the right coronary artery, two oblique views are typically taken. The reason for obtaining two oblique views is to optimize visualization of the coronary artery's anatomy and any potential obstructions or lesions. These views generally include one view that is angled slightly toward the right to demonstrate the artery's origins and proximal segments clearly, along with a second view that enhances the visualization of the distal segments and branches. The use of two views provides a comprehensive understanding of the artery's path, allowing the practitioner to assess the vascular health effectively and plan any necessary interventions. Obtaining more than two views may be needed in complex cases, but standard practice generally involves these two oblique views as they adequately capture the necessary information for evaluation and diagnosis.

SAMPLE

5. Which process can be used to maintain vessel patency after deployment?

A. Clot dissolution

B. Balloon-expandable stenting

C. Fluid infusion

D. Image-guided needle biopsy

The process that can be utilized to maintain vessel patency after deployment is balloon-expandable stenting. This technique involves the placement of a stent—a small, mesh-like tube—into a narrowed or blocked portion of a blood vessel. After positioning the stent, a balloon is inflated within the stent to expand it, which helps to hold the vessel open and maintain blood flow. The balloon-expandable stent is specifically designed to keep the vessel open in a way that is both effective and durable, significantly reducing the likelihood of re-narrowing or occlusion, which may occur if other treatment options were used. This is crucial in interventional radiology and angioplasty procedures, where maintaining vessel patency is essential for optimal patient outcomes. Other processes mentioned, like clot dissolution, could address existing blockages but don't provide a structural solution to maintain vessel openness post-deployment. Fluid infusion can support blood flow but doesn't actively prevent vessel narrowing. An image-guided needle biopsy is a diagnostic procedure with no relevance to the maintenance of vessel patency. Thus, the balloon-expandable stenting stands out as the most effective approach for preventing vessel closure once a stent is deployed.

6. In angiography, the term "ejection fraction" refers to:

A. The volume of blood pumped per heartbeat

B. The percentage of blood ejected from the ventricle

C. The total blood volume in circulation

D. The heart rate during physical exertion

Ejection fraction is a key measurement used in cardiology and angiography to assess the efficiency of the heart's pumping ability. It specifically refers to the percentage of blood that is ejected from the ventricles with each heartbeat. This measurement is crucial in evaluating cardiac function, particularly in patients with conditions such as heart failure, where the heart's ability to pump blood is compromised. When discussing ejection fraction, it is calculated by taking the stroke volume (the amount of blood pumped out of the ventricle) and dividing it by the total volume of blood in the ventricle before contraction (end-diastolic volume). The result shows how well the heart is performing, with normal values typically ranging from 55% to 70%. This percentage helps clinicians determine the severity of heart disease and guide treatment decisions. In contrast, the volume of blood pumped per heartbeat refers to stroke volume itself, which is a different measurement; total blood volume in circulation does not factor into the ejection fraction; and heart rate during physical exertion concerns the frequency of heartbeats but does not directly relate to the efficiency of blood ejection from the heart.

SAMPLE

7. What complication may occur after stent placement?

A. Vasospasm and vessel rupture

B. Graft failure

C. Allergic reaction to contrast

D. Neuropathy

Stent placement is a common procedure used in interventional radiology and cardiology to maintain vessel patency in narrowed or blocked arteries. One of the potential complications that can arise after stent placement is vasospasm and vessel rupture. Vasospasm refers to the sudden constriction of a blood vessel, which can reduce blood flow and may lead to ischemia of the affected area. This phenomenon is particularly important in the context of stenting, as the presence of a foreign body can irritate the vessel wall and provoke this reaction. If the vasospasm is severe, it may even lead to vessel rupture, which is a serious complication that requires immediate medical intervention. This choice emphasizes the mechanical and biological interactions between the stent and the vessel wall. Understanding these potential complications is crucial for clinicians to monitor patients effectively and to manage any adverse events that may arise post-stenting. In contrast, other options such as graft failure, allergic reactions to contrast material, and neuropathy are complications that are either related to different procedures or are less directly associated with the placement of a stent. Graft failure typically pertains to bypass grafts rather than intravascular stents. Allergic reactions are specific to the use of contrast agents during imaging

8. Why is patient history critical prior to an angiographic procedure?

A. To gather insurance information

B. To assess for factors that may increase the risk of complications

C. To determine hospital food preferences

D. To schedule future appointments

Patient history is critical prior to an angiographic procedure primarily to assess for factors that may increase the risk of complications. This information is crucial because angiographic procedures involve the use of contrast materials and potential exposure to radiation, both of which can pose risks to certain individuals. By gathering detailed patient history, including previous medical conditions, allergies (especially to iodine-based contrast agents), current medications, and any prior experiences with contrast procedures, healthcare providers can identify patients who may require special considerations. For instance, patients with renal impairment may be at risk for contrast-induced nephropathy. Understanding these risks allows for the formulation of a tailored approach to minimize complications, ensuring patient safety and improving outcomes during and after the procedure. While the other options may have relevance in different contexts, they do not address the pivotal role that understanding a patient's medical history plays in safeguarding against procedural risks.

SAMPLE

9. What does the term "embolization" refer to in interventional radiology?

A. The intentional thorough cleaning of blood vessels

B. The deliberate blocking of a blood vessel

C. The insertion of catheters into vessels

D. The removal of blockages from blood vessels

Embolization is a key procedure in interventional radiology that specifically involves the deliberate blocking of a blood vessel. This technique is often employed to manage various medical conditions, such as controlling bleeding, treating tumors, or preventing blood flow to abnormal tissues. By introducing materials like coils, particles, or gels into the vascular system, interventional radiologists can occlude a targeted artery or vein to achieve therapeutic goals. Using this approach allows for minimally invasive treatments, which can significantly reduce recovery times and complications associated with traditional surgical methods. The precision of embolization enables clinicians to focus on specific areas of concern while preserving surrounding healthy tissues. This is important in ensuring that the procedure is effective while minimizing potential side effects. Understanding the focused nature and purpose of embolization helps clarify its role in the broader spectrum of interventional radiology practices.

10. What is the lower portion of the heart referred to as?

A. Apex

B. Base

C. Epicardium

D. Endocardium

The lower portion of the heart is referred to as the apex. The apex is the tapered, pointed end of the heart, which is oriented downward and to the left. It is clinically significant because it is the point at which the heartbeat can be best auscultated, as well as being a landmark for various cardiac procedures. In contrast, the base of the heart refers to the broader, upper portion where the great vessels are attached. The epicardium is the outer layer of the heart wall, and the endocardium lines the chambers of the heart. Understanding these terms helps clarify the structure and function of the heart in both anatomy and clinical practice.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://angioirimaging.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE