A&P BLOOD VESSELS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://bloodvesselsaandp.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Endothelium-derived NO is released in response to which stimuli?

A. Shear stress and acetylcholine

B. Low oxygen

C. Norepinephrine

D. Vasoconstriction only

2. The opening and closing of precapillary sphincters is controlled by which nervous system?

A. Sympathetic nervous system

B. Parasympathetic nervous system

C. Endocrine system

D. Local metabolic factors

3. Which of the following mechanisms contribute to venous return to the heart?

A. Respiratory pump

B. Valves preventing backflow

C. All of the above

D. Skeletal muscle pump

4. Vessels that carry blood away from the heart and are named by the organs they supply (for example, renal arteries) are called which type of vessels?

A. Elastic arteries

B. Muscular arteries

C. Veins

D. Capillaries

5. Blood viscosity effects on peripheral resistance?

A. Increases peripheral resistance

B. Decreases peripheral resistance

C. No effect

D. Only affects flow at capillaries

SAMPLE

6. An increase in hematocrit would be expected to have which effect on peripheral resistance?

A. Increase

B. Decrease

C. No change

D. Variable

7. How does hepatic portal circulation differ from the systemic circuit?

A. Blood from GI tract goes to liver via portal vein for detoxification before entering systemic circulation via hepatic veins to IVC.

B. Blood from GI tract bypasses the liver completely.

C. Liver receives blood solely via hepatic artery; portal vein is for oxygen delivery.

D. Portal circulation delivers oxygenated blood to liver, bypassing detoxification.

8. The velocity of blood flow is _____.

A. Slowest in the capillaries because the total cross-sectional area is the greatest

B. Fastest in the capillaries due to low resistance

C. Constant throughout the circulatory system

D. Slowest in the arteries due to high resistance

9. In essential hypertension with a blood pressure of 200/120 mm Hg, which change would NOT typically occur?

A. Decreased size of the heart muscle

B. Hypertrophy of the left ventricle

C. Increased arterial stiffness

D. Increased risk of heart failure

10. Cerebral blood flow is regulated by which mechanism?

A. Intrinsic autoregulatory mechanisms

B. Extrinsic neural control

C. Hormonal control

D. Gravity and body position

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. B
5. A
6. A
7. D
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Endothelium-derived NO is released in response to which stimuli?

A. Shear stress and acetylcholine

B. Low oxygen

C. Norepinephrine

D. Vasoconstriction only

Endothelium-derived NO is released when the endothelium detects signals that raise intracellular calcium and activate endothelial nitric oxide synthase (eNOS). The primary triggers are increased shear stress from blood flow, a mechanical cue that stimulates endothelial cells, and acetylcholine, which binds muscarinic receptors on the endothelium and also raises intracellular Ca2+. In both cases, Ca2+-activated eNOS converts L-arginine to NO. The NO then diffuses into the adjacent smooth muscle, activates soluble guanylate cyclase, increases cGMP, and causes relaxation and vasodilation. This mechanism underlies flow-mediated dilation and the response to acetylcholine. The other options don't directly provoke the endothelium to release NO: low oxygen isn't a primary NO trigger in most vessels, norepinephrine mainly promotes vasoconstriction via smooth muscle receptors, and vasoconstriction alone doesn't drive NO release.

2. The opening and closing of precapillary sphincters is controlled by which nervous system?

A. Sympathetic nervous system

B. Parasympathetic nervous system

C. Endocrine system

D. Local metabolic factors

Opening and closing of precapillary sphincters are governed by the vascular system's nervous control, with the sympathetic nerves playing the key role in setting the baseline tone. When sympathetic nerves fire, they release norepinephrine that acts on smooth muscle in the arterioles and precapillary sphincters to cause constriction, reducing capillary blood flow and redirecting perfusion as needed. But the system is not just a simple on/off switch. Local metabolic factors—like increased CO2, decreased O2, lower pH, and metabolites such as adenosine—signal tissues that more blood is needed. These local signals can counteract sympathetic constriction and open the sphincters to boost capillary flow during activity. So the sympathetic system provides the broad, rapid control, while tissue metabolism finely tunes the actual opening of the capillary entrances. Parasympathetic innervation of most systemic vessels is minimal in this context, and while hormones can influence vascular tone, the rapid, wobble-free control of these sphincters hinges on sympathetic nerve activity and local metabolic cues.

SAMPLE

3. Which of the following mechanisms contribute to venous return to the heart?

A. Respiratory pump

B. Valves preventing backflow

C. All of the above

D. Skeletal muscle pump

Venous return relies on several mechanisms that push blood toward the heart and keep it moving in the right direction. The respiratory pump uses breathing to alter pressures in the thoracic and abdominal cavities: during inspiration, intrathoracic pressure drops and abdominal pressure rises, which helps draw venous blood up toward the heart. The skeletal muscle pump works when muscles contract; they squeeze the deep veins and propel blood proximally, with valves preventing backward flow so blood doesn't pool in the legs. Valves themselves are essential because they ensure one-way flow even as pressure changes occur with movement and breathing. When you combine these effects, you get robust venous return under different conditions, including rest and activity. Since all of these mechanisms contribute, the best choice is that all of the above participate in venous return.

4. Vessels that carry blood away from the heart and are named by the organs they supply (for example, renal arteries) are called which type of vessels?

A. Elastic arteries

B. Muscular arteries

C. Veins

D. Capillaries

Muscular arteries are the vessels that carry blood away from the heart and are named for the organs they supply. They're the distribution vessels, with a thicker tunica media rich in smooth muscle, which lets them constrict or dilate to regulate blood flow to specific organs. Because they supply particular organs, their names reflect the organ they serve—such as arteries that go to the kidneys or to the intestines. This contrasts with elastic arteries, which are near the heart and help absorb pulse pressure with many elastic fibers, veins that carry blood back toward the heart, and capillaries, which are the tiny exchange vessels.

5. Blood viscosity effects on peripheral resistance?

A. Increases peripheral resistance

B. Decreases peripheral resistance

C. No effect

D. Only affects flow at capillaries

Blood viscosity is a measure of how thick or sticky the blood is. When viscosity increases, the layers of blood rub against each other and against vessel walls more, creating more internal friction. Peripheral resistance is the opposition the systemic vessels pose to blood flow; with higher friction, the heart must generate more pressure to maintain the same flow. That makes viscosity a direct contributor to resistance throughout the circulation, not just in one part of the vascular system. So thicker blood means higher resistance. If the blood were thinner, friction would lessen and resistance would drop. Viscosity affects flow in vessels of all sizes, not only capillaries.

SAMPLE

6. An increase in hematocrit would be expected to have which effect on peripheral resistance?

A. Increase

B. Decrease

C. No change

D. Variable

Increasing hematocrit raises blood viscosity, which raises peripheral resistance. Hematocrit is the fraction of blood that consists of red blood cells; when it goes up, blood becomes thicker and flows less easily. The resistance to flow in vessels is directly linked to viscosity, so a thicker blood requires more pressure to push it through the same vessels, meaning higher peripheral resistance. The other options don't fit because a thicker blood does not reduce resistance, keep it the same, or vary unpredictably under normal conditions—the relationship is that increased hematocrit generally increases resistance.

7. How does hepatic portal circulation differ from the systemic circuit?

A. Blood from GI tract goes to liver via portal vein for detoxification before entering systemic circulation via hepatic veins to IVC.

B. Blood from GI tract bypasses the liver completely.

C. Liver receives blood solely via hepatic artery; portal vein is for oxygen delivery.

D. Portal circulation delivers oxygenated blood to liver, bypassing detoxification.

The main idea is how blood from the digestive organs is processed before it returns to the rest of the body. Blood from the GI tract travels through the portal vein to the liver, bringing nutrients and any absorbed substances to be processed or detoxified by hepatocytes. After the liver does its work, the blood leaves through the hepatic veins into the inferior vena cava and then mixes into the systemic circulation. It's also important to note that the liver receives oxygenated blood from the hepatic artery as well, and the two sources mix in the liver's sinusoids. So the portal system specifically delivers material to the liver for detoxification and metabolism, not oxygenated blood bypassing detoxification.

8. The velocity of blood flow is _____.

A. Slowest in the capillaries because the total cross-sectional area is the greatest

B. Fastest in the capillaries due to low resistance

C. Constant throughout the circulatory system

D. Slowest in the arteries due to high resistance

Velocity in the circulatory system is determined by the total cross sectional area of the vessel network in a given segment. Even though the heart pumps the same volume of blood per unit time, the speed of that flow changes as it moves through different parts of the circuit because the combined cross-sectional area changes. Capillaries have by far the largest total cross-sectional area because there are many tiny vessels in parallel, which spreads the blood flow thin and slows it down. This slower velocity gives more time for exchange of gases, nutrients, and wastes with the surrounding tissues. In contrast, arteries have a much smaller total cross-sectional area, so the blood moves faster there. Hence, the velocity is slowest in the capillaries due to their vast total cross-sectional area.

SAMPLE

9. In essential hypertension with a blood pressure of 200/120 mm Hg, which change would NOT typically occur?

A. Decreased size of the heart muscle

B. Hypertrophy of the left ventricle

C. Increased arterial stiffness

D. Increased risk of heart failure

The main concept here is how the heart and arteries adapt to chronic high blood pressure. When afterload is persistently elevated, the heart thickens its muscle to generate the higher pressures needed to eject blood, a response called left ventricular hypertrophy. This concentric hypertrophy helps keep wall stress in check despite the high pressure, but it also sets the stage for eventual dysfunction and heart failure if the hypertension remains uncontrolled. Arterial stiffness increases as the vessels remodel—collagen replaces some elastic tissue—leading to greater systolic pressure and pulse pressure. Over time, those changes raise the risk of heart failure because the heart and vessels are less able to accommodate normal blood flow and pressures. The change that would not typically occur is a decrease in the size of the heart muscle. Instead, the heart muscle tends to enlarge in response to the chronic pressure overload. So, left ventricular hypertrophy, increased arterial stiffness, and higher risk of heart failure are expected consequences of severe essential hypertension, while a reduction in heart muscle size would be atypical.

10. Cerebral blood flow is regulated by which mechanism?

A. Intrinsic autoregulatory mechanisms

B. Extrinsic neural control

C. Hormonal control

D. Gravity and body position

Cerebral blood flow is kept constant mainly by intrinsic autoregulatory mechanisms that adjust the brain's own vessel tone to match its metabolic needs and perfusion pressure. The vessels in the brain can constrict or dilate in response to changes in arterial pressure (the myogenic response) so that flow remains steady despite fluctuations in blood pressure. Metabolic factors tighten or loosen these vessels according to activity: higher CO_2 or lower pH in brain tissue signals need for more blood, causing vasodilation, while low CO_2 or higher pH causes constriction. Endothelial factors like nitric oxide also help tune this response. This autoregulatory system operates over a wide range of mean arterial pressures, so normal changes in systemic pressure don't dramatically change cerebral blood flow. Extrinsic neural control and hormones can modulate flow, but they don't drive the steady-state regulation in the way intrinsic autoregulation does. Gravity and body position can influence the actual pressure difference reaching the brain, but the brain's autoregulatory mechanisms adjust diameter to keep flow relatively constant despite those changes.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://bloodvesselsaandp.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE