API 650 – WELDED TANKS FOR OIL STORAGE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://api650.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following is a key consideration in tank design according to API 650?**

   A. Commercial branding of the tank

   B. Operational stresses and pressures

   C. Popularity among tank manufacturers

   D. Color preferences of clients

2. **For rectangular and sketch plates, what is the minimum nominal width as specified by API 650?**

   A. 60"

   B. 72"

   C. 84"

   D. 48"

3. **What is the maximum allowable height for tanks under API 650?**

   A. 40 feet (12 meters)

   B. 50 feet (15 meters)

   C. 66 feet (20 meters)

   D. 80 feet (24 meters)

4. **What is the total circumference tolerance when a concrete ring wall is used?**

   A. 1/4"

   B. 1/2"

   C. 1/8"

   D. 3/8"

5. **Which initial letter in ASTM standards is associated with ferrous metals and products?**

   A. A

   B. B

   C. C

   D. D

SAMPLE

6. How are tank welds categorized in API 650?

A. By location only

B. As circumferential or vertical seam welds

C. By thickness

D. As primary or secondary welds

7. Why are inspection openings necessary in tanks as per API 650?

A. To comply with aesthetic standards

B. To facilitate emergency fuel transfer

C. For maintenance and internal access

D. To increase the tank's weight bearing capacity

8. According to API 650, when utilizing a concrete slab as a foundation, what applicability do the concrete ring wall requirements have?

A. No applicability

B. Only some applicability

C. Minimum applicability

D. Complete applicability

9. How does API 650 recommend handling chemical tank contents?

A. By using generic materials for all chemicals

B. Through constant monitoring and chemical analysis

C. By assessing compatibility of tank materials with chemical contents

D. By frequently changing out tank contents

10. What does the term "Corroded Thickness" refer to in tank design?

A. The thickness of the material after installation

B. A design condition equal to nominal thickness less corrosion allowance

C. The total thickness of a steel plate

D. The minimum thickness required for structural integrity

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. A
5. A
6. B
7. C
8. D
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following is a key consideration in tank design according to API 650?

A. Commercial branding of the tank

B. Operational stresses and pressures

C. Popularity among tank manufacturers

D. Color preferences of clients

Operational stresses and pressures are a critical consideration in tank design as outlined in API 650. This standard encompasses guidelines to ensure that tanks are structurally sound and capable of withstanding the various forces they may encounter during operation. Factors such as the weight of the stored liquid, temperature variations, wind loads, seismic activity, and other environmental influences are crucial to ensuring the integrity and safety of the tank. Adequately addressing these stresses is essential to prevent structural failures, leaks, or catastrophic events, thereby protecting both the facility and the environment. In the context of tank design, aspects like commercial branding, popularity among manufacturers, and color preferences do not directly impact the structural integrity or safety of the tank. Instead, they pertain more to marketing or aesthetic considerations rather than the technical requirements mandated by API 650. Thus, operational stresses and pressures are paramount in tank design, ensuring compliance with safety standards and effective performance in the field.

2. For rectangular and sketch plates, what is the minimum nominal width as specified by API 650?

A. 60"

B. 72"

C. 84"

D. 48"

The minimum nominal width for rectangular and sketch plates as specified by API 650 is indeed 72 inches. This specification is critical for ensuring that the plates used in the construction of welded tanks meet structural integrity and manufacturing standards, contributing to the overall safety and effectiveness of oil storage facilities. The requirement for a minimum width helps ensure that these plates are capable of supporting the stresses they will encounter during service, as well as during manufacturing and assembly. Choosing a width that is less than this minimum would not adhere to the established guidelines, potentially leading to inadequacies in tank performance or safety issues down the line. Overall, following the prescribed minimum dimensions is essential for compliance with industry standards and designing tanks that can operate reliably over their intended lifespan.

SAMPLE

3. What is the maximum allowable height for tanks under API 650?

A. 40 feet (12 meters)

B. 50 feet (15 meters)

C. 66 feet (20 meters)

D. 80 feet (24 meters)

The maximum allowable height for tanks constructed under API 650 is 66 feet (20 meters). This height limit is established by the standards set forth in the API 650 code, which governs the design and construction of welded storage tanks specifically for oil and other liquids. The specification outlines various criteria relating to tank design, including structural integrity, stability, and material considerations. The 66-foot limit helps ensure that tanks can maintain adequate performance and safety under the various loads they may experience, such as liquid contents, wind, and seismic events. Additionally, exceeding this height may introduce complexities in construction and maintenance practices that could compromise the overall safety and functionality of the tank. While other height options may seem permissible, they do not adhere to the established standards set by API 650, which emphasizes safety and design consistency across welded tanks used for liquid storage.

4. What is the total circumference tolerance when a concrete ring wall is used?

A. 1/4"

B. 1/2"

C. 1/8"

D. 3/8"

The total circumference tolerance for a concrete ring wall used in welded tanks for oil storage, as outlined in API 650, is indeed 1/4 inch. This specification is crucial because it provides guidelines for acceptable dimensional variations in the construction of tank foundations. Maintaining this tolerance is vital for ensuring that the tank sits level and stable on its foundation, which helps prevent structural issues such as uneven settling or leakage. The precise dimension is particularly important in applications where the tanks will store liquids, as any misalignment can directly affect their operation, safety, and longevity. A tighter tolerance may not account for the inherent characteristics of concrete, such as shrinkage and thermal expansion, which can occur as the material cures and during temperature fluctuations. Thus, the established 1/4 inch tolerance balances constructibility with performance, validating its selection as the correct answer in this context.

SAMPLE

5. Which initial letter in ASTM standards is associated with ferrous metals and products?

A. A

B. B

C. C

D. D

The initial letter "A" in ASTM standards designates ferrous metals and products. ASTM, which stands for the American Society for Testing and Materials, uses this system of prefixes to categorize its standards. Specifically, "A" is used for standards that pertain to iron, steel, and various ferrous alloys. This includes specifications for materials, testing methods, and practices related to these metals. Understanding this categorization is important for ensuring that the proper materials are used in construction and manufacturing processes, particularly in applications involving welded tanks for oil storage, where the integrity and properties of ferrous materials are crucial for safety and performance. The other letters correspond to different categories of materials: "B" often pertains to non-ferrous metals, "C" generally relates to cement and concrete, and "D" is used for miscellaneous materials and applications. Knowing these classifications helps engineers and construction professionals select the appropriate standards for their specific materials and applications.

6. How are tank welds categorized in API 650?

A. By location only

B. As circumferential or vertical seam welds

C. By thickness

D. As primary or secondary welds

Tank welds in API 650 are categorized specifically as circumferential or vertical seam welds, reflecting the orientation of the weld relative to the tank's structure. Circumferential welds are those that run around the tank, typically connecting the bottom and side shells or the side shells with other sections, while vertical seam welds run vertically along the height of the tank. This classification is critical in the design and construction processes, as different types of welds can have varying stresses and performance characteristics. Understanding the distinction between these weld types helps in determining the appropriate methods for inspection, quality control, and ensuring structural integrity throughout the life of the tank. Other categorization methods, such as by location, thickness, or the designation of primary versus secondary welds, do not fully capture the fundamental differences in weld function and placement that are essential to tank design as outlined in API 650. Thus, the classification into circumferential and vertical seam welds succinctly addresses the significant aspects of welding in tank construction.

SAMPLE

7. Why are inspection openings necessary in tanks as per API 650?

A. To comply with aesthetic standards

B. To facilitate emergency fuel transfer

C. For maintenance and internal access

D. To increase the tank's weight bearing capacity

Inspection openings are essential in tanks as per API 650 primarily for maintenance and internal access. These openings allow for the inspection of the interior surfaces of the tank, which is crucial for ensuring the integrity and safety of the tank structure. Regular inspections help in identifying any signs of corrosion, leaks, or structural issues that may arise over time due to the stored materials or environmental factors. Having these openings facilitates the maintenance processes, such as cleaning and repairs, enabling personnel to safely enter the tank when necessary. This maintenance access is critical to prolonging the lifespan of the tank and ensuring its operational reliability, which are fundamental factors in storage tank management. While other aspects, such as aesthetic considerations, emergency fuel transfer operations, and weight capacity concerns, are important in tank design and operation, they do not primarily justify the need for inspection openings as stipulated under API 650. The focus here is clearly on maintenance and ensuring that tanks can be regularly monitored and serviced to maintain their integrity and functionality over time.

8. According to API 650, when utilizing a concrete slab as a foundation, what applicability do the concrete ring wall requirements have?

A. No applicability

B. Only some applicability

C. Minimum applicability

D. Complete applicability

When utilizing a concrete slab as a foundation according to API 650, the concrete ring wall requirements have complete applicability. This is because the concrete ring wall serves several critical functions in ensuring the integrity and stability of the tank structure. It provides support for the tank wall and helps to distribute the load from the tank evenly across the foundation. Additionally, the concrete ring wall contributes to the overall resistance against uplift forces due to buoyancy and ensures proper containment in the event of leaks or spillage. API 650 thus mandates that the requirements for the concrete ring wall be followed rigorously to ensure safety, durability, and compliance with industry standards. Considering these aspects, it's clear that the specifications and requirements for the concrete ring wall are fully applicable, ensuring that the tank functions as intended while also meeting regulatory and safety guidelines.

SAMPLE

9. How does API 650 recommend handling chemical tank contents?

A. By using generic materials for all chemicals

B. Through constant monitoring and chemical analysis

C. By assessing compatibility of tank materials with chemical contents

D. By frequently changing out tank contents

The recommendation from API 650 to assess the compatibility of tank materials with chemical contents is critical for ensuring the long-term integrity and safety of storage tanks. Each chemical has unique characteristics, and the materials used in the construction of the tank must be compatible with those chemicals to prevent issues such as corrosion, leaks, or chemical reactions that could compromise the tank's structural integrity. Using generic materials for all chemicals could lead to significant risks if a particular chemical reacts negatively with the material. Although constant monitoring and chemical analysis are important for overall tank management, they do not replace the need for selecting appropriate, compatible materials from the outset. Similarly, frequently changing out tank contents does not address the fundamental compatibility concerns that could lead to longer-term damage to the tank. Therefore, the assessment of compatibility is the foundational step in ensuring that tanks are suitable for their intended contents, which is emphasized in API 650 standards. This ensures safety, compliance, and the longevity of the storage system.

10. What does the term "Corroded Thickness" refer to in tank design?

A. The thickness of the material after installation

B. A design condition equal to nominal thickness less corrosion allowance

C. The total thickness of a steel plate

D. The minimum thickness required for structural integrity

"Corroded Thickness" in tank design specifically refers to a condition where the effective thickness of the steel material is considered after accounting for potential corrosion over the lifespan of the tank. This means that it represents the nominal thickness of the material minus a corrosion allowance, which is the additional thickness that is incorporated into the design to counteract the expected loss of material due to corrosion. In this context, knowing the corroded thickness is vital for ensuring that the tank maintains its structural integrity and safety over time. By calculating this thickness accurately, engineers can ensure that even after corrosion occurs, the remaining thickness will still be sufficient to meet the design requirements and withstand operational loads. This concept underscores the importance of longevity and maintenance considerations in the design of storage tanks. Other terms, such as the total thickness of a steel plate or the minimum thickness required for structural integrity, do not specifically address the aspect of corrosion; thus, they do not accurately capture the intended meaning of "Corroded Thickness." The focus of this term is inherently linked to how corrosion affects the effective material available for support and containment in a tank design.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://api650.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE