
APIC TRAINING CERTIFICATION IN INFECTION PREVENTION AND CONTROL (CIC) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://apictrainingcic.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 9

Explanations 11

Next Steps 17

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which professionals are commonly involved in implementing diagnostic stewardship with an IP?

A. IP, infectious disease physician, pharmacy, and laboratory staff

B. Food service, housekeeping, and security

C. Medical records, hospital administration, and legal

D. Nursing staff only

2. Routine monitoring for sterilizers is an example of which practice?

A. Environmental sampling

B. Biological monitoring of sterilizers

C. Chemical indicators

D. Air sampling

3. Which statement about environmental sampling in healthcare facilities is true?

A. Targeted environmental sampling during an outbreak should only be performed if advised by the local jurisdiction or health department.

B. Routine or random, directed microbiological culturing of air, water, and environmental surfaces in healthcare facilities is not recommended.

C. Routine culturing is indicated for specific quality control purposes, such as biological monitoring of sterilizers using bacterial spores and cultures of water and dialysate in hemodialysis units.

D. Environmental sampling should be performed upon completion of construction projects.

4. A hospital detects rising GI illness and uses EMR-based reporting to identify cases with symptom clusters and notify authorities. This is an example of which surveillance type?

A. Syndromic

B. Laboratory-based

C. Active case finding

D. Sentinel

SAMPLE

5. If a clinic seeks a disinfectant with lower respiratory irritation risk, which active ingredient would be preferred?

A. Phenols

B. Accelerated hydrogen peroxide

C. Sodium hypochlorite

D. Quaternary ammonium compounds

6. An inpatient mental health unit is experiencing a cluster of norovirus cases. What action should the IP recommend?

A. Frequent cleaning and disinfection of high-touch surfaces

B. Relocate all patients to another unit

C. Close the unit to visitors

D. Increase air exchanges in rooms

7. Which storage practice would most likely block hallway egress and compromise safety?

A. Clear aisles and keep pathways unobstructed.

B. Item storage blocks hallway egress.

C. Fire extinguishers are blocked by stored items.

D. Clean supplies are stored within 18 inches of sprinkler heads.

8. Why do healthcare facilities have vaccination requirements for healthcare personnel?

A. Vaccines are optional but recommended.

B. Vaccines prevent infection in the majority of otherwise healthy adults.

C. Vaccines guarantee zero transmission in all settings.

D. Vaccines are costly and should be avoided when possible.

9. What is the definition of an outbreak?

A. More cases than expected amongst a group of patients in a particular time period.

B. A single new infection in a hospital.

C. A routine seasonal illness in a facility.

D. An infection that occurs only outside of healthcare settings.

SAMPLE

10. An IP, infectious disease physician, and pharmacy and laboratory staff collaborating to improve C. difficile testing exemplifies which concept?

A. Antimicrobial stewardship

B. Quality improvement

C. Diagnostic stewardship

D. Environmental infection control

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. A
5. B
6. A
7. B
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which professionals are commonly involved in implementing diagnostic stewardship with an IP?

A. IP, infectious disease physician, pharmacy, and laboratory staff

B. Food service, housekeeping, and security

C. Medical records, hospital administration, and legal

D. Nursing staff only

Diagnostic stewardship relies on coordinating testing decisions across clinical judgment, lab processes, and treatment choices. The infection preventionist leads surveillance and policy efforts to prevent unnecessary testing and curb the spread of resistant organisms. An infectious disease physician brings clinical judgment on when tests are truly indicated and how results should guide patient management. Pharmacy contributes by aligning test use with antimicrobial stewardship, advising on rapid diagnostics and how results should influence antibiotic choices. Laboratory staff ensure the right tests are available, correctly ordered, and performed efficiently, with timely and accurate reporting and the implementation of useful protocols like reflex testing. Together, this collaboration makes diagnostic testing timely, appropriate, and actionable, which is the heart of effective stewardship. Other roles such as food service, housekeeping, or security don't directly impact diagnostic testing decisions, and while nursing supports specimen collection and patient care, the primary diagnostic stewardship leadership typically centers on these four professionals.

2. Routine monitoring for sterilizers is an example of which practice?

A. Environmental sampling

B. Biological monitoring of sterilizers

C. Chemical indicators

D. Air sampling

Biological monitoring of sterilizers verifies that the sterilization cycle actually achieves sterilization. It uses spore-containing indicators placed in the load or in a representative location to test whether the cycle can lethally inactivate even the most resistant organisms. After the cycle, the indicators are incubated to see if any spores survived; no growth means the process was effective, while growth indicates a failure that needs investigation. This directly confirms the sterilizer's efficacy, unlike environmental sampling (checking surfaces in the environment), chemical indicators (which show that cycle conditions were met but not actual sterility), or air sampling. Hence routine monitoring for sterilizers is best described as biological monitoring of sterilizers.

SAMPLE

3. Which statement about environmental sampling in healthcare facilities is true?

A. Targeted environmental sampling during an outbreak should only be performed if advised by the local jurisdiction or health department.

B. Routine or random, directed microbiological culturing of air, water, and environmental surfaces in healthcare facilities is not recommended.

C. Routine culturing is indicated for specific quality control purposes, such as biological monitoring of sterilizers using bacterial spores and cultures of water and dialysate in hemodialysis units.

D. Environmental sampling should be performed upon completion of construction projects.

Environmental sampling in healthcare is about quality control of critical processes, not blanket surveillance. The best statement reflects that routine culturing is used for specific quality-control purposes, such as using biological indicators (spore tests) to verify that sterilizers are effectively killing organisms and testing water and dialysate quality in hemodialysis units. This ensures patient safety by confirming sterilization processes work and that water quality meets standards. Other options don't fit as well because sampling during an outbreak is typically directed by public health guidance and internal protocols rather than a blanket rule; routine random culturing of air, water, and surfaces isn't a universal recommendation since it can be impractical and may yield ambiguous results; and post-construction sampling is done in certain risk-based scenarios or during commissioning, not as an unconditional requirement for all facilities.

4. A hospital detects rising GI illness and uses EMR-based reporting to identify cases with symptom clusters and notify authorities. This is an example of which surveillance type?

A. Syndromic

B. Laboratory-based

C. Active case finding

D. Sentinel

This uses symptom patterns reported in real time to detect possible outbreaks, which is the hallmark of syndromic surveillance. By grouping clinical presentations (like gastroenteric symptoms) in EMR data and flagging clusters for rapid notification, it aims to identify unusual health events before lab confirmations are available. Laboratory-based surveillance relies on confirmed test results, active case finding is a proactive search for cases rather than passive reporting, and sentinel surveillance uses data from selected sites rather than broad, real-time symptom-based signals.

SAMPLE

5. If a clinic seeks a disinfectant with lower respiratory irritation risk, which active ingredient would be preferred?

A. Phenols

B. Accelerated hydrogen peroxide

C. Sodium hypochlorite

D. Quaternary ammonium compounds

Minimizing respiratory irritation comes down to how much fumes or volatile compounds the disinfectant releases during use. Accelerated hydrogen peroxide is designed to be effective while producing minimal irritant vapors; it breaks down quickly into water and oxygen, and it generally has little odor. That makes it a safer choice for staff and patients in terms of inhalation exposure, especially in areas with limited ventilation. Phenols tend to have strong odors and higher mucous membrane toxicity, so inhaling their vapors can be more irritating. Sodium hypochlorite (bleach) releases chlorine-containing gases that can irritate the airways, particularly if used at higher concentrations or in poorly ventilated spaces. Quaternary ammonium compounds can also cause respiratory irritation in some individuals, especially when aerosols are formed. Because of these factors, accelerated hydrogen peroxide offers a lower respiratory irritation risk while still delivering broad disinfection, making it the preferred option in settings prioritizing airway safety.

6. An inpatient mental health unit is experiencing a cluster of norovirus cases. What action should the IP recommend?

A. Frequent cleaning and disinfection of high-touch surfaces

B. Relocate all patients to another unit

C. Close the unit to visitors

D. Increase air exchanges in rooms

Controlling a norovirus cluster hinges on interrupting transmission through the environment. Norovirus is extremely contagious and can spread easily via hands, contaminated surfaces, and objects, with the virus able to remain infectious on surfaces for days. Because of this, the most effective immediate action is frequent cleaning and disinfection of high-touch surfaces using an EPA-approved product proven to combat norovirus, following the correct contact time. This reduces environmental contamination on items like bed rails, door handles, bedside tables, shared equipment, bathrooms, and areas where vomiting or diarrhea occurred. In addition to cleaning, reinforce hand hygiene with soap and water, apply appropriate contact precautions, and promptly clean up spills with proper PPE and disinfectant. While other measures such as limiting visitors or moving patients might seem helpful in broader outbreak management, they don't address the main transmission route as directly as rigorous environmental cleaning.

SAMPLE

7. Which storage practice would most likely block hallway egress and compromise safety?

A. Clear aisles and keep pathways unobstructed.

B. Item storage blocks hallway egress.

C. Fire extinguishers are blocked by stored items.

D. Clean supplies are stored within 18 inches of sprinkler heads.

Keeping hallways clear is essential for safe evacuation and for emergency responders to reach areas quickly. When item storage blocks hallway egress, there is a direct barrier to the exits, increasing the risk of injury or delay during an emergency and potentially violating safety codes. Other practices described are unsafe in different ways, but they don't block the egress path as directly. Maintaining clear aisles is the proper safety measure. Blocking fire extinguishers impedes access to those tools, which is dangerous, but the scenario emphasizes the immediate blockage of the exit route. Storing clean supplies within 18 inches of sprinkler heads breaches clearance requirements and can affect sprinkler performance, but it does not create a direct obstruction to exiting.

8. Why do healthcare facilities have vaccination requirements for healthcare personnel?

A. Vaccines are optional but recommended.

B. Vaccines prevent infection in the majority of otherwise healthy adults.

C. Vaccines guarantee zero transmission in all settings.

D. Vaccines are costly and should be avoided when possible.

The main idea is that vaccination requirements exist to lower the chance staff get infected and, in turn, pass infections to patients. For most vaccines, healthy adults develop meaningful protection, which reduces the likelihood that a healthcare worker will acquire the disease and spread it to patients, many of whom are vulnerable. In healthcare settings, preventing transmission protects people who can't fight infections well on their own, helps avoid outbreaks, and supports safer care overall. While vaccines don't guarantee zero transmission, their effectiveness at preventing infection in the majority of healthy adults makes them a cornerstone of protecting patients and staff. The other statements miss this core purpose: vaccines aren't merely optional in policy terms, they don't guarantee zero transmission in all settings, and cost considerations don't drive the rationale for requiring vaccination.

9. What is the definition of an outbreak?

A. More cases than expected amongst a group of patients in a particular time period.

B. A single new infection in a hospital.

C. A routine seasonal illness in a facility.

D. An infection that occurs only outside of healthcare settings.

Outbreaks are identified when there are more cases of a disease than would be expected in a defined group over a specific period. It's about clustering above the usual baseline for that population and setting, which signals possible transmission and triggers investigation and control actions. This is not just a single new infection, and it's not simply a routine seasonal illness that fits the usual pattern. Outbreaks can occur in healthcare settings as well as in the community.

SAMPLE

10. An IP, infectious disease physician, and pharmacy and laboratory staff collaborating to improve C. difficile testing exemplifies which concept?

A. Antimicrobial stewardship

B. Quality improvement

C. Diagnostic stewardship

D. Environmental infection control

Diagnostic stewardship is about using diagnostic tests in a thoughtful, coordinated way to maximize accuracy and clinical usefulness while minimizing harm and waste. In this scenario, bringing together infection prevention, an infectious disease physician, pharmacy, and laboratory staff to improve C. difficile testing shows this approach in action. The team would work to ensure testing is appropriate for the patient's symptoms (for example, testing mainly when there is clinically significant diarrhea rather than testing colonized but asymptomatic individuals), choose or sequence tests wisely (such as using an algorithm that combines GDH screening with toxin detection or a confirmatory molecular test, and applying reflex testing rules), and decide when not to test or when to repeat testing. They would also align how results are interpreted and communicated back to clinicians, and may restrict reflex or repeat testing to prevent false positives or unnecessary treatment. All of these steps aim to improve diagnostic accuracy, reduce misdiagnosis, and guide better patient management, including avoiding unnecessary isolation or antibiotic use. This focus on the testing process itself distinguishes diagnostic stewardship from broader quality improvement or environmental infection control concepts, which address different aspects of healthcare delivery.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://apictrainingcic.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE