APR CARDIOVASCULAR SYSTEM PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://aprcardiovascularsys.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The vein that is the second largest vein in the human body and returns blood to the right atrium from the upper half of the body is the:

A. Inferior vena cava

B. Great saphenous vein

C. Internal jugular vein

D. Superior vena cava

2. Nitrates primarily cause venodilation; what is the secondary effect on afterload?

A. No change

B. Significantly increases afterload

C. Decreases afterload modestly

D. Eliminates afterload completely

3. Which statement best differentiates STEMI from NSTEMI on the ECG and biomarkers?

A. STEMI shows ST-segment depression with nontransmural ischemia; NSTEMI shows ST elevation.

B. STEMI shows ST-segment elevation with transmural ischemia; NSTEMI lacks ST elevation but has positive troponin with non-ST changes (ST depression/TWI).

C. STEMI has negative troponin; NSTEMI has positive troponin.

D. STEMI occurs only in the inferior wall; NSTEMI occurs in the anterior wall.

4. Which chamber receives oxygenated blood from the lungs?

A. left atrium

B. right atrium

C. left ventricle

D. right ventricle

5. How does BNP help in diagnosing heart failure?

A. BNP rises with ventricular stretch; helps differentiate heart failure from noncardiac dyspnea and assess severity.

B. BNP decreases with ventricular stretch.

C. BNP is elevated only in right-sided heart failure.

D. BNP has no diagnostic value in dyspnea.

SAMPLE

6. In peripheral arterial disease, which description best distinguishes intermittent claudication from rest pain?

A. Intermittent claudication occurs with activity; rest pain occurs at rest due to severe ischemia

B. Intermittent claudication occurs with rest; rest pain with activity

C. Rest pain occurs with activity; intermittent with rest

D. Pain is constant regardless of activity

7. Which chamber receives oxygenated blood from the lungs?

A. left atrium

B. right atrium

C. left ventricle

D. right ventricle

8. Which description best describes the inferior vena cava relative to the diaphragm?

A. It drains blood from the upper body.

B. It is the second largest vein.

C. It collects blood from below the diaphragm and returns it to the right atrium.

D. It drains blood from the lungs.

9. Which chamber pumps oxygenated blood to the body?

A. Left Ventricle

B. Right Atrium

C. Right Ventricle

D. Left Atrium

10. If atropine does not relieve symptomatic bradycardia in the setting of myocardial infarction, what is the next recommended step?

A. Temporary pacing

B. Increase fluids

C. Start beta-blocker

D. Calcium infusion

SAMPLE

Answers

SAMPLE

1. D
2. C
3. B
4. A
5. A
6. A
7. A
8. C
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. The vein that is the second largest vein in the human body and returns blood to the right atrium from the upper half of the body is the:

A. Inferior vena cava

B. Great saphenous vein

C. Internal jugular vein

D. Superior vena cava

Veins return blood to the heart, and the path from the upper body to the right atrium is through the superior vena cava, the second largest vein in the body. This vessel collects blood from the head, neck, and upper limbs via the brachiocephalic veins and delivers it into the right atrium. The inferior vena cava handles the lower body, so it's the largest vein. The internal jugular vein drains the brain and neck but is smaller and feeds into the brachiocephalic system that leads to the superior vena cava. The great saphenous vein is a superficial leg vein that ultimately drains into the femoral vein and then into the inferior vena cava, not directly into the right atrium. Thus, the superior vena cava best fits the description.

2. Nitrates primarily cause venodilation; what is the secondary effect on afterload?

A. No change

B. Significantly increases afterload

C. Decreases afterload modestly

D. Eliminates afterload completely

Nitrates primarily dilate veins, which lowers venous return and reduces preload. This decrease in preload lowers left ventricular end-diastolic pressure and the wall stress the heart must work against during filling, which is the main effect. Nitrates also cause some arterial dilation, though to a lesser extent, which can reduce systemic vascular resistance and afterload a bit. Because the arterial component is smaller, the net effect on afterload is only modest. So afterload decreases modestly.

3. Which statement best differentiates STEMI from NSTEMI on the ECG and biomarkers?

A. STEMI shows ST-segment depression with nontransmural ischemia; NSTEMI shows ST elevation.

B. STEMI shows ST-segment elevation with transmural ischemia; NSTEMI lacks ST elevation but has positive troponin with non-ST changes (ST depression/TWI).

C. STEMI has negative troponin; NSTEMI has positive troponin.

D. STEMI occurs only in the inferior wall; NSTEMI occurs in the anterior wall.

ST-elevation on the ECG signals injury across the full thickness of the heart wall (transmural) due to a complete coronary occlusion. When this happens, heart muscle cells die and troponin is released, so the biomarker is positive. This combination defines STEMI: ST-segment elevation plus positive troponin from transmural infarction. If the ECG does not show ST elevation, but troponin is still positive, the infarction is usually subendocardial (nontransmural). This is NSTEMI: no ST elevation with positive troponin, and you may see ST depression or T-wave changes instead. Why the other statements don't fit: they either reverse the ECG pattern (ST elevation described as nontransmural or NSTEMI with ST elevation), claim troponin is negative in STEMI, or restrict infarct location to a single wall, which isn't correct—the ECG and troponin pattern are what distinguish STEMI from NSTEMI regardless of wall involved.

SAMPLE

4. Which chamber receives oxygenated blood from the lungs?

A. left atrium

B. right atrium

C. left ventricle

D. right ventricle

Blood returning from the lungs is oxygenated and lands in the left atrium. In pulmonary circulation, the pulmonary veins carry oxygen-rich blood from the lungs directly into the heart's left atrium. From there, blood moves through the mitral valve into the left ventricle to be pumped to the rest of the body. The right atrium, by contrast, receives deoxygenated blood from the body, and the ventricles are the pumping chambers, not the receiving chambers from the lungs. So the chamber that receives oxygenated blood from the lungs is the left atrium.

5. How does BNP help in diagnosing heart failure?

A. BNP rises with ventricular stretch; helps differentiate heart failure from noncardiac dyspnea and assess severity.

B. BNP decreases with ventricular stretch.

C. BNP is elevated only in right-sided heart failure.

D. BNP has no diagnostic value in dyspnea.

BNP is released by ventricular heart muscle cells in response to increased wall tension from volume expansion or pressure overload. In heart failure, the ventricles are stretched, so BNP levels rise. This makes BNP a useful tool when evaluating shortness of breath: a higher BNP supports a cardiac cause like heart failure rather than a noncardiac cause, and the level tends to reflect how severe the heart failure is (higher levels indicating higher filling pressures and worse prognosis). BNP can also help track response to treatment as levels decrease when overload improves. The statements that it decreases with stretch, that it's elevated only in right-sided failure, or that it has no diagnostic value in dyspnea aren't accurate.

6. In peripheral arterial disease, which description best distinguishes intermittent claudication from rest pain?

A. Intermittent claudication occurs with activity; rest pain occurs at rest due to severe ischemia

B. Intermittent claudication occurs with rest; rest pain with activity

C. Rest pain occurs with activity; intermittent with rest

D. Pain is constant regardless of activity

The key idea is how blood flow limitations show up with activity vs at rest. Intermittent claudication is exercise-induced muscle pain from the demand for oxygen outstripping what the narrowed arteries can supply; it appears with activity and goes away with rest. Rest pain signals more severe, resting ischemia—pain that occurs when the leg is at rest (and often worsens when the leg is elevated and improves when it's dependent). This combination makes the best description: intermittent claudication happens with activity, while rest pain occurs at rest due to severe ischemia.

SAMPLE

7. Which chamber receives oxygenated blood from the lungs?

A. left atrium

B. right atrium

C. left ventricle

D. right ventricle

The chamber that collects oxygenated blood from the lungs is the left atrium. As blood picks up oxygen in the lungs, it returns to the heart through the pulmonary veins and funnels into the left atrium. From there, the oxygen-rich blood moves through the mitral valve into the left ventricle to be pumped out to the body. By contrast, the right atrium receives deoxygenated blood from the body, and the right ventricle pumps blood to the lungs.

8. Which description best describes the inferior vena cava relative to the diaphragm?

A. It drains blood from the upper body.

B. It is the second largest vein.

C. It collects blood from below the diaphragm and returns it to the right atrium.

D. It drains blood from the lungs.

The inferior vena cava is the main vessel that returns deoxygenated blood from the lower part of the body to the heart, delivering it into the right atrium as it passes through the diaphragm. This is why the description that best fits is that it collects blood from below the diaphragm and returns it to the right atrium. It doesn't drain the upper body—that's the job of the superior vena cava. It's also not correctly described as simply the second largest vein; it's one of the largest veins in the body. And it doesn't drain the lungs—the blood from the lungs returns via the pulmonary veins to the left atrium.

9. Which chamber pumps oxygenated blood to the body?

A. Left Ventricle

B. Right Atrium

C. Right Ventricle

D. Left Atrium

The left ventricle is the chamber that pumps oxygenated blood to the body. It receives oxygen-rich blood from the left atrium and then contracts with enough force to propel blood into the aorta and through the systemic circulation. Its muscular wall is the thickest of the chambers because it must generate high pressure to push blood throughout the entire body. By contrast, the right atrium collects deoxygenated blood from the body, the right ventricle sends that blood to the lungs, and the left atrium simply receives oxygenated blood from the lungs and passes it to the left ventricle. So, the heart chamber responsible for delivering oxygenated blood to the body's tissues is the left ventricle.

SAMPLE

10. If atropine does not relieve symptomatic bradycardia in the setting of myocardial infarction, what is the next recommended step?

A. Temporary pacing

B. Increase fluids

C. Start beta-blocker

D. Calcium infusion

When a myocardial infarction causes symptomatic bradycardia that does not respond to atropine, the priority is to restore and maintain adequate heart rate and perfusion. Atropine works by increasing SA node firing, but if the conduction system is damaged by the infarct, its effect may be minimal. Providing temporary pacing gives an immediate electrical stimulus to drive the heart rate, supporting blood flow while the infarct is treated and the rhythm disturbance is managed. This can be done quickly with transcutaneous pacing as a bridge, and later with transvenous pacing if needed. Other options—giving more fluids, starting a beta-blocker, or using calcium infusion—do not address the underlying need to maintain an adequate rate in this context and can worsen the situation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://aprcardiovascularsys.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE