ARCHER RENAL AND NUTRITION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://archerrenalnutrition.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In which scenario should a nurse administer albumin following paracentesis?

A. When less than 5 liters of fluid is drained

B. When more than 5 liters of fluid is drained

C. When there is a suspected infection

D. When the patient shows signs of dehydration

2. What role do antioxidants play for those with renal disease?

A. Increase inflammation

B. Accelerate kidney damage

C. Reduce oxidative stress

D. Cure kidney disease

3. What laboratory findings should prompt a nurse to notify the healthcare provider for a client who had a liver transplant?

A. Increased serum potassium levels

B. Rising aspartate aminotransferase (AST) and alanine aminotransferase (ALT) levels

C. Low serum bilirubin levels

D. Decreased alkaline phosphatase levels

4. What role do electrolytes play in renal health?

A. They only influence blood pressure

B. They maintain fluid balance and support muscle function

C. They are only important for athletes

D. They primarily regulate hormone levels

5. What should a nurse suspect in a client admitting with symptoms of numbness in their lips and hands, carpopedal spasms, and prolonged QT interval?

A. Hyperparathyroidism

B. Hypoparathyroidism

C. Hypercalcemia

D. Hypocalcemia

SAMPLE

6. What may result from inadequate management of phosphorus levels in renal patients?

A. Improved bone density

B. Potential vascular calcification

C. Increased muscle mass

D. Enhanced kidney function

7. Which actions by a student nurse administering medications via NGT require follow-up?

A. Cruising each tablet into a fine powder

B. Administering medications directly into tube feeding

C. Using a 30 mL flush after medication

D. Verifying NGT placement

8. What is the most appropriate nursing diagnosis for an immobilized client with an alkaline urinary pH?

A. Impaired skin integrity

B. Risk for fluid volume deficit

C. Impaired urinary elimination related to an alkaline urinary pH

D. Risk for infection

9. What should the color of a healthy stoma be following the establishment of a colostomy?

A. Pale yellow

B. Dark red

C. Reddish-pink

D. Bright orange

10. Which of the following components is primarily contained in Dextrose 5% in water (D5W)?

A. High sodium concentration

B. Free water

C. Electrolyte-blend

D. High potassium concentration

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. B
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. In which scenario should a nurse administer albumin following paracentesis?

A. When less than 5 liters of fluid is drained

B. When more than 5 liters of fluid is drained

C. When there is a suspected infection

D. When the patient shows signs of dehydration

Albumin administration following paracentesis is indicated when a significant volume of fluid, specifically more than 5 liters, is drained. This is primarily due to the fact that large-volume paracentesis can lead to shifts in the intravascular volume and albumin is essential in maintaining oncotic pressure in the blood vessels. When more than 5 liters of fluid is removed, there is a risk of hypotension and fluid shifts that can result in complications such as cardiovascular collapse. Administering albumin helps to restore oncotic pressure, stabilize hemodynamics, and prevent potential complications associated with the abrupt removal of a large volume of ascitic fluid. The other scenarios listed, such as the amount of fluid drained being less than 5 liters, the presence of suspected infection, or signs of dehydration, do not specifically warrant the administration of albumin post-paracentesis as urgency or necessity may vary based on the clinical context and the volume of fluid removed.

2. What role do antioxidants play for those with renal disease?

A. Increase inflammation

B. Accelerate kidney damage

C. Reduce oxidative stress

D. Cure kidney disease

Antioxidants play a critical role in managing oxidative stress, which is particularly pronounced in individuals with renal disease. In the context of kidney function, oxidative stress can lead to further damage to the kidneys and exacerbate the condition. By reducing oxidative stress, antioxidants help to protect kidney cells from damage caused by free radicals, potentially improving kidney health and function. Furthermore, the benefits of antioxidants extend to minimizing inflammatory responses and supporting overall cellular health, making their presence vital for patients suffering from renal issues. While antioxidant supplementation is not a cure for kidney disease, their ability to mitigate oxidative damage can contribute to better disease management and possibly slow the progression of renal impairment.

SAMPLE

3. What laboratory findings should prompt a nurse to notify the healthcare provider for a client who had a liver transplant?

A. Increased serum potassium levels

B. Rising aspartate aminotransferase (AST) and alanine aminotransferase (ALT) levels

C. Low serum bilirubin levels

D. Decreased alkaline phosphatase levels

Rising aspartate aminotransferase (AST) and alanine aminotransferase (ALT) levels are significant laboratory findings following a liver transplant because they indicate potential liver injury or dysfunction. After a transplant, it is crucial to monitor liver function closely, as elevated levels of these enzymes suggest that the liver is not functioning effectively or that there is an underlying issue, such as rejection or an infection. Early identification of changes in liver enzyme levels allows for timely intervention, which is essential to prevent serious complications. In the context of liver transplants, increased AST and ALT levels are particularly alarming because they provide direct information about hepatocellular damage. While other lab findings, such as potassium levels, bilirubin levels, and alkaline phosphatase levels, can also be important, the primary concern in the immediate postoperative period typically revolves around the liver's ability to function properly, which is indicated by AST and ALT levels.

4. What role do electrolytes play in renal health?

A. They only influence blood pressure

B. They maintain fluid balance and support muscle function

C. They are only important for athletes

D. They primarily regulate hormone levels

Electrolytes are essential for maintaining various physiological functions in the body, particularly in relation to renal health. One of their primary roles is to help maintain fluid balance, which is crucial for proper kidney function. The kidneys filter blood, removing excess electrolytes and waste products while retaining those that are necessary for bodily functions. A balanced electrolyte level ensures that the body retains the appropriate amount of fluid, which can help prevent dehydration and regulate blood pressure. In addition to fluid balance, electrolytes support muscle function. For example, calcium, potassium, and sodium are critical for muscle contractions. Proper electrolyte levels ensure that muscles, including those in the heart, function correctly. An imbalance can lead to various issues, such as muscle weakness, cramps, or more severe cardiovascular problems. Understanding the broader role of electrolytes highlights their importance not just for athletes, as implied in one of the options, but for all individuals, particularly those with renal health concerns. The kidneys play a significant role in managing electrolyte levels, making it crucial for overall health and wellness.

SAMPLE

5. What should a nurse suspect in a client admitting with symptoms of numbness in their lips and hands, carpopedal spasms, and prolonged QT interval?

A. Hyperparathyroidism

B. Hypoparathyroidism

C. Hypercalcemia

D. Hypocalcemia

The symptoms presented in this scenario—numbness in the lips and hands, carpopedal spasms, and a prolonged QT interval—strongly align with hypocalcemia. Low levels of calcium in the body can lead to neuromuscular irritability, which is characterized by tingling or numbness, especially in the extremities and around the mouth, as well as muscle spasms like carpopedal spasms. A prolonged QT interval is another cardiac manifestation of low calcium levels, increasing the risk for serious arrhythmias. These clinical findings suggest that the client is likely experiencing the effects of inadequate calcium, as seen in conditions leading to hypoparathyroidism or other causes of low calcium levels. In contrast to hypoparathyroidism, which would indeed lead to low calcium levels, the symptoms and their presentation are more closely linked to hypocalcemia specifically, as it reflects the direct impact of low calcium on neuromuscular function and cardiac conduction. Thus, the combination of clinical signs and the prolonged QT interval support the diagnosis of hypocalcemia.

6. What may result from inadequate management of phosphorus levels in renal patients?

A. Improved bone density

B. Potential vascular calcification

C. Increased muscle mass

D. Enhanced kidney function

Inadequate management of phosphorus levels in renal patients can lead to potential vascular calcification. When phosphorus levels are not appropriately controlled, particularly in individuals with chronic kidney disease, the balance of calcium and phosphorus in the body can be disrupted. Elevated phosphorus levels can cause the calcification of blood vessels and other tissues, a condition often referred to as vascular calcification. This occurs because the kidneys are unable to excrete excess phosphorus effectively, leading to its accumulation in the blood. High phosphorus levels can suppress the synthesis of active vitamin D, which in turn reduces the absorption of calcium from the diet. The result can be an imbalance that promotes calcification in vascular tissues, which increases the risk of cardiovascular complications—a significant concern for renal patients. Other choices, such as improved bone density, increased muscle mass, or enhanced kidney function, do not accurately reflect the consequences of poor phosphorus management. In fact, high phosphorus levels typically contribute to secondary hyperparathyroidism, which can weaken bone density over time, rather than improve it.

SAMPLE

7. Which actions by a student nurse administering medications via NGT require follow-up?

A. Cruising each tablet into a fine powder

B. Administering medications directly into tube feeding

C. Using a 30 mL flush after medication

D. Verifying NGT placement

Administering medications directly into tube feeding requires follow-up because it can lead to various complications, including potential drug interactions and reduced effectiveness of medications. Tube feedings can alter the absorption of certain medications, as the presence of nutrients in the gastrointestinal tract can affect how medications are broken down and absorbed. Administering medications this way may prevent the proper therapeutic effects of the drugs, as they may not reach the systemic circulation adequately. Additionally, some medications may need to be administered separately from feedings to avoid binding interactions or to ensure they are absorbed properly. Therefore, best practice typically involves administering medications through the NG tube when the feeding is paused to ensure proper delivery and drug efficacy. The other actions, such as grinding tablets into a fine powder, using a 30 mL flush after medication, and verifying NGT placement, are generally aligned with safe nursing practices. Crushing tablets ensures they can pass through the tube without clogging, flushing the tube maintains patency and ensures medication delivery, and verifying the placement of the NGT is essential for safety before administering any substance.

8. What is the most appropriate nursing diagnosis for an immobilized client with an alkaline urinary pH?

A. Impaired skin integrity

B. Risk for fluid volume deficit

C. Impaired urinary elimination related to an alkaline urinary pH

D. Risk for infection

The nursing diagnosis related to an immobilized client with an alkaline urinary pH, particularly "Impaired urinary elimination related to an alkaline urinary pH," is most appropriate because it directly addresses the physiological implications of an alkaline urine. A pH level above 7.0 in the urine may indicate various conditions, including urinary stasis or infection, which can lead to further complications in an immobilized patient. When a client is immobilized, they are at risk for urinary complications due to decreased mobility and potential urinary stasis. An alkaline urinary pH may contribute to crystallization of certain substances, leading to urinary tract issues such as stones or infections. Therefore, this diagnosis encompasses the relationship between the patient's condition and the observed laboratory finding, ensuring that nursing interventions can focus on promoting effective urinary elimination and preventing further complications. This diagnosis allows healthcare providers to monitor the urinary output closely, assess for symptoms of infection, and potentially adjust interventions or treatments to maintain a healthy urinary environment.

SAMPLE

9. What should the color of a healthy stoma be following the establishment of a colostomy?

A. Pale yellow

B. Dark red

C. Reddish-pink

D. Bright orange

The ideal color of a healthy stoma following the establishment of a colostomy is reddish-pink. This coloring indicates that the stoma is well-perfused and receiving adequate blood flow, which is vital for the health of the tissue. A stoma with this coloration suggests it is functioning properly and is not showing signs of ischemia (lack of blood flow) or necrosis (tissue death). In contrast, other colors can raise concerns. For instance, a pale yellow stoma might suggest poor blood circulation or dehydration. A dark red stoma can indicate either excessive blood flow or possible complications, while a bright orange coloration could also indicate potential problems with the stoma's health. Thus, understanding the expected coloration is essential for recognizing the health of the stoma and addressing any issues early on.

10. Which of the following components is primarily contained in Dextrose 5% in water (D5W)?

A. High sodium concentration

B. Free water

C. Electrolyte-blend

D. High potassium concentration

Dextrose 5% in water (D5W) primarily contains free water, as it is essentially a sugar solution where dextrose is dissolved in water. The composition of D5W indicates that it serves as a source of fluid and carbohydrates. When administered, D5W provides a significant volume of water to the patient. This can be particularly beneficial for hydration purposes and is often used in clinical settings to restore fluid balance. While it also supplies a small amount of calories and can be metabolized for energy, its main feature is the free water it provides. In contrast to the other options, D5W does not contain high sodium or potassium concentrations, nor does it serve as an electrolyte blend. This distinguishes it as a fluid that is primarily used for rehydration rather than electrolyte replacement.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://archerrenalnutrition.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE