


ARIZONA STATE UNIVERSITY (ASU) BIOLOGY OF PLANTS EXAM 1 PRACTICE (SAMPLE) STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://asu-biologyofplants1.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which statement correctly describes the dominant generation in different plant groups?**
 - A. The haploid gametophyte is dominant in bryophytes.
 - B. The diploid sporophyte is dominant in bryophytes.
 - C. In angiosperms, the gametophyte is dominant.
 - D. Plants do not alternate generations.
- 2. Where did rice originate?**
 - A. India
 - B. China
 - C. Egypt
 - D. Mexico
- 3. In tissue culture, which statement describes the effect of a high cytokinin-to-auxin ratio?**
 - A. It promotes root formation.
 - B. It promotes shoot formation.
 - C. It inhibits cell division.
 - D. It causes callus formation only.
- 4. What is the primary role of auxin in phototropism and maintaining apical dominance?**
 - A. Stomatal closure in response to drought.
 - B. Auxin produced in the shoot apex travels basipetally, causing cells on the shaded side to elongate and bend toward the light, while inhibiting lateral bud growth to maintain apical dominance.
 - C. Auxin is produced in roots and promotes lateral bud growth.
 - D. Auxin signals fruit ripening by activating ethylene production.
- 5. Under which conditions is photorespiration favored?**
 - A. High CO₂ and high O₂
 - B. High O₂ and low CO₂
 - C. Low O₂ and high CO₂
 - D. Low O₂ and low CO₂

- 6. Aerenchyma is best described as which of the following?**
- A. Aerenchyma is a spongy tissue with air spaces in the leaves, stems, and roots of halophytic plants
 - B. Aerenchyma stores starch
 - C. Aerenchyma is a rigid supportive tissue with lignified cells
 - D. Aerenchyma is a vascular tissue
- 7. What is the role of tannins and phenolics in plant defense, and give an example?**
- A. Secondary metabolites deter herbivores and pathogens; example: tannins bind proteins to reduce digestibility; phenolics like flavonoids provide UV protection.
 - B. Primary metabolites are essential for growth, such as sugars and amino acids.
 - C. Tannins are primarily involved in pigment formation during photosynthesis.
 - D. Phenolics do not contribute to UV protection.
- 8. What is Antonie van Leeuwenhoek known for?**
- A. Coined the term 'cell'
 - B. First to observe living microorganisms using a single-lens microscope
 - C. Proposed cell theory
 - D. Disproved spontaneous generation
- 9. Where is collenchyma commonly found in a plant and what is its major function?**
- A. Found under the epidermis, or outer layer of cells in young stems and in leaf veins; Function: provide structural support.
 - B. Often found under the epidermis, or outer layer of cells in young stems and in leaf veins; Function: provide structural support.
 - C. Located in the root hair zone; Absorbs minerals from the soil.
 - D. Located in guard cells; Regulates gas exchange.
- 10. What is genet?**
- A. A single genetically distinct individual
 - B. A group of genetically identical individuals from a single ancestor
 - C. A single clone of a plant
 - D. A population of different species

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. B
6. A
7. A
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which statement correctly describes the dominant generation in different plant groups?

- A. The haploid gametophyte is dominant in bryophytes.**
- B. The diploid sporophyte is dominant in bryophytes.
- C. In angiosperms, the gametophyte is dominant.
- D. Plants do not alternate generations.

Dominant generation refers to which multicellular phase is larger, longer-lasting, and nutritionally independent in a plant's life cycle. In bryophytes (such as mosses and liverworts), the visible, photosynthetic life form is the haploid gametophyte, and it is the dominant stage. The diploid sporophyte remains attached to and fed by the gametophyte and is typically small and short-lived. That's why bryophytes are described as having a dominant haploid gametophyte. In contrast, in angiosperms the main plant body is the diploid sporophyte, with only microscopic haploid gametophytes (the pollen grain and the embryo sac) inside tissues. The other statement that plants do not alternate generations is incorrect because all land plants exhibit alternation of generations, though which generation is dominant varies among groups. So the statement about bryophytes having a dominant haploid gametophyte best captures how dominance differs among plant groups.

2. Where did rice originate?

- A. India
- B. China**
- C. Egypt
- D. Mexico

Rice originated in East Asia, with the earliest evidence of domesticated rice found in the Yangtze River valley of China about 9,000–10,000 years ago. Archaeobotanical remains and genetic data point to China as the region where rice was first cultivated, particularly for the japonica lineage. From there, rice spread to other parts of Asia, including India and Southeast Asia, which is why India is a major center for the indica variety, but the initial domestication event is traced to China. Egypt and Mexico do not hold the origin of rice domestication.

3. In tissue culture, which statement describes the effect of a high cytokinin-to-auxin ratio?

- A. It promotes root formation.
- B. It promotes shoot formation.**
- C. It inhibits cell division.
- D. It causes callus formation only.

In tissue culture, the ratio of cytokinin to auxin directs what kind of growth the plant cells will undergo. When cytokinin levels are high relative to auxin, the cells are nudged toward forming shoots, because cytokinins stimulate shoot meristem initiation and the proliferation of shoots. Auxin, on the other hand, promotes root formation, so a higher auxin level would push development toward roots. Balanced or intermediate levels often lead to undifferentiated callus rather than organized organs. So, a high cytokinin-to-auxin ratio best describes promoting shoot formation.

4. What is the primary role of auxin in phototropism and maintaining apical dominance?

- A. Stomatal closure in response to drought.
- B. Auxin produced in the shoot apex travels basipetally, causing cells on the shaded side to elongate and bend toward the light, while inhibiting lateral bud growth to maintain apical dominance.**
- C. Auxin is produced in roots and promotes lateral bud growth.
- D. Auxin signals fruit ripening by activating ethylene production.

Auxin coordinates growth responses by creating a directional signal from the shoot apex and by controlling the activity of lateral buds. When light comes from one side, auxin is redistributed toward the shaded side and travels basipetally from the apex down the stem. The higher auxin concentration on the shaded side stimulates cell elongation there (via acid growth mechanisms that loosen the cell wall), causing the shoot to bend toward the light. At the same time, the downward transport of auxin from the apex suppresses the growth of lateral buds, maintaining apical dominance so the main shoot keeps growing upward rather than branching. In short, auxin directs phototropic bending by establishing a lateral growth gradient, and it maintains apical dominance by inhibiting lateral bud outgrowth.

5. Under which conditions is photorespiration favored?

- A. High CO₂ and high O₂
- B. High O₂ and low CO₂**
- C. Low O₂ and high CO₂
- D. Low O₂ and low CO₂

Photorespiration happens when Rubisco acts on oxygen instead of carbon dioxide. This becomes favored when the ratio of O₂ to CO₂ around the enzyme is high—i.e., high internal O₂ levels and limited CO₂. In leaves, stomata often close under heat or drought, reducing CO₂ entry while O₂ remains present, so the oxygenation reaction of Rubisco increases. The result is the production of 2-phosphoglycolate and the photorespiratory pathway, which uses energy and releases CO₂, lowering photosynthetic efficiency. Conversely, abundant CO₂ around Rubisco shifts activity toward carboxylation, reducing photorespiration.

6. Aerenchyma is best described as which of the following?

- A. Aerenchyma is a spongy tissue with air spaces in the leaves, stems, and roots of halophytic plants**
- B. Aerenchyma stores starch
- C. Aerenchyma is a rigid supportive tissue with lignified cells
- D. Aerenchyma is a vascular tissue

Aerenchyma is tissue with large interconnected air spaces that allow gas diffusion and movement through the plant, especially under waterlogged conditions. This spongy, air-filled network is typically found in leaves, stems, and roots of aquatic or semi-aquatic plants, including many halophytes, enabling oxygen to reach submerged roots and facilitating gas exchange. The other descriptions refer to starch storage, rigid lignified support, or vascular transport tissue, which do not match the function or structure of aerenchyma.

7. What is the role of tannins and phenolics in plant defense, and give an example?

A. Secondary metabolites deter herbivores and pathogens; example: tannins bind proteins to reduce digestibility; phenolics like flavonoids provide UV protection.

B. Primary metabolites are essential for growth, such as sugars and amino acids.

C. Tannins are primarily involved in pigment formation during photosynthesis.

D. Phenolics do not contribute to UV protection.

Tannins and phenolics act as defensive chemicals produced by plants that aren't needed for growth but help protect against threats. Tannins deter herbivores by binding to proteins in the gut, which reduces digestibility and the animal's ability to extract nutrients from the plant. Phenolics, including flavonoids, offer protection in other ways as well—many flavonoids absorb UV light, shielding tissues from UV damage, and some phenolics also contribute antimicrobial or anti-feedant effects. An example of this defense is tannins reducing digestibility by binding proteins, while phenolics like flavonoids provide UV protection.

8. What is Antonie van Leeuwenhoek known for?

A. Coined the term 'cell'

B. First to observe living microorganisms using a single-lens microscope

C. Proposed cell theory

D. Disproved spontaneous generation

Antonie van Leeuwenhoek's contribution rests on his pioneering work with simple, single-lens microscopes to observe living microorganisms for the first time. He crafted tiny yet powerful lenses that could magnify hundreds of times, letting him glimpse bacteria, protozoa, sperm cells, and other microscopic life directly in water and bodily materials. This opened the field of microbiology and showed that life exists at scales far smaller than what the naked eye can see. Other statements don't fit his legacy because the term "cell" was coined by Robert Hooke, cell theory was developed by later scientists such as Schleiden and Schwann, and spontaneous generation was challenged and disproven by later experiments (not Leeuwenhoek's).

9. Where is collenchyma commonly found in a plant and what is its major function?

A. Found under the epidermis, or outer layer of cells in young stems and in leaf veins; Function: provide structural support.

B. Often found under the epidermis, or outer layer of cells in young stems and in leaf veins; Function: provide structural support.

C. Located in the root hair zone; Absorbs minerals from the soil.

D. Located in guard cells; Regulates gas exchange.

Collenchyma provides flexible support for parts of the plant that are still growing. Its cells have thickened primary walls that are uneven, which strengthens the tissue without making it rigid, allowing growth to continue. This makes collenchyma ideal to reinforce regions just beneath the epidermis in young stems and around leaf veins, where growth is active and structural support is needed to keep the tissue upright and stable. The other described roles belong to different tissues: root hairs are for mineral uptake, and guard cells regulate gas exchange.

10. What is genet?

- A. A single genetically distinct individual
- B. A group of genetically identical individuals from a single ancestor**
- C. A single clone of a plant
- D. A population of different species

Genet refers to the genetic line that originates from a single ancestor. In plants, this lineage can include many physically separate individuals that are genetically identical because they come from the same zygote or from clonal reproduction. All those ramets that share the same genotype come together as one genet. That's why the best choice describes a group of genetically identical individuals from a single ancestor. For example, a clonal patch like an aspen grove can consist of many stems that look like separate plants, but they all belong to one genet because they descend from the same progenitor and share the same genetic makeup. The idea here isn't just a single plant, but the entire genetic lineage that connects all identical offspring descended from one ancestor.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://asu-biologyofplants1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE