
ARIZONA STATE UNIVERSITY (ASU) MAT343 APPLIED LINEAR ALGEBRA EXAM 2 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://asu-mat343exam2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the matrix A represent in the equation Ax = b?

A. The constant vector

B. The variable vector

C. The coefficient matrix

D. The transformation matrix

2. Which axiom states that multiplication distributes over addition?

A. Axiom 7 (A7)

B. Axiom 6 (A6)

C. Axiom 5 (A5)

D. Axiom 8 (A8)

3. What does it mean for vectors to be orthogonal?

A. Vectors are orthogonal if they have the same length.

B. Vectors are orthogonal if their dot product is zero.

C. Vectors are orthogonal if they point in the same direction.

D. Vectors are orthogonal if they can be expressed as linear combinations of each other.

4. What is the relationship between linear transformations and matrices?

A. Linear transformations can exist without matrices

B. Every linear transformation can be represented by a matrix with respect to certain bases

C. Matrices are not related to linear transformations

D. Only diagonal matrices can represent linear transformations

5. How can you determine if two matrices are row-equivalent?

A. If one can be obtained from another via elementary row operations

B. If they have the same dimensions

C. If they have the same determinant

D. If they can be inverted

SAMPLE

6. What is the appropriate value of theta for clockwise rotations?

A. Positive theta

B. Zero theta

C. Negative theta

D. Mathematically undefined

7. What is the null space of a matrix?

A. The set of all vectors that result in non-zero output when multiplied by the matrix

B. The set of all vectors that can be derived from the matrix

C. The set of all vectors x such that Ax = 0

D. The set of all row vectors of the matrix

8. Which statement is true regarding the bases of a vector space?

A. All bases have different numbers of vectors

B. All bases of a vector space have the same number of vectors

C. The dimension can only be finite

D. The dimension is always one

9. When is a vector considered an eigenvector?

A. When it can be any non-zero scalar

B. When it scales to another vector without changing direction

C. When it is an output of matrix multiplication

D. When it yields zero upon matrix transformation

10. What describes the relationship between linear transformations and vector addition?

A. They do not interact

B. Linear transformations do not preserve vector addition

C. Linear transformations must preserve vector addition

D. Linear transformations can alter vector addition

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. A
6. C
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What does the matrix A represent in the equation Ax = b?

A. The constant vector

B. The variable vector

C. The coefficient matrix

D. The transformation matrix

In the equation $Ax = b$, the matrix A is known as the coefficient matrix. This matrix is composed of the coefficients of the variables in the system of linear equations represented by the equation. In other words, each entry in matrix A corresponds to a specific coefficient that multiplies a corresponding variable in the vector x. The importance of the coefficient matrix lies in its role in transforming the variable vector x into the resultant vector b through matrix multiplication. Thus, when we multiply A by x, we are essentially applying a linear transformation defined by A to the vector x, which results in the vector b. Understanding that A represents the coefficients helps in grasping the structure of systems of linear equations and provides insights into solving them, whether through methods like Gaussian elimination, matrix inversion, or other algebraic techniques.

2. Which axiom states that multiplication distributes over addition?

A. Axiom 7 (A7)

B. Axiom 6 (A6)

C. Axiom 5 (A5)

D. Axiom 8 (A8)

The axiom that states that multiplication distributes over addition is correctly identified as Axiom 7 (A7). This axiom articulates the distributive property, which expresses how multiplication interacts with addition in linear algebraic structures. To clarify, the distributive property can be illustrated by the equation $a(b + c) = ab + ac$, which shows that if a number a is multiplied by the sum of b and c, it yields the same result as multiplying a by each term individually and then adding the results. This property is fundamental in both algebra and linear algebra because it allows for the simplification of expressions and is essential in solving equations and working with vectors and matrices. The identification of Axiom 6, Axiom 5, or Axiom 8 does not accurately describe the distributive property, instead covering different properties within algebraic structures such as closure, associativity, or commutativity, which do not directly relate to the interaction of multiplication and addition. Understanding the specific role of Axiom 7 in the context of algebraic operations is crucial for mastering linear algebra concepts.

3. What does it mean for vectors to be orthogonal?

A. Vectors are orthogonal if they have the same length.

B. Vectors are orthogonal if their dot product is zero.

C. Vectors are orthogonal if they point in the same direction.

D. Vectors are orthogonal if they can be expressed as linear combinations of each other.

Vectors being orthogonal means that they are perpendicular to each other in a geometric sense. This property is mathematically defined by the dot product of the two vectors. Specifically, two vectors are considered orthogonal if the result of their dot product equals zero. This condition arises because the dot product can be expressed in terms of the magnitudes of the vectors and the cosine of the angle between them. If two vectors are orthogonal, the angle between them is 90°, and the cosine of 90° is zero, which results in a dot product of zero. Therefore, the correct definition correlates directly with the concept of orthogonality in linear algebra. Understanding this definition is crucial, especially when dealing with concepts such as vector spaces, projections, and least squares, where orthogonality plays a significant role in simplifying computations.

SAMPLE

4. What is the relationship between linear transformations and matrices?

A. Linear transformations can exist without matrices

B. Every linear transformation can be represented by a matrix with respect to certain bases

C. Matrices are not related to linear transformations

D. Only diagonal matrices can represent linear transformations

Every linear transformation can indeed be represented by a matrix with respect to certain bases, which is the core reason why option B is correct. In linear algebra, a linear transformation is a function between two vector spaces that preserves the operations of vector addition and scalar multiplication. When dealing with finite-dimensional vector spaces, any linear transformation can be expressed in matrix form once a basis is chosen for each of these spaces. To construct the matrix representation, we typically take the images of the basis vectors from the domain space under the linear transformation and express these images as linear combinations of the basis vectors in the codomain. The coefficients from these combinations form the entries of the matrix that represents the linear transformation. This matrix captures the essence of the linear transformation and allows for efficient computation and manipulation of vectors with respect to this transformation. Different choices of bases will lead to different matrix representations of the same linear transformation, emphasizing the dependence on the chosen bases. In contrast to option B, some of the other choices misinterpret the fundamental concepts of linear algebra. For example, while option A suggests that linear transformations can exist independently of matrices, this does not recognize the powerful connection between the two when working within finite-dimensional spaces. Option C erroneously states that matrices have no relation to linear transformations

5. How can you determine if two matrices are row-equivalent?

A. If one can be obtained from another via elementary row operations

B. If they have the same dimensions

C. If they have the same determinant

D. If they can be inverted

Two matrices are considered row-equivalent if one can be transformed into the other through a series of elementary row operations. These operations include swapping two rows, multiplying a row by a non-zero scalar, or adding a multiple of one row to another row. This definition is fundamental in linear algebra, as row equivalence indicates that the matrices represent the same linear system, allowing for the same solutions. The row operations effectively preserve the row space and other important properties of the matrices, which means they share the same solution set for the systems they represent. Therefore, identifying row equivalence through these operations is critical in solving linear systems and understanding their geometric interpretations. In contrast, having the same dimensions does not guarantee that the matrices are row-equivalent, as they may still represent different systems of equations. Similarly, having the same determinant pertains to square matrices and indicates that the matrices are invertible, but this does not imply they are row-equivalent. Lastly, the ability to invert a matrix is related to whether the matrix is full rank, but it does not capture the essence of row equivalence since two non-invertible matrices can still be row-equivalent.

SAMPLE

6. What is the appropriate value of theta for clockwise rotations?

A. Positive theta

B. Zero theta

C. Negative theta

D. Mathematically undefined

In the context of rotations in a coordinate plane, counterclockwise rotations are conventionally represented by positive angles, while clockwise rotations are represented by negative angles. This convention arises from the way angles are measured in mathematics, starting from the positive x-axis. When you move in a clockwise direction from the positive x-axis, the angle decreases; thus, it is represented as a negative value. Therefore, for executing rotations in a clockwise manner, theta should indeed be a negative value. This reflects the standard mathematical practice where negative angles denote a clockwise direction. In contrast, positive and zero values for theta do not correspond to clockwise rotations, and mathematically undefined does not apply in this context since angles can indeed be defined as negative for clockwise rotations.

7. What is the null space of a matrix?

A. The set of all vectors that result in non-zero output when multiplied by the matrix

B. The set of all vectors that can be derived from the matrix

C. The set of all vectors x such that Ax = 0

D. The set of all row vectors of the matrix

The null space of a matrix is defined as the set of all vectors \(x \) for which the product of the matrix \(A \) and the vector \(x \) equals the zero vector. In mathematical terms, this relationship is expressed as \(Ax = 0 \). This means that the null space consists of all solutions to this equation, which typically include the zero vector and may include others depending on the matrix's properties. Understanding this concept is crucial, as it relates directly to the solutions of homogeneous systems of linear equations. The null space helps identify dependencies among the columns of the matrix and provides insights into the rank and dimensions of the matrix. Other definitions, such as the idea of producing non-zero outputs or deriving vectors from the matrix, do not capture the essence of what the null space is. These options do not accurately represent the fundamental property of the null space, which is specifically concerned with those vectors resulting in a zero output when subjected to the matrix transformation. Furthermore, the null space is not about the set of row vectors of the matrix, as that relates more to the matrix's structure rather than the solutions to the linear system.

SAMPLE

8. Which statement is true regarding the bases of a vector space?

A. All bases have different numbers of vectors

B. All bases of a vector space have the same number of vectors

C. The dimension can only be finite

D. The dimension is always one

The statement that all bases of a vector space have the same number of vectors is rooted in the fundamental properties of vector spaces. This concept is known as the dimension of a vector space, which is defined as the number of vectors in any basis of that space. A basis is a set of vectors that is both linearly independent and spans the vector space. Regardless of which basis you select, the number of vectors will remain constant; this is a result of the definition of dimension. Therefore, if one basis consists of \(n \) vectors, any other basis of the same vector space must also consist of \(n \) vectors. This consistency in the number of basis vectors across different bases is crucial for understanding the structure and properties of vector spaces. In contrast, the other statements do not hold true universally. For example, while some vector spaces may have finite dimensions, there are also infinite-dimensional spaces, which makes the statement about the dimension being finite incorrect. Additionally, the dimension being always one applies only to specific cases, such as one-dimensional vector spaces, but not to all vector spaces.

9. When is a vector considered an eigenvector?

A. When it can be any non-zero scalar

B. When it scales to another vector without changing direction

C. When it is an output of matrix multiplication

D. When it yields zero upon matrix transformation

A vector is considered an eigenvector when it scales to another vector without changing direction. This definition highlights the key property of eigenvectors: when a matrix is applied to an eigenvector, the result is simply a scaled version of that eigenvector. This means that the eigenvector maintains its direction in the vector space after the transformation, though its magnitude may change. This concept is fundamental in linear algebra because it allows for the analysis of linear transformations and the behavior of various mathematical models. The associated scalar, known as an eigenvalue, quantifies how the eigenvector is scaled. Together, eigenvectors and eigenvalues provide deep insights into the structure of linear transformations represented by matrices. The other options do not accurately capture the essential characteristic of what defines an eigenvector. For instance, a vector that can be any non-zero scalar does not necessarily refer to eigenvectors as it could imply any vector. Similarly, stating that an eigenvector is an output of matrix multiplication is too broad and does not specify the unique scaling property that characterizes eigenvectors. Lastly, yielding zero upon matrix transformation pertains to null vectors or other concepts in linear algebra but does not meet the definition of eigenvectors which must be non-zero.

SAMPLE

10. What describes the relationship between linear transformations and vector addition?

A. They do not interact

B. Linear transformations do not preserve vector addition

C. Linear transformations must preserve vector addition

D. Linear transformations can alter vector addition

The correct answer highlights a crucial property of linear transformations in the context of vector spaces. Linear transformations are defined by their ability to maintain the structure of vector spaces, which includes the operation of vector addition. Specifically, a transformation \(T: V \to W \) (where \(V \) and \(W \) are vector spaces) is considered linear if, for any two vectors \(\mathbf{u} \) and \(\mathbf{v} \) in \(V \), the transformation satisfies the condition: \[T(\mathbf{u} + \mathbf{v}) = T(\mathbf{u}) + T(\mathbf{v}). \] This condition shows that applying the transformation \(T \) to the sum of two vectors results in the same outcome as first transforming each vector individually and then adding the results. This preservation of vector addition is a fundamental characteristic that distinguishes linear transformations from other types of mappings. In contrast, the other choices imply various types of interactions that are inconsistent with the definition of linear transformations. For example, suggesting that linear transformations do not preserve vector addition would contradict the very definition of linearity and disrupt the structure of the vector space being transformed. Understanding this foundational aspect is essential for

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://asu-mat343exam2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE