ARUBA CERTIFIED SWITCHING ASSOCIATE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://arubacertswitchingassociate.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary purpose of network redundancy?

A. To reduce overall network costs

B. To ensure that if one path fails, there is an alternative path for data to travel

C. To increase the speed of data transmission

D. To limit access to authorized users only

2. What kind of address is used by ARP to identify a device on a local network?

A. IP address

B. Network address

C. MAC address

D. Subnet address

3. Which option accurately describes default access methods to a 6300 Aruba OS-CX device?

A. SSH is enabled in the management and default VRF

B. HTTPS is disabled in the default VRF

C. SSH is the preferred method for GUI access

D. It is a best practice to enable GUI access on any VRF

4. What is the primary role of a DHCP server within a network?

A. To assign static IP addresses to devices

B. To assign IP addresses dynamically to devices in the network

C. To prevent IP address conflicts

D. To monitor network connections

5. What is the primary purpose of Link Aggregation?

A. To increase security protocols on each switch

B. To combine multiple connections into a single logical link

C. To separate data traffic from voice traffic

D. To establish separate VLANs for each connection

SAMPLE

6. Which of the following is a key advantage of using VLANs in a network?

A. Elimination of all physical switches

B. Improved network layout without changing hardware

C. Separation of network traffic for better management

D. Standardization of network protocols across all segments

7. What are the Spanning-Tree protocols that are considered open standards?

A. PVRSTP+

B. GLBP

C. 802.1D

D. 802.1W

8. Which of the following statements about ARP tables is accurate?

A. They primarily map IP addresses to DNS.

B. They contain only cached MAC addresses.

C. They map IP addresses to MAC addresses.

D. They are used only by routers.

9. In AOS-CX switches, which protocol is primarily used for device discovery and configuration?

A. Spanning Tree Protocol (STP).

B. Link Layer Discovery Protocol (LLDP).

C. Virtual LAN Protocol (VLAN).

D. Simple Network Management Protocol (SNMP).

10. Which statement is incorrect about Aruba NetEdit?

A. It can help configure multiple devices simultaneously

B. It operates fully offline without network access

C. It has functions available via REST API

D. It provides a centralized view for managing configurations

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. B
5. B
6. C
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the primary purpose of network redundancy?

A. To reduce overall network costs

B. To ensure that if one path fails, there is an alternative path for data to travel

C. To increase the speed of data transmission

D. To limit access to authorized users only

The primary purpose of network redundancy is to ensure that if one path fails, there is an alternative path for data to travel. This concept is critical in maintaining a reliable and resilient network infrastructure. By implementing redundancy, networks can provide continuous service, as the failure of one component, link, or device does not lead to downtime or loss of connectivity. This is particularly important in environments where availability is crucial, such as data centers or enterprise networks that support critical applications. Network redundancy can be achieved through various means, such as redundant links, multiple devices, or even entire redundant paths. When one link goes down, the traffic is automatically redirected through a backup link or route, ensuring that data flow remains uninterrupted. This enhances the overall reliability and robustness of the network. In contrast, other choices do not accurately represent the main goal of redundancy. While reducing network costs, increasing data transmission speed, and limiting access to authorized users are important aspects of network design, they are not the primary focus of redundancy strategies.

2. What kind of address is used by ARP to identify a device on a local network?

A. IP address

B. Network address

C. MAC address

D. Subnet address

ARP, which stands for Address Resolution Protocol, is designed to map an IP address (which operates at Layer 3 of the OSI model) to a MAC address (which operates at Layer 2). This mapping is essential for facilitating communication on a local network, as data packets must be delivered to the correct device on the physical layer. When a device on a network wants to communicate with another device, it first needs to know the MAC address associated with the target device's IP address. The ARP protocol allows the sending device to broadcast a request to the local network asking, "Who has this IP address?" The device that has the corresponding IP address responds with its MAC address. This process is crucial for enabling Ethernet frames to carry the necessary data to the appropriate hardware address. As a result, the MAC address is specifically used by ARP to identify devices in a local network environment, making it the correct choice in this context.

SAMPLE

3. Which option accurately describes default access methods to a 6300 Aruba OS-CX device?

A. SSH is enabled in the management and default VRF

B. HTTPS is disabled in the default VRF

C. SSH is the preferred method for GUI access

D. It is a best practice to enable GUI access on any VRF

The option stating that SSH is enabled in the management and default VRF accurately portrays the default access methods for a 6300 Aruba OS-CX device. SSH (Secure Shell) provides a secure channel for accessing the device's command-line interface, meaning it enables remote management and configuration of the device securely. By being enabled in both the management and default VRF (Virtual Routing and Forwarding), SSH allows users to securely connect without the need for physical access, thus enhancing the device's manageability in different network segments. The choice of SSH as a default access method reflects a trend in network management where security is prioritized. With SSH configured by default, users can ensure that their communication with the device is encrypted and protected from eavesdropping or man-in-the-middle attacks, making it a vital element for secure network operations. In the context of the other options, while some may discuss aspects of security or GUI access, they do not accurately reflect the default state of the device as it is typically configured out of the box. Therefore, understanding the secure, remote management capabilities provided by SSH is key to leveraging the 6300 Aruba OS-CX device effectively.

4. What is the primary role of a DHCP server within a network?

A. To assign static IP addresses to devices

B. To assign IP addresses dynamically to devices in the network

C. To prevent IP address conflicts

D. To monitor network connections

The primary role of a DHCP server within a network is to assign IP addresses dynamically to devices. Dynamic Host Configuration Protocol (DHCP) automates the process of assigning IP addresses and other network configuration settings to devices on a network. When a device connects to the network, it sends a request for an IP address. The DHCP server responds by assigning an available IP address from its configured pool, allowing the device to communicate on the network without requiring manual intervention for each device. This dynamic assignment is essential in modern networks where devices frequently join and leave the network. It streamlines the configuration process and reduces the potential for errors that can occur with static IP assignment. Additionally, DHCP can manage other configuration information such as subnet masks, default gateways, and DNS server information, further simplifying network management.

SAMPLE

5. What is the primary purpose of Link Aggregation?

A. To increase security protocols on each switch

B. To combine multiple connections into a single logical link

C. To separate data traffic from voice traffic

D. To establish separate VLANs for each connection

The primary purpose of Link Aggregation is to combine multiple physical connections into a single logical link. This approach allows for increased bandwidth between two devices (such as switches, routers, or servers) while providing redundancy. In scenarios where one of the physical links fails, the remaining links continue to function, ensuring that network traffic can still flow without interruption. By utilizing Link Aggregation, network administrators can achieve better utilization of available resources and improved performance. Additionally, it simplifies network management by treating multiple links as one, making it easier to configure and monitor. Options that focus on security protocols, separating traffic types, or establishing separate VLANs do not align with the primary function of Link Aggregation, which is fundamentally about enhancing connection capacity and reliability rather than managing security or traffic types.

6. Which of the following is a key advantage of using VLANs in a network?

A. Elimination of all physical switches

B. Improved network layout without changing hardware

C. Separation of network traffic for better management

D. Standardization of network protocols across all segments

Using VLANs (Virtual Local Area Networks) in a network is particularly beneficial for the separation of network traffic, which leads to better management. By segmenting network traffic, VLANs help in organizing the network into smaller, manageable sections based on specific criteria such as department or function. This traffic separation reduces broadcast domains and limits the spread of broadcast traffic, which can lead to improved performance and security within the network. In a typical network environment, different types of traffic can lead to congestion and management challenges. With VLANs, network administrators have the flexibility to assign various devices to different VLANs based on their roles, which creates isolated environments. This isolation allows for more straightforward troubleshooting and better control over network policies applied to each segment, enhancing overall network efficiency. Furthermore, this separation aids in the application of security policies. Sensitive devices can be placed on a separate VLAN, minimizing exposure to other network threats. Overall, this strategic organization through VLANs ultimately streamlines network management and enhances performance. While the other choices mention various benefits of networking, they do not specifically capture the core advantage of VLANs in promoting traffic separation and thus improved management.

SAMPLE

7. What are the Spanning-Tree protocols that are considered open standards?

A. PVRSTP+

B. GLBP

C. 802.1D

D. 802.1W

The Spanning-Tree protocols that are considered open standards include those outlined in the IEEE specifications. The protocol identified as 802.1D is the original standard for the Spanning Tree Protocol (STP), which defines the methodology for preventing loops in Ethernet networks. STP enables a network to maintain a loop-free topology by selectively blocking redundant paths. Being under the IEEE's standards, it is recognized and used broadly across multiple vendors and network devices. In contrast, while PVRSTP+ and GLBP are relevant to network operations, they are not classified as open standards set by the IEEE. PVRSTP and similar variations are proprietary implementations often specific to certain vendors. Similarly, GLBP (Gateway Load Balancing Protocol) is a Cisco proprietary protocol used for load balancing among gateways, which means it is not an open standard since it's exclusive to Cisco technology. 802.1W, which refers to Rapid Spanning Tree Protocol (RSTP), is also an open standard, but in the context of the specific question regarding which protocols are recognized as open standards for spanning-tree, 802.1D stands clearly as the foundational reference point.

8. Which of the following statements about ARP tables is accurate?

A. They primarily map IP addresses to DNS.

B. They contain only cached MAC addresses.

C. They map IP addresses to MAC addresses.

D. They are used only by routers.

The accurate statement about ARP (Address Resolution Protocol) tables is that they map IP addresses to MAC addresses. ARP plays a crucial role in enabling communication within a local network. When a device needs to send data to another device on the same local network, it must know the destination device's MAC address, which is associated with its IP address. The ARP table stores these mappings, facilitating efficient communication without needing to constantly query the network for details. Each entry in the ARP table typically includes an IP address and the corresponding MAC address. This allows devices to quickly reference the information, thereby reducing latency in data transmission. The other statements differ from the accurate depiction of ARP functionality. For instance, ARP tables do not map IP addresses to DNS (Domain Name System); rather, they focus solely on the relationship between IP addresses and their corresponding MAC addresses. Additionally, while ARP tables may contain cached MAC addresses, they do not only include cached entries but also actively manage incoming ARP requests and responses. Furthermore, ARP is not exclusively used by routers; it is utilized by all devices on a local area network, such as computers and switches, to facilitate direct communication.

SAMPLE

9. In AOS-CX switches, which protocol is primarily used for device discovery and configuration?

A. Spanning Tree Protocol (STP).

B. Link Layer Discovery Protocol (LLDP).

C. Virtual LAN Protocol (VLAN).

D. Simple Network Management Protocol (SNMP).

The correct choice revolves around the function of the Link Layer Discovery Protocol (LLDP), which plays a critical role in network management by facilitating device discovery. LLDP is a Layer 2 protocol used to allow network devices to advertise their identity and capabilities to other nodes on the network. In the context of AOS-CX switches, LLDP is instrumental in simplifying network management and configuration. When devices utilize LLDP, they can exchange information about themselves, such as their port identifiers, capabilities, and their neighbors, thereby allowing for easier topological mapping of the network. This automated discovery helps network administrators effectively monitor and manage their network infrastructure without extensive manual intervention. The other protocols listed serve different purposes. Spanning Tree Protocol (STP) is primarily used for preventing loops in network topologies by managing the paths between switches. Virtual LAN Protocol (VLAN) relates to segmenting network traffic into distinct networks to improve performance and security but does not handle device discovery. Simple Network Management Protocol (SNMP) is utilized for managing devices on IP networks but does not specifically focus on device discovery as LLDP does. Thus, LLDP is uniquely suited for the task described in the question, making it the correct answer.

10. Which statement is incorrect about Aruba NetEdit?

A. It can help configure multiple devices simultaneously

B. It operates fully offline without network access

C. It has functions available via REST API

D. It provides a centralized view for managing configurations

Aruba NetEdit is a powerful tool designed for managing network configurations and simplifies the administration of multiple devices. It does have the capability to help configure multiple devices simultaneously, which improves efficiency in network management tasks. Additionally, it provides a centralized view for managing configurations, allowing administrators to maintain consistency and oversight across the network. One of the significant features of Aruba NetEdit is its API capabilities, which allows for integration with other applications and infrastructure, providing more flexibility and programmability to network management. However, the statement regarding its operation fully offline without network access is incorrect. Aruba NetEdit requires network connectivity to communicate with the devices it manages and to utilize its full range of features effectively. This integration enables real-time updates and configuration management, making it essential for the tool to have access to the network environment, contrary to the assertion of it working entirely offline.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://arubacertswitchingassociate.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE