
ASMEPPS MATHEMATICS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://asmeppsmath.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Who holds the record for consuming the most McDonald's Big Macs?**

   A. Donald Gorske

   B. Jared Fogle

   C. Anthony Bourdain

   D. Guy Fieri

2. **What is the distance formula between two points (x1, y1) and (x2, y2)?**

   A. $d = |x2 - x1| + |y2 - y1|$

   B. $d = \sqrt{((x2 - x1)^2 + (y2 - y1)^2)}$

   C. $d = (x2 - x1)(y2 - y1)$

   D. $d = (x1 + x2)^2 + (y1 + y2)^2$

3. **What is the standard form of the equation of a circle?**

   A. $(x - h)^2 + (y - k)^2 = r^2$

   B. $(x + h)^2 + (y + k)^2 = r^2$

   C. $x^2 + y^2 = r^2$

   D. $(x - h)(y - k) = r^2$

4. **Which of the following pairs of numbers has a GCF of 1?**

   A. 8 and 12

   B. 15 and 28

   C. 20 and 30

   D. 24 and 36

5. **Which mathematician is known for their work on the mathematical theory of communication known as information theory?**

   A. Alan Turing

   B. Claude Shannon

   C. John von Neumann

   D. Norbert Wiener

SAMPLE

6. Which of the following is NOT a use of the equals sign in mathematical equations?

A. To show two expressions are equivalent

B. To indicate subtraction

C. To separate terms in an equation

D. To equalize values in an equation

7. In geometry, which term describes two shapes that can be transformed into each other by rotation, translation, or reflection?

A. Similar

B. Congruent

C. Dissimilar

D. Equivalent

8. What is the only temperature that is the same in Fahrenheit and Celsius?

A. 0 degrees

B. 32 degrees

C. 40 below

D. 100 degrees

9. What is the value of 2 raised to the power of 3?

A. 6

B. 8

C. 9

D. 4

10. What is the cosine of 60 degrees?

A. 1

B. 0.5

C. 0.87

D. 0

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. B
5. B
6. B
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Who holds the record for consuming the most McDonald's Big Macs?

A. Donald Gorske

B. Jared Fogle

C. Anthony Bourdain

D. Guy Fieri

The record for consuming the most McDonald's Big Macs is held by Donald Gorske. He is known for his dedication to the Big Mac, having eaten thousands of them over several decades. His eating habits gained public attention, and he has appeared in various media to discuss his love for the burger. Gorske's record is a testament to his consistency and commitment to consuming this specific item from the McDonald's menu, which has resonated with many people as a quirky feat of personal achievement. In contrast, the other individuals mentioned do not have a known record for eating Big Macs. Jared Fogle is primarily known for his weight loss journey associated with eating Subway sandwiches, Anthony Bourdain was a renowned chef and food critic who explored various cuisines around the world, and Guy Fieri is famous for his culinary TV shows and unique style, but none are recognized for their consumption of Big Macs like Gorske.

2. What is the distance formula between two points (x1, y1) and (x2, y2)?

A. $d = |x2 - x1| + |y2 - y1|$

B. $d = \sqrt{(x2 - x1)^2 + (y2 - y1)^2}$

C. $d = (x2 - x1)(y2 - y1)$

D. $d = (x1 + x2)^2 + (y1 + y2)^2$

The distance formula between two points in a Cartesian coordinate system, given as (x1, y1) and (x2, y2), is derived from the Pythagorean theorem. This theorem states that in a right triangle, the square of the length of the hypotenuse (which corresponds to the distance between the two points) is equal to the sum of the squares of the lengths of the other two sides. In the context of the distance formula, the change in the x-coordinates (x2 - x1) represents one side of the triangle, and the change in the y-coordinates (y2 - y1) represents the other side. Thus, you would first calculate the differences: (x2 - x1) for the horizontal distance and (y2 - y1) for the vertical distance. According to the Pythagorean theorem, the distance \(d\) is given by: \[d = \sqrt{(x2 - x1)² + (y2 - y1)²} \] This is exactly what option B states. The other choices do not correctly represent the distance formula. The first option suggests a summation of absolute differences, which does not give the correct

3. What is the standard form of the equation of a circle?

A. $(x - h)^2 + (y - k)^2 = r^2$

B. $(x + h)^2 + (y + k)^2 = r^2$

C. $x^2 + y^2 = r^2$

D. $(x - h)(y - k) = r^2$

The standard form of the equation of a circle is represented as \((x - h)² + (y - k)² = r²\). In this formula, \((h, k) \) represents the coordinates of the center of the circle, and \(r \) denotes the radius. The squared terms \((x - h)² \) and \((y - k)² \) indicate a distance from the center to any point on the circle, confirming that all points on the circle are equidistant from the center. This formulation allows for a clear geometrical interpretation, where varying \(x \) and \(y \) values will describe the boundary of the circle as long as they satisfy the equation. Specifically, if you have the center's coordinates and the radius, you can easily graph the circle based on this equation. The other options do not reflect the specific structure associated with a circle's equation in standard form. For instance, \((x + h)² + (y + k)² = r² \) would suggest a center at \((-h, -k)\), which could mislead about the center's position. The choice of \(x² + y² = r²

SAMPLE

4. Which of the following pairs of numbers has a GCF of 1?

A. 8 and 12

B. 15 and 28

C. 20 and 30

D. 24 and 36

The pair of numbers that has a greatest common factor (GCF) of 1 is indeed 15 and 28. To understand this, we need to analyze the factors of each number in the pair. The factors of 15 are 1, 3, 5, and 15. The factors of 28 are 1, 2, 4, 7, 14, and 28. The only common factor between these two sets of numbers is 1, which means that they share no other common divisors. Thus, their GCF is 1, indicating that they are coprime, meaning they do not have any prime factors in common. In contrast, the other pairs of numbers each have a GCF greater than 1. For instance, 8 and 12 share common factors (both are divisible by 4), 20 and 30 share common factors (both are divisible by 10), and 24 and 36 share several common factors (both are divisible by 12). This characterization of numbers emphasizes the unique relationship between 15 and 28, confirming that they are indeed coprime with a GCF of 1.

5. Which mathematician is known for their work on the mathematical theory of communication known as information theory?

A. Alan Turing

B. Claude Shannon

C. John von Neumann

D. Norbert Wiener

Claude Shannon is recognized as the pioneer of information theory, a significant branch of mathematics and engineering that focuses on quantifying, storing, and communicating information efficiently. His groundbreaking 1948 paper, "A Mathematical Theory of Communication," established foundational concepts within this field, including the notions of entropy, redundancy, and channel capacity. These principles have profound implications across various domains such as telecommunications, data compression, and cryptography, shaping how we understand the transmission and processing of information in modern technology. Shannon's formulations allow for a mathematical framework to assess the limits of data transmission and encoding, making his contribution integral to the development of digital communication systems. This innovation marks him as a central figure in the study of information, which is why he is recognized for this area of mathematical research.

6. Which of the following is NOT a use of the equals sign in mathematical equations?

A. To show two expressions are equivalent

B. To indicate subtraction

C. To separate terms in an equation

D. To equalize values in an equation

The equals sign is primarily used in mathematics to indicate that two expressions are equivalent or represent the same value. When you see an equals sign between two expressions, it signifies that the value on the left-hand side is the same as the value on the right-hand side. This basic principle underlies its use in various contexts, such as solving equations or verifying identities. In this context, indicating subtraction is not a legitimate use of the equals sign. While subtraction is a mathematical operation that can occur in an equation, it is not represented by the equals sign itself. Instead, subtraction is denoted by the minus sign (-). The equals sign is also used to separate terms in an equation, by indicating the point at which one side corresponds to the other side in value. Furthermore, it serves to equalize values, drawing attention to the relationship of equality between the two sides of the equation.

SAMPLE

7. In geometry, which term describes two shapes that can be transformed into each other by rotation, translation, or reflection?

A. Similar

B. Congruent

C. Dissimilar

D. Equivalent

The term that describes two shapes that can be transformed into each other by rotation, translation, or reflection is "congruent." Congruent shapes have the same size and shape, meaning that when one shape is manipulated through these transformations, it will perfectly overlap with the other shape. This concept is fundamental in geometry, where congruence is often denoted by the symbol " ." In contrast, the term "similar" refers to shapes that may have the same shape but are different in size, which means they cannot become identical through rotation, translation, or reflection alone. "Dissimilar" is not a standard geometric term; it generally indicates a lack of similarity, but it does not convey any of the properties of transformation. "Equivalent" can imply a relationship in terms of area or value but does not specifically refer to the geometric transformations that define congruence. Therefore, understanding that congruence hinges on shape and size being identical, with transformations allowing for their alignment, emphasizes why "congruent" is the correct choice for this question.

8. What is the only temperature that is the same in Fahrenheit and Celsius?

A. 0 degrees

B. 32 degrees

C. 40 below

D. 100 degrees

To determine the temperature that is the same in both Fahrenheit and Celsius, we can use the formula that relates the two temperature scales: $$ F = \frac{9}{5}C + 32 $$ Where $ F $ is the temperature in Fahrenheit and $ C $ is the temperature in Celsius. To find the point where these two values are equal, we set $ F = C $: $$ C = \frac{9}{5}C + 32 $$ Rearranging gives us: $$ C - \frac{9}{5}C = 32 $$ This simplifies to: $$ \frac{-4}{5}C = 32 $$ Multiplying both sides by $-\frac{5}{4}$: $$ C = -40 $$ This means that at -40 degrees, the Celsius and Fahrenheit scales coincide. Since the question provides options, the only option that aligns with this calculated result is "40 below," indicating -40 degrees. Understanding the other options can clarify why they do not represent this special point of equivalence. For instance, 0 degrees Celsius is equivalent to 32 degrees Fahrenheit, while 100 degrees Celsius converts to 212 degrees Fahrenheit

9. What is the value of 2 raised to the power of 3?

A. 6

B. 8

C. 9

D. 4

To determine the value of 2 raised to the power of 3, we perform the calculation as follows: 2 raised to the power of 3 means multiplying the number 2 by itself three times. This can be expressed mathematically as: $2 \times 2 \times 2$ Calculating this step-by-step: 1. First, multiply 2 by 2: $2 \times 2 = 4$ 2. Next, take that result and multiply it by 2 again: $4 \times 2 = 8$ Thus, 2 raised to the power of 3 equals 8. This confirms that the correct answer is indeed the value of 8, which corresponds to the choice indicating that value. The other options do not represent the correct multiplication of 2 by itself three times, thereby clarifying why they do not match the calculated result.

SAMPLE

10. What is the cosine of 60 degrees?

A. 1

B. 0.5

C. 0.87

D. 0

The cosine of 60 degrees is 0.5, which can be understood through both its geometric and trigonometric properties. In the unit circle, the angle of 60 degrees corresponds to the point at coordinates (1/2, √3/2). The cosine of an angle is defined as the x-coordinate of the point on the unit circle that corresponds to that angle. Thus, for 60 degrees, the x-coordinate is 1/2, which is equivalent to 0.5. Furthermore, from the perspective of a 30-60-90 right triangle, we can derive this value. In such a triangle, the ratios of the lengths of the sides are well-known: the side opposite the 30-degree angle is half the length of the hypotenuse, whereas the side opposite the 60-degree angle is √3/2 times the hypotenuse. As a result, when we look for the cosine of the 60-degree angle (which is the adjacent side over the hypotenuse), it yields 1/2. Understanding these relationships shows why the cosine of 60 degrees is indeed 0.5, confirming that it is the correct answer.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://asmeppsmath.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE