# ASRT STUDENT EXAM ASSESSMENT LIBRARY (SEAL) PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://asrtseal.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. Oral contrast is most commonly used in CT simulation for which type of malignancies?**

A. Head and neck

B. Gynecological

C. Gastrointestinal

D. Thoracic

**2. How does pixel size affect image resolution in digital imaging?**

A. Smaller pixels lead to lower resolution images

B. Pixel size has no effect on resolution

C. Smaller pixel sizes lead to higher resolution images with better detail

D. Larger pixels create more detailed images

**3. Define the term "contrast media" in radiography.**

A. Substances used to improve patient comfort during procedures

B. Tools used to enhance the visibility of internal structures in imaging studies

C. Techniques to measure radiation doses

D. Devices used for monitoring patient vitals

**4. Which of the following conditions requires medical management but is not life-threatening?**

A. Hypertensive urgency

B. Cardiac arrest

C. Severe allergic reaction

D. Acute respiratory distress

**5. The build-up of lymph fluid in tissues is known as:**

A. Erythema

B. Lymphedema

C. Sepsis

D. Anorexia

SAMPLE

**6. What factors can treatment billing codes be based on?**

A. Patient age and gender

B. Complexity of treatment and photon energy

C. Location of treatment

D. Medical history of the patient

**7. In prostate cancer staging, the first echelon lymph node is?**

A. External iliac

B. Common iliac

C. Obturator

D. Hypogastric

**8. If the radiation therapist notices a table angle drift of 5 degrees during treatment, what should they do?**

A. Continue treatment

B. Adjust the angle and proceed

C. Stop treatment and notify the doctor

D. Complete the session as planned

**9. How is "radiopaque" defined and provide an example?**

A. Materials that allow X-rays to pass through; for example, air

B. Materials that completely block X-rays; for example, lead

C. Materials that do not allow X-rays to pass through; for example, barium

D. Materials that absorb all forms of radiation; for example, tungsten

**10. What type of planning does IMRT (Intensity-Modulated Radiation Therapy) use?**

A. Forward planning

B. Inverse planning

C. Automated planning

D. Manual planning

SAMPLE

# Answers

SAMPLE

1. C
2. C
3. B
4. A
5. B
6. B
7. C
8. C
9. C
10. B

SAMPLE

# Explanations

SAMPLE

## 1. Oral contrast is most commonly used in CT simulation for which type of malignancies?

A. Head and neck

B. Gynecological

C. Gastrointestinal

D. Thoracic

*Oral contrast is most commonly utilized in CT simulations for gastrointestinal malignancies because it enhances the visualization of the digestive tract, allowing for clearer delineation of tumors and their relationship to surrounding structures. When imaging the gastrointestinal system, oral contrast agents help to differentiate between various tissues, highlight abnormalities, and assess the extent of disease. This improved contrast is critical for accurate staging and treatment planning in patients with cancers affecting the gastrointestinal tract, such as colorectal cancers. In contrast, while oral contrast may have some utility in other regions, the gastrointestinal tract's unique interactions with contrast media make it particularly beneficial in that context. Thus, the use of oral contrast is not as prevalent or necessary for head and neck, gynecological, or thoracic malignancies.*

## 2. How does pixel size affect image resolution in digital imaging?

A. Smaller pixels lead to lower resolution images

B. Pixel size has no effect on resolution

C. Smaller pixel sizes lead to higher resolution images with better detail

D. Larger pixels create more detailed images

*In digital imaging, pixel size directly influences image resolution and detail. Smaller pixel sizes facilitate a higher resolution by allowing more pixels to fit into the same physical space. This results in a larger number of individual pixels that contribute to forming the image, enhancing the ability to capture fine detail and nuance within the visual data. For example, in digital cameras and displays, a greater pixel density achieved through smaller pixels means that the image can represent more information. When an image is viewed or printed, this higher pixel count results in a sharper and clearer representation of the subject, with smooth gradients and more accurate color representation. The choice indicating that smaller pixels lead to higher resolution images with better detail accurately reflects this relationship between pixel size and image quality. In contrast, larger pixels reduce the number of pixels that can occupy the same area, leading to lower resolution images. Similarly, the assertion that pixel size has no effect on resolution is incorrect, as pixel size is a fundamental factor in determining the level of detail that can be captured and displayed.*

## 3. Define the term "contrast media" in radiography.

A. Substances used to improve patient comfort during procedures

B. Tools used to enhance the visibility of internal structures in imaging studies

C. Techniques to measure radiation doses

D. Devices used for monitoring patient vitals

*The term "contrast media" in radiography refers to substances designed to enhance the visibility of internal structures during imaging studies. These substances work by altering the way X-rays or other imaging modalities interact with tissues, making certain areas of the body, such as blood vessels or organs, more visible on the images produced. This improved contrast allows for better differentiation between various anatomical structures, helping radiologists and healthcare providers to accurately diagnose conditions. Contrast media are essential for procedures like fluoroscopy, CT scans, and MRIs, as they highlight particular areas of interest, facilitating clearer interpretations of the images. The other choices do not accurately capture the primary function of contrast media; patient comfort, radiation dose measurement, and monitoring vitals focus on different aspects of patient care and assessment.*

SAMPLE

## 4. Which of the following conditions requires medical management but is not life-threatening?

A. Hypertensive urgency

B. Cardiac arrest

C. Severe allergic reaction

D. Acute respiratory distress

*Hypertensive urgency is a condition characterized by severely elevated blood pressure without immediate evidence of organ damage. While it necessitates prompt medical management to prevent potential complications, it is not considered life-threatening in the same way that cardiac arrest, severe allergic reactions, or acute respiratory distress are. In the case of cardiac arrest, immediate intervention is vital, as it is a critical emergency with a high risk of death if not treated swiftly. Severe allergic reactions can progress quickly to anaphylaxis, which is potentially life-threatening and also requires immediate treatment. Acute respiratory distress represents a significant compromise to breathing, posing a substantial risk to life if not promptly addressed. Therefore, of the given conditions, hypertensive urgency is unique in that it requires timely management to avoid more serious consequences but does not present an immediate threat to life.*

## 5. The build-up of lymph fluid in tissues is known as:

A. Erythema

B. Lymphedema

C. Sepsis

D. Anorexia

*The build-up of lymph fluid in tissues is correctly identified as lymphedema. This condition occurs when the lymphatic system is compromised, which can lead to an abnormal accumulation of lymph fluid. This can result from various causes, such as surgical removal of lymph nodes, radiation therapy, infection, or congenital problems with the lymphatic system. The term "erythema" refers to redness of the skin caused by increased blood flow to the capillaries, usually in response to injury or inflammation, which does not relate to lymph fluid accumulation. "Sepsis" is a severe response to infection that affects the whole body and is characterized by symptoms like fever and an increased heart rate; it does not pertain to lymphatic fluid. "Anorexia" is a condition characterized by a loss of appetite or desire to eat, and while it may have serious health implications, it is not associated with the accumulation of lymph fluid. Therefore, lymphedema specifically describes the condition where lymph fluid builds up in tissues due to lymphatic obstruction or dysfunction.*

## 6. What factors can treatment billing codes be based on?

A. Patient age and gender

B. Complexity of treatment and photon energy

C. Location of treatment

D. Medical history of the patient

*Treatment billing codes can be based on the complexity of the treatment and photon energy because these factors directly influence the type and intensity of the services provided to the patient. The complexity of treatment reflects how intricate or involved the procedure is, which typically also correlates with the resources required and the level of expertise needed from healthcare professionals. Similarly, photon energy, particularly in radiological procedures, can determine the specificity and type of treatment being billed. Higher photon energies may relate to more advanced and potentially costlier treatment options, thus justifying certain billing codes. Understanding these aspects is crucial for accurate billing and reimbursement processes in healthcare. While other factors like patient age, gender, treatment location, and medical history may play roles in patient management and care, they do not directly define the billing codes in the same way that complexity and photon energy do in a treatment context.*

EXAMPLE

## 7. In prostate cancer staging, the first echelon lymph node is?

A. External iliac

B. Common iliac

C. Obturator

D. Hypogastric

*In the context of prostate cancer staging, the first echelon lymph node refers to the first group of lymph nodes that drain lymphatic fluid from the prostate. The obturator lymph nodes are considered the first echelon node for prostate cancer because they are located in close proximity to the prostate and receive direct lymphatic drainage from it. When cancer spreads, it typically does so through the lymphatic system to the nearest lymph nodes first, and in the case of prostate cancer, the obturator nodes are typically the initial site of metastasis. Recognizing these lymph nodes is paramount in both staging the disease and planning treatment approaches. The other lymph nodes listed, including the external iliac, common iliac, and hypogastric nodes, while important in the overall lymphatic drainage of the pelvic region, are not the first encountered nodes in the drainage pathway from the prostate. Understanding this lymphatic pathway is crucial for clinicians when assessing cancer progression and determining appropriate intervention strategies.*

## 8. If the radiation therapist notices a table angle drift of 5 degrees during treatment, what should they do?

A. Continue treatment

B. Adjust the angle and proceed

C. Stop treatment and notify the doctor

D. Complete the session as planned

*If a radiation therapist notices a table angle drift of 5 degrees during treatment, the appropriate action is to stop the treatment and notify the doctor. This is essential because precise positioning during radiation therapy is critical for targeting the tumor while minimizing exposure to surrounding healthy tissues. Any deviation in angle can lead to misalignment, potentially affecting treatment effectiveness and increasing the risk of side effects. By stopping the treatment and informing the physician, the therapist ensures that there can be an assessment of the situation. This allows the medical team to determine whether re-evaluation of the treatment plan is necessary due to the drift or if adjustments can be safely made before continuing. Safety protocols in radiation therapy emphasize the importance of adhering to specific parameters, and addressing any discrepancies immediately is a fundamental part of those protocols.*

## 9. How is "radiopaque" defined and provide an example?

A. Materials that allow X-rays to pass through; for example, air

B. Materials that completely block X-rays; for example, lead

C. Materials that do not allow X-rays to pass through; for example, barium

D. Materials that absorb all forms of radiation; for example, tungsten

*The definition of "radiopaque" refers to materials that do not allow X-rays to pass through them, which leads to a high degree of absorbance of the radiation. This characteristic results in these materials appearing white or light on X-ray images, as they effectively block the passage of X-rays. Barium is a fitting example of a radiopaque material. It is commonly used as a contrast agent in medical imaging, particularly in gastrointestinal studies. When ingested, barium enhances the visibility of certain structures in the body, allowing for clearer imaging of the digestive tract because it absorbs X-rays. Materials that allow X-rays to pass through, such as air, would not qualify as radiopaque, as they are instead described as radiolucent. Similarly, while lead does block X-rays effectively, it is often specifically categorized as a protective material rather than being classified in clinical imaging contexts like barium is. Lastly, while tungsten absorbs various forms of radiation, it is not commonly used in medical imaging for this purpose, making it a less relevant example in this context.*

EXAMPLE

## 10. What type of planning does IMRT (Intensity-Modulated Radiation Therapy) use?

A. Forward planning

B. Inverse planning

C. Automated planning

D. Manual planning

*Intensity-Modulated Radiation Therapy (IMRT) utilizes inverse planning, which is a sophisticated approach that distinguishes it from other forms of planning in radiation therapy. Inverse planning begins by defining the treatment goals based on the specific tumor characteristics, such as the target volumes that need to be irradiated and the surrounding organs at risk that should be spared from unnecessary radiation. During this process, sophisticated algorithms are employed to optimize the radiation dose distribution. These algorithms work backwards from the desired outcomes—maximizing the dose to the tumor while minimizing exposure to healthy tissues. By allowing the computer to adjust treatment parameters and beam configurations, inverse planning is able to create complex dose distributions that are fine-tuned to the patient's unique anatomy. This method contrasts with forward planning, where predefined treatment beams are applied without adjusting the dose distribution based on the desired target, making it less adaptable to complex tumor geometries. Automated and manual planning approaches also do not match the level of optimization and adaptability offered by inverse planning in IMRT, which is crucial for achieving precise and effective radiation therapy.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://asrtseal.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE