ASVAB ARITHMETIC REASONING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://asvabarithmeticreasoning.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the formula A = 3.14(d) calculate?

A. Area of a Circle
B. Circumference
C. Volume of a Cylinder
D. Surface Area of a Sphere

2. What is the probability that a randomly selected pizza is pepperoni?

A. 1/5
B. 1/4
C. 1/3
D. 1/2

3. The formula to convert a fraction to a decimal involves what operation?

A. Subtraction
B. Multiplication
C. Division
D. Addition

4. What does the symbol ≠ signify in mathematical expressions?

A. Greater than
B. Less than
C. Not equal to
D. Approximately equal to

5. How many days are in one standard year?

A. 365 days
B. 366 days
C. 360 days
D. 370 days

6. What is the centimeter equivalent of 1 meter in decimeters?

A. 0.1 dm
B. 1 dm
C. 10 dm
D. 100 dm

SAMPLE

7. How many gallons of gasoline does Ms. Smith require for her 700-mile trip if her car averages 35 miles per gallon?

A. 18

B. 20

C. 22

D. 25

8. What is the equivalent of 212 degrees Fahrenheit in Celsius?

A. 0°C

B. 100°C

C. 50°C

D. 32°C

9. By how much will the number 258,546 increase if each digit 5 is replaced with the digit 7?

A. 2,020

B. 2,200

C. 20,020

D. 20,200

10. If 1 liter equals 10 deciliters, how many deciliters are in 10 liters?

A. 1 daL

B. 5 daL

C. 10 daL

D. 100 daL

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. A
6. C
7. B
8. B
9. D
10. C

SAMPLE

Explanations

SAMPLE

1. What does the formula A = 3.14(d) calculate?

A. Area of a Circle

B. Circumference

C. Volume of a Cylinder

D. Surface Area of a Sphere

The formula A = 3.14(d) calculates the circumference of a circle, where d represents the diameter of the circle. In this context, "A" stands for circumference, and the constant 3.14 is an approximation of the mathematical constant π (pi). The circumference is the distance around the circle, which can also be expressed as π multiplied by the diameter. Using this formula, if you know the diameter of a circle, you can easily find its circumference by multiplying the diameter by 3.14. This relationship reflects a fundamental property of circles, making the formula essential for understanding measurements associated with circular shapes. The other options provided relate to different geometric properties: the area of a circle is calculated using A = π(r^2), which involves the radius, while the volume of a cylinder requires a different formula that incorporates height. The surface area of a sphere involves a separate formula related to radius, distinguishing it from circumference. Therefore, the formula given is specifically meant for calculating the circumference of a circle.

2. What is the probability that a randomly selected pizza is pepperoni?

A. 1/5

B. 1/4

C. 1/3

D. 1/2

To determine the probability that a randomly selected pizza is pepperoni, you first need to understand the concept of probability. Probability is defined as the number of favorable outcomes divided by the total number of outcomes. In this scenario, if the correct answer is determined to be 1/4, it suggests that there is one pepperoni pizza for every four pizzas in total. This means that if you were to select one pizza at random from a group that includes pepperoni as well as other types, the likelihood of selecting a pepperoni pizza would be 25%, reflecting the ratio of pepperoni pizzas to the total number of pizzas. To confirm this probability, you could visualize or tally the types of pizzas available. If there are, for instance, 4 total pizzas, with 1 being a pepperoni, then indeed, 1 out of 4 satisfies the condition stated in the problem, leading to the conclusion that there is a 1/4 chance of picking a pepperoni pizza. Understanding this approach is crucial for assessing probability in various scenarios, particularly in tests like the ASVAB, where reasoning with proportions is often required. This method can also be applied to different contexts, thus enhancing problem-solving skills in statistics and mathematics.

3. The formula to convert a fraction to a decimal involves what operation?

A. Subtraction

B. Multiplication

C. Division

D. Addition

To convert a fraction to a decimal, the operation involved is division. In essence, a fraction consists of a numerator (the top number) and a denominator (the bottom number). To find the decimal equivalent, you divide the numerator by the denominator. For example, if you have the fraction 3/4, you would divide 3 by 4. This results in 0.75, which is the decimal representation of the fraction. This method is universally applicable to any fraction, making division the fundamental operation for conversion from fractions to decimals.

SAMPLE

4. What does the symbol ≠ signify in mathematical expressions?

A. Greater than

B. Less than

C. Not equal to

D. Approximately equal to

The symbol ≠ is used in mathematical expressions to denote that two values or expressions are not equal to each other. This means that when you see this symbol, it indicates a relationship where one side does not have the same value as the other. For example, if you have the statement 5 ≠ 3, it is conveying that 5 and 3 are not equal, which is a fundamental concept in comparing numbers and values in mathematics. Understanding this notation is crucial in algebra and other areas of math, as it helps in forming correct equations and inequalities. The clarity of the relationship represented by the ≠ symbol is essential in problem-solving and reasoning tasks.

5. How many days are in one standard year?

A. 365 days

B. 366 days

C. 360 days

D. 370 days

In a standard year, there are 365 days. This is based on the Earth's orbit around the Sun, which takes approximately 365.25 days. To account for the additional quarter of a day, a leap year occurs every four years, adding an extra day to February, resulting in 366 days during that leap year. However, in a typical, non-leap year, the count remains 365 days. Therefore, when referring to a standard year, the correct and commonly accepted answer is 365 days.

6. What is the centimeter equivalent of 1 meter in decimeters?

A. 0.1 dm

B. 1 dm

C. 10 dm

D. 100 dm

To understand the relationship between meters and decimeters, it's essential to clarify the metric conversions involved. One meter is equal to 10 decimeters. This means that if you have 1 meter, you can divide it into 10 equal parts, and each part measures 1 decimeter. Now, when converting meters directly into decimeters, the multiplication factor is straightforward: since there are 10 decimeters in each meter, multiplying 1 meter by 10 gives a result of 10 decimeters. Therefore, the centimeter equivalent of 1 meter in decimeters is accurately represented by 10. This understanding is crucial for addressing any questions regarding metric conversions, as it emphasizes the base-10 nature of the metric system.

SAMPLE

7. How many gallons of gasoline does Ms. Smith require for her 700-mile trip if her car averages 35 miles per gallon?

A. 18

B. 20

C. 22

D. 25

To determine how many gallons of gasoline Ms. Smith will need for her 700-mile trip, we can use the car's fuel efficiency. The car averages 35 miles per gallon, meaning that for every gallon of gasoline, it can travel 35 miles. To find the total gallons needed, we need to divide the total distance of the trip by the car's miles per gallon. This can be set up mathematically as follows: Total gallons required = Total distance / Miles per gallon Total gallons required = 700 miles / 35 miles per gallon When we perform the calculation: 700 ÷ 35 = 20 gallons Thus, Ms. Smith will need 20 gallons of gasoline to complete her 700-mile trip. This calculation demonstrates how to effectively use the car's fuel efficiency to estimate fuel needs for a specific distance. By following this method, one can easily adapt the calculation for any travel distance and fuel efficiency.

8. What is the equivalent of 212 degrees Fahrenheit in Celsius?

A. 0°C

B. 100°C

C. 50°C

D. 32°C

To convert from Fahrenheit to Celsius, the formula used is $C = \frac{5}{9} \times (F - 32)$. In this case, we are looking to convert 212 degrees Fahrenheit to Celsius. Using the formula: 1. Subtract 32 from the Fahrenheit temperature: $212 - 32 = 180$. 2. Next, multiply that result by $\frac{5}{9}$: $\frac{5}{9} \times 180 = 100$. Thus, when you perform the conversion, you find that 212 degrees Fahrenheit is equivalent to 100 degrees Celsius. This reflects the well-known fact that 212 degrees Fahrenheit is the boiling point of water, which corresponds to 100 degrees Celsius under standard atmospheric conditions. This makes 100 degrees Celsius the correct answer, as it directly reflects the accurate conversion from Fahrenheit to Celsius.

9. By how much will the number 258,546 increase if each digit 5 is replaced with the digit 7?

A. 2,020

B. 2,200

C. 20,020

D. 20,200

*To determine how much the number 258,546 increases by replacing each digit 5 with the digit 7, we first need to identify where the digit 5 appears in the number. The digit 5 appears twice in 258,546: - Once in the thousands place (5 in 25**5**846) - Once in the tens place (5 in 258**5**46) Now we can calculate the increase caused by changing these 5s to 7s. 1. For the first 5 in the thousands place: - The original value contributed by this digit is 5,000. - After changing it to 7, the new value is 7,000. - The increase from this change is 7,000 - 5,000 = 2,000. 2. For the second 5 in the tens place: - The original value contributed by this digit is 50. - After changing it to 7, the new value is 70. - The increase from this change is 70 - 50 = 20. Now, we add the increases together: - From the thousands place increase: 2,000 - From the*

SAMPLE

10. If 1 liter equals 10 deciliters, how many deciliters are in 10 liters?

A. 1 daL

B. 5 daL

C. 10 daL

D. 100 daL

To determine how many deciliters are in 10 liters, start with the conversion factor given: 1 liter is equal to 10 deciliters. Given that you have 10 liters, you can use the conversion factor to find the total amount in deciliters: 1. Multiply the number of liters (10) by the conversion factor (10 deciliters per liter): 10 liters × 10 deciliters/liter = 100 deciliters. Thus, 10 liters is equivalent to 100 deciliters. This means the correct answer reflects the direct application of the conversion factor, showing how many deciliters correspond to a larger volume in liters. This understanding of unit conversion is crucial in various contexts, including scientific measurements, cooking, and many everyday calculations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://asvabarithmeticreasoning.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE