
ATI COMPREHENSIVE PREDICTOR RETAKE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://atipredictorretake.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What precaution should be taken with clients who have hypothyroidism regarding temperature regulation?

A. Provide extra clothing and blankets

B. Ensure exposure to cold environments

C. Discourage warm baths

D. Instruct to avoid wearing heavy clothing

2. When documenting client care, which of the following is crucial?

A. Document facts and info precisely

B. Include personal opinions

C. Leave blank spaces for future notes

D. Erase errors before submitting notes

3. What is an expected finding for a client receiving magnesium sulfate?

A. Increased energy

B. Feelings of flushing and heat

C. Improved concentration

D. Decreased thirst

4. Which symptom indicates a need for immediate intervention in a client with Diabetic Ketoacidosis?

A. Increased thirst

B. Frontal headaches

C. Kussmaul's respirations

D. Stomach pains

5. Which method is best for performing a heel stick for glucose monitoring in a newborn?

A. Applying pressure before the stick

B. Warming the heel to increase circulation

C. Using the baby's thumb for better results

D. Applying a cold pack after the procedure

SAMPLE

6. What should be included in the change of shift report?

A. Objective info about the client's health problems

B. Personal anecdotes

C. Client's social history

D. Gossip about the healthcare team

7. What does the presence of xanthelasma indicate?

A. High levels of cholesterol in the blood

B. Low blood pressure

C. Kidney dysfunction

D. Increased blood glucose levels

8. What is the recommended sleeping position for newborns to ensure safety?

A. On their stomach

B. On their side

C. On their back

D. In a crib with pillows

9. What is a primary intervention for a patient newly diagnosed with vancomycin resistant enterococcus?

A. Standard precautions

B. Droplet precautions

C. Contact precautions

D. Aerosol precautions

10. Which intervention is crucial to prevent self-harm in a client?

A. Allow the client to stay in a private room

B. Limit the client's time with staff

C. Search the client's belongings with them present

D. Ensure clients' hands are hidden when sleeping

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. C
5. B
6. A
7. A
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What precaution should be taken with clients who have hypothyroidism regarding temperature regulation?

A. Provide extra clothing and blankets

B. Ensure exposure to cold environments

C. Discourage warm baths

D. Instruct to avoid wearing heavy clothing

Clients with hypothyroidism often experience difficulties with temperature regulation due to a decreased metabolic rate and reduced heat production. This condition can lead to a heightened sensitivity to cold, making it important to maintain a comfortable and warm environment for these individuals. Providing extra clothing and blankets helps to conserve body heat and ensures that the client stays comfortable, preventing hypothermia and other complications related to cold exposure. In general, hypothyroidism can impair the body's ability to generate warmth effectively, so the focus should be on keeping the client adequately warm and protected from cold temperatures. This approach supports their overall health and well-being, especially during colder months or in cooler environments.

2. When documenting client care, which of the following is crucial?

A. Document facts and info precisely

B. Include personal opinions

C. Leave blank spaces for future notes

D. Erase errors before submitting notes

Documenting client care accurately is essential for several reasons: it promotes effective communication among healthcare professionals, provides a legal record of the care provided, and ensures continuity of care for the patient. When you document facts and information precisely, you create a detailed and objective account of the patient's condition, treatment, and responses. This information can influence future medical decisions and facilitate appropriate interventions. Moreover, precise documentation helps to reduce the risk of misunderstandings or misinterpretations regarding the patient's care. By avoiding the inclusion of personal opinions, vague information, or leaving blank spaces, the documentation remains clear and professional. Errors can be corrected in a proper manner—usually through a protocol that includes initialing and dating corrections rather than erasing, which maintains the integrity of the record. Overall, the focus on factual and precise documentation ensures the safety and quality of patient care.

3. What is an expected finding for a client receiving magnesium sulfate?

A. Increased energy

B. Feelings of flushing and heat

C. Improved concentration

D. Decreased thirst

When a client is receiving magnesium sulfate, feelings of flushing and heat are expected findings due to the physiological effects of magnesium on the body. Magnesium acts as a vasodilator, which can lead to increased blood flow and a sensation of warmth and flushing in the skin. This response is commonly observed, particularly if the magnesium sulfate is administered rapidly or in higher doses. Other symptoms, such as decreased energy or improved concentration, are not associated with magnesium sulfate administration. Instead, clients may experience varying levels of lethargy or drowsiness due to the sedative properties of magnesium. Additionally, while magnesium may influence hydration status, increased thirst is not a typical finding; rather, magnesium can sometimes lead to a reduction in thirst or changes in thirst perception.

SAMPLE

4. Which symptom indicates a need for immediate intervention in a client with Diabetic Ketoacidosis?

A. Increased thirst

B. Frontal headaches

C. Kussmaul's respirations

D. Stomach pains

Kussmaul's respirations, which are characterized by deep and labored breathing, are a compensatory mechanism that occurs in response to metabolic acidosis, particularly in conditions like Diabetic Ketoacidosis (DKA). This type of respiratory pattern indicates that the body is attempting to counterbalance the acidosis by increasing the rate of carbon dioxide elimination. When a client exhibits Kussmaul's respirations, it suggests that they are experiencing significant metabolic derangement and the potential for severe outcomes if not intervened upon quickly. The presence of this symptom is a clear indication that the client's condition may be worsening and requires immediate medical attention to prevent further complications, such as respiratory failure or a rapid progression of DKA. In contrast, increased thirst, frontal headaches, and stomach pains may point to dehydration or other symptoms related to hyperglycemia and DKA but do not signify the same immediate and severe physiological threat that Kussmaul's respirations do. Therefore, Kussmaul's respirations are the critical symptom that necessitates urgent intervention.

5. Which method is best for performing a heel stick for glucose monitoring in a newborn?

A. Applying pressure before the stick

B. Warming the heel to increase circulation

C. Using the baby's thumb for better results

D. Applying a cold pack after the procedure

Warming the heel to increase circulation is the best method for performing a heel stick for glucose monitoring in a newborn. This practice helps to vasodilate the blood vessels in the area, which can increase blood flow to the capillaries. Improved circulation results in a higher yield of blood, making the procedure easier and potentially less traumatic for the infant. When a heel is warmed, the blood vessels expand, leading to richer blood supply near the surface of the skin. This increased perfusion not only minimizes the difficulty in obtaining a blood sample but also contributes to a more reliable glucose measurement. This technique is especially important in newborns, whose small blood volume and delicate skin can complicate blood draws. In contrast to this method, trying to apply pressure before the stick could potentially lead to tissue damage or an inadequate sample due to altered blood flow. Using the baby's thumb is not suitable for heel sticks, as the fingers are not typical sites for this procedure. After the procedure, applying a cold pack is not recommended, as this can constrict blood vessels and make subsequent procedures more challenging.

SAMPLE

6. What should be included in the change of shift report?

A. Objective info about the client's health problems

B. Personal anecdotes

C. Client's social history

D. Gossip about the healthcare team

Including objective information about the client's health problems in the change of shift report is essential for ensuring that the incoming healthcare team has a clear, factual understanding of the patient's condition. Objective information encompasses measurable data, such as vital signs, lab results, current treatments, and any significant changes in the patient's health status during the previous shift. This detailed and factual information aids in continuity of care and helps healthcare providers make informed decisions regarding the ongoing management of the client's health. Other options, while they may have some relevance, do not provide the critical and necessary information for effective handoff communication. Personal anecdotes may provide context but are not relevant to clinical care. The client's social history might be important in some contexts but does not directly relate to immediate health concerns that the next shift needs to prioritize. Gossip about the healthcare team is unprofessional and can undermine team cohesion and focus on patient care.

7. What does the presence of xanthelasma indicate?

A. High levels of cholesterol in the blood

B. Low blood pressure

C. Kidney dysfunction

D. Increased blood glucose levels

The presence of xanthelasma is indicative of high levels of cholesterol in the blood, specifically an elevation of low-density lipoprotein (LDL) cholesterol. Xanthelasma are yellowish plaques that often appear around the eyelids and are associated with lipid metabolism disorders. They may signal the presence of underlying conditions such as familial hypercholesterolemia and can be a marker for cardiovascular risk, as increased cholesterol levels are known to contribute to atherosclerosis and other cardiovascular diseases. Regular monitoring of cholesterol levels is important for individuals with xanthelasma to manage their heart health effectively. In contrast, low blood pressure, kidney dysfunction, and increased blood glucose levels do not typically correlate with the formation of xanthelasma, thus supporting the correct identification of this condition as a sign of cholesterol abnormalities.

8. What is the recommended sleeping position for newborns to ensure safety?

A. On their stomach

B. On their side

C. On their back

D. In a crib with pillows

The recommended sleeping position for newborns to ensure safety is on their back. This position significantly reduces the risk of Sudden Infant Death Syndrome (SIDS), which is a concern during the first year of life. Placing infants on their backs to sleep allows them to maintain an open airway and reduces the likelihood of accidental suffocation. Positioning a newborn on their stomach or side can lead to increased respiratory risks, as these positions may cause the baby's face to become obstructed by bedding or other surfaces. Similarly, placing a newborn in a crib with pillows is deemed unsafe because pillows can pose a suffocation hazard. The focus on a safe sleeping environment emphasizes having a firm mattress with no soft objects, ensuring that the baby has a secure, unobstructed space to sleep. By following the guideline of placing newborns on their backs, caregivers can significantly contribute to safer sleeping practices for infants.

SAMPLE

9. What is a primary intervention for a patient newly diagnosed with vancomycin resistant enterococcus?

A. Standard precautions

B. Droplet precautions

C. Contact precautions

D. Aerosol precautions

The primary intervention for a patient newly diagnosed with vancomycin-resistant enterococcus (VRE) is to implement contact precautions. This is crucial because VRE can be transmitted through direct or indirect contact with contaminated surfaces or equipment, or through person-to-person contact. Contact precautions involve the use of gloves and gowns when interacting with the patient or handling their belongings, helping to minimize the risk of spreading the bacteria to other patients or healthcare staff. In this context, standard precautions would not be sufficient alone, as they do not specifically address the heightened risk associated with resistant organisms like VRE. Droplet precautions, on the other hand, are appropriate for infections that spread via respiratory droplets, which is not the case with VRE. Aerosol precautions are reserved for illnesses that can be transmitted through airborne particles, further distinguishing them from the necessary measures for VRE. Thus, contact precautions are the most effective strategy for preventing the spread of vancomycin-resistant enterococcus within a healthcare setting.

10. Which intervention is crucial to prevent self-harm in a client?

A. Allow the client to stay in a private room

B. Limit the client's time with staff

C. Search the client's belongings with them present

D. Ensure clients' hands are hidden when sleeping

Searching the client's belongings with them present is crucial in preventing self-harm because it allows for a thorough assessment of any harmful items that could be used inappropriately. This intervention helps create a safe environment by ensuring that potential means of self-harm, such as sharp objects or toxic substances, are removed. Additionally, involving the client in the search can support transparency and build trust between the client and the staff, which is essential in promoting a therapeutic relationship. The other options, while they may have their place in certain contexts, do not directly focus on safety. For instance, allowing a client to stay in a private room might increase the risk of self-harm due to isolation. Similarly, limiting the client's time with staff could reduce the opportunities for intervention and support. Finally, hiding a client's hands while they sleep might not effectively address the underlying risk factors for self-harm and does not provide a proactive approach in managing safety. Therefore, searching belongings in the client's presence stands out as the most effective intervention for preventing self-harm.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://atipredictorretake.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE