# ATP 4-02.11 – FIRST AID PRACTICE EXAM (SAMPLE)

## STUDY GUIDE




## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://atp40211firstaid.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **Hyponatremia is water intoxication and is a medical emergency. What is First Aid for hyponatremia?**

   A. Eat salty foods or snacks and evacuate

   B. Drink large amounts of water

   C. Take diuretics

   D. Ignore symptoms

2. **Which action should be taken before applying a chest seal to an open chest wound?**

   A. Fully Exhale

   B. Inhale deeply

   C. Speak to describe pain

   D. Hold breath

3. **Which of the following is most indicative of shock requiring urgent evacuation?**

   A. Confusion, pale cold skin, rapid weak pulse.

   B. Rapid pulse, sweating, warm flushed skin.

   C. Slow pulse, pale dry skin.

   D. Normal vital signs.

4. **During peacetime MEDEVAC operations, what information is included?**

   A. Number and Types of Wounds, Injuries, and Illnesses

   B. Vehicle Location

   C. Medical Staff On Site

   D. Aircraft Type

5. **What are essential infection-prevention practices in field first aid?**

   A. Avoid wearing gloves to preserve dexterity

   B. Use sterile dressings, wear gloves, practice hand hygiene when possible, avoid cross-contamination.

   C. Reuse dressings without cleaning surfaces

   D. Only wash hands after evacuating a casualty

SAMPLE

**6. An oropharyngeal airway (OPA) is contraindicated in which condition?**

A. Unconscious with no gag reflex

B. Conscious with gag reflex

C. Unconscious with gag reflex

D. Semi-conscious with no gag reflex

**7. How high above an injury should you apply a tourniquet?**

A. 1-2 inches

B. 2-4 inches

C. 4-6 inches

D. 6-8 inches

**8. What steps should you take to safely evac a casualty with a suspected spinal injury on a litter?**

A. Stabilize the head/neck, maintain inline alignment during lifting, secure the casualty on the litter, and minimize movement

B. Leave head/neck unrestrained to prevent stiffness

C. Move quickly without alignment

D. Remove backboard before lifting

**9. In a closed fracture, what is true about the skin?**

A. The skin is usually broken

B. There is often an open wound

C. The skin remains intact

D. The skin always bleeds heavily

**10. What does CPR stand for?**

A. Cardiac Pulmonary Recovery

B. Cardiopulmonary Resuscitation

C. Cerebral Pressure Resuscitation

D. Cardiovascular Physical Response

SAMPLE

# Answers

SAMPLE

1. A
2. A
3. C
4. A
5. B
6. B
7. B
8. A
9. C
10. B

SAMPLE

# Explanations

SAMPLE

## 1. Hyponatremia is water intoxication and is a medical emergency. What is First Aid for hyponatremia?

A. Eat salty foods or snacks and evacuate

B. Drink large amounts of water

C. Take diuretics

D. Ignore symptoms

*Hyponatremia from water overload is dangerous because diluting the sodium in the blood can cause brain swelling and serious neurologic problems. The first aid approach is to get the person to professional medical care urgently. Eating salty foods or snacks provides a quick sodium input to help raise the serum sodium level, which is why this option is favored in this scenario. Drinking large amounts of water would worsen the condition, and diuretics or simply ignoring symptoms are not appropriate first-aid responses. So the best immediate step is to have salty foods and evacuate to medical care, with emergency services contacted and the person monitored until help arrives.*

## 2. Which action should be taken before applying a chest seal to an open chest wound?

A. Fully Exhale

B. Inhale deeply

C. Speak to describe pain

D. Hold breath

*The action hinges on preventing air from being drawn into the chest wound during the next breath. Having the person fully exhale before applying the chest seal reduces the amount of air in the lungs and minimizes the suction effect when they next inhale. This helps prevent air from being sucked through the wound, which could worsen a sucking chest wound or lead to a tension pneumothorax. Inhaling deeply would increase the potential for air to rush into the chest through the wound, which is precisely what you're trying to avoid. Telling the patient to speak or holding their breath doesn't address the risk in the same way, so they're not as effective a preparation before applying the seal.*

## 3. Which of the following is most indicative of shock requiring urgent evacuation?

A. Confusion, pale cold skin, rapid weak pulse.

B. Rapid pulse, sweating, warm flushed skin.

C. Slow pulse, pale dry skin.

D. Normal vital signs.

*The key idea is recognizing signs of systemic hypoperfusion that signal a life-threatening drop in blood flow to vital organs, requiring urgent evacuation. When someone is in shock, the body tries to compensate by increasing heart rate, but perfusion to the brain and organs falls, so mental status changes appear and the skin becomes pale, cold, and clammy. A rapid, weak pulse reflects the heart's attempt to maintain circulation despite reduced blood volume or vessel tone. This combination—confusion or altered consciousness, pale cold skin, and a rapid weak pulse—is the clearest warning of shock needing immediate transport. The other presentations don't fit the classic emergency shock picture. A rapid pulse with sweating and warm flushed skin can occur in heat stress or some early conditions, but it's not the hallmark of shock with perfusion failure. Slow pulse with pale dry skin points to dehydration or hypothermia rather than the rapid perfusion collapse of shock. Normal vital signs indicate that shock is not present at that moment.*

SAMPLE

## 4. During peacetime MEDEVAC operations, what information is included?

A. Number and Types of Wounds, Injuries, and Illnesses

B. Vehicle Location

C. Medical Staff On Site

D. Aircraft Type

*Communicating patient burden and medical needs is the key in MEDEVAC handoffs. In peacetime operations, responders transmit the number of patients and the types of wounds, injuries, and illnesses. This information directly informs triage, prioritization, and the level of medical care required at the destination facility, shaping what supplies and personnel are prepared for the evacuation and ensuring patients are routed to the appropriate unit. While operational details such as where a vehicle is located, whether medical staff are on site, or the type of aircraft can be important for mission planning and safety, they do not specify the medical needs of the patients and are not the primary content of the medical handoff.*

## 5. What are essential infection-prevention practices in field first aid?

A. Avoid wearing gloves to preserve dexterity

B. Use sterile dressings, wear gloves, practice hand hygiene when possible, avoid cross-contamination.

C. Reuse dressings without cleaning surfaces

D. Only wash hands after evacuating a casualty

*Protecting both the casualty and yourself from infection is the aim in field first aid. Use sterile dressings to cover wounds and keep pathogens out, wear gloves to create a barrier against blood and bodily fluids, and practice hand hygiene whenever possible to reduce the transfer of microbes. Avoid cross-contamination by using clean or sterile supplies for each step and disposing of used materials properly. Even with limited resources, these actions collectively lower infection risk; skipping gloves, reusing dressings, or only washing hands after evacuation increases the potential for infection.*

## 6. An oropharyngeal airway (OPA) is contraindicated in which condition?

A. Unconscious with no gag reflex

B. Conscious with gag reflex

C. Unconscious with gag reflex

D. Semi-conscious with no gag reflex

*An oropharyngeal airway is used to keep the airway open when the tongue would block the airway, but it only works safely if protective airway reflexes are not present. In a patient who is conscious and still has a gag reflex, inserting an OPA would trigger coughing or gagging and can lead to vomiting and aspiration. That risk makes it contraindicated in someone with an active gag reflex, so the best answer describes a conscious person with gag reflex. In contrast, an unconscious patient who lacks a gag reflex is exactly the situation where an OPA helps prevent the tongue from occluding the airway. If there's a gag reflex present (even if the patient is not fully alert), the device is generally avoided for the same reason as above. If no gag reflex is present, the airway support with an OPA can be considered.*

SAMPLE

## 7. How high above an injury should you apply a tourniquet?

A. 1-2 inches

B. 2-4 inches

C. 4-6 inches

D. 6-8 inches

*When stopping severe limb bleeding, place the tourniquet on healthy tissue a short distance above the wound to occlude arterial flow. The recommended distance is about two to four inches (roughly 5–10 cm) from the edge of the wound. This keeps the tourniquet in a position that can press the artery effectively without sliding onto the wound or over a joint. In larger limbs you may need toward the higher end of that range, while smaller limbs often only need closer to two inches. Apply until bleeding stops, and seek further medical care as needed.*

## 8. What steps should you take to safely evac a casualty with a suspected spinal injury on a litter?

A. Stabilize the head/neck, maintain inline alignment during lifting, secure the casualty on the litter, and minimize movement

B. Leave head/neck unrestrained to prevent stiffness

C. Move quickly without alignment

D. Remove backboard before lifting

*When a casualty is suspected of a spinal injury and must be evacuated on a litter, the priority is to prevent any movement of the spine and to keep it aligned throughout the transfer. Begin with stabilizing the head and neck in line with the spine, using manual support or a cervical collar if available. Maintain a straight, neutral spine during lifting and transferring, and secure the casualty firmly to the litter with straps or ties so the body cannot shift. As you move, minimize any movement that could twist or compress the spine. This approach reduces the risk of causing a secondary spinal cord injury during transport. Leaving the head and neck unrestrained allows dangerous motion, which can worsen the injury. Moving quickly without maintaining alignment risks angular or axial loading. Removing a backboard before lifting removes essential immobilization, increasing the chance of harmful movement during the evacuation.*

## 9. In a closed fracture, what is true about the skin?

A. The skin is usually broken

B. There is often an open wound

C. The skin remains intact

D. The skin always bleeds heavily

*In a closed fracture the bone is broken but the skin is not breached, so the skin remains intact. This distinction is what separates closed fractures from open fractures, where bone or tissue is exposed through a wound. External bleeding isn't a defining feature of a closed fracture; there may be swelling and tenderness, and any bleeding would come from surrounding soft tissue rather than an open skin wound. So the statement that the skin remains intact best captures what a closed fracture involves.*

SAMPLE

## 10. What does CPR stand for?

A. Cardiac Pulmonary Recovery

B. Cardiopulmonary Resuscitation

C. Cerebral Pressure Resuscitation

D. Cardiovascular Physical Response

*CPR stands for Cardiopulmonary Resuscitation, a life-saving technique used when a person's heart or breathing has stopped. It combines chest compressions to keep blood flowing to vital organs with rescue breaths to supply oxygen, buying time until the heart can beat again or advanced care arrives. The other options don't reflect the established term or the purpose of reviving someone in distress, as they use different, incorrect phrases. Remember: cardio relates to the heart, pulmonary to the lungs, and resuscitation means restoring life.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://atp40211firstaid.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE