
ATR GENERAL FAMILIARIZATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://atrgenfam.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 9

Explanations 11

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What action is typically taken to correct a fuel imbalance detected in flight?

A. Increase thrust on the larger engine.

B. Balance fuel between tanks.

C. Descend to reduce weight.

D. Shut down a fuel pump.

2. Anti-skid activation speed is which of the following values?

A. 5 kts

B. 10 kts

C. 15 kts

D. 20 kts

3. What is the purpose of maintaining weight and balance records after a flight?

A. To track passenger weight for payment.

B. To estimate baggage fees.

C. To ensure aircraft center of gravity remains within limits for safe performance.

D. To schedule next flight crew shift.

4. Ionization smoke detector is found in which location?

A. Lavatory and electronics rack.

B. Catering area.

C. Engine room.

D. Cargo hold.

5. What is the purpose of weight and balance checks on ATR flights and how is CG maintained?

A. It has no effect on flight performance

B. They affect stability, controllability, and performance; loaded according to the load sheet to stay within certified CG limits

C. They only affect fuel efficiency

D. The CG is not critical for ATR

SAMPLE

6. What is stall margin and why is it important for ATR operations?

A. Time available before landing.

B. Difference between engine thrust and drag.

C. Relationship between target flight path and actual path.

D. Difference between current airspeed and stall speed; influences safe acceleration and stall avoidance.

7. During a normal ATR engine start, which parameters should be verified before starting the second engine?

A. Electrical power availability

B. Cabin pressurization

C. N1/N2, ITT, and oil pressure values

D. Crew scheduling

8. Describe the typical ATR cockpit crew arrangement and how responsibilities are divided.

A. A two-pilot cockpit with Pilot Flying handles flight controls and Pilot Monitoring manages navigation, systems, and callouts; both monitor and cross-check.

B. A three-person crew: Captain, First Officer, and Flight Engineer; each has assigned controls.

C. A two-pilot cockpit where Pilot Flying handles navigation and callouts; Pilot Monitoring handles flight controls.

D. A single-pilot operation.

9. What information should you provide when declaring an in-flight emergency to ATC and requesting priority?

A. Provide only position and altitude.

B. Call ATC only on the regular channel and request priority.

C. Request priority without speaking.

D. Use standard emergency phraseology, provide position, altitude, nature of emergency, and request priority.

SAMPLE

10. What are the two primary engines on ATR twin-turboprop aircraft and what family do they belong to?

A. Two turboprop engines from the PW100 family drive the propellers.

B. Two turbofan engines from the PW100 family drive the propellers.

C. One turboprop engine from the PW100 family drives the propellers.

D. Two turboprop engines from the PW300 family drive the propellers.

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. A
5. B
6. D
7. C
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What action is typically taken to correct a fuel imbalance detected in flight?

A. Increase thrust on the larger engine.

B. Balance fuel between tanks.

C. Descend to reduce weight.

D. Shut down a fuel pump.

Fuel imbalance creates a lateral shift of the airplane's center of gravity, making one wing heavier than the other and causing a roll tendency. The effective and safe way to correct this in flight is to move fuel from the heavier wing tank to the lighter wing tank, rebalancing the aircraft. Modern systems provide a fuel balancing feature or crossfeed that lets you transfer fuel between tanks so both sides are near equal. By restoring balance, you maintain stable, controllable flight and keep the weight distribution within limits. Other options don't fix the issue as directly; increasing thrust on one engine would change thrust asymmetry but not the fuel weight distribution, which can still cause roll. Descending to reduce weight changes overall mass but won't correct how fuel is distributed between tanks. Shutting down a fuel pump can worsen imbalance or reduce redundancy.

2. Anti-skid activation speed is which of the following values?

A. 5 kts

B. 10 kts

C. 15 kts

D. 20 kts

Anti-skid activation speed is the ground speed at which the wheel anti-skid system starts to intervene in braking. This threshold is chosen so the system can reliably detect wheel slip and modulate brake pressure during the critical early part of the braking roll when tires are most at risk of skidding. Ten knots is the value used here because it's high enough for wheel-speed sensors to have a clear, stable signal and low enough to provide protection during the important initial deceleration after touchdown or when braking on the ground. If you brake only below this speed, anti-skid isn't needed and can cause unnecessary pulsations; if the threshold were higher, the system wouldn't protect you early enough to prevent wheel lock during the important early part of the stop.

3. What is the purpose of maintaining weight and balance records after a flight?

A. To track passenger weight for payment.

B. To estimate baggage fees.

C. To ensure aircraft center of gravity remains within limits for safe performance.

D. To schedule next flight crew shift.

Maintaining weight and balance records focuses on keeping the airplane's center of gravity within the certified limits. The center of gravity is where the aircraft's mass is concentrated, and if it shifts outside acceptable bounds, stability, control effectiveness, and stall characteristics can be affected, impacting safe takeoff, flight, and landing. By recording the actual weights and loading distribution after each flight, operators can verify the CG stays within safe limits for every mission and use that data to plan future flights with proper performance margins. The other options don't involve aircraft stability or performance, so they don't serve the safety purpose of these records.

SAMPLE

4. Ionization smoke detector is found in which location?

A. Lavatory and electronics rack.

B. Catering area.

C. Engine room.

D. Cargo hold.

Ionization smoke detectors are chosen for small, enclosed spaces where a fast-flaming fire could develop and spread quickly, so early warning is crucial. Lavatories and electronics racks fit that description: they are compact, often enclosed areas where a flame could start from towels, paper, or electrical equipment and then rapid detection helps prevent a larger fire. The detector uses a small radioactive source to ionize the air; smoke disrupts the ion flow, triggering the alarm quickly in these intimate spaces. Other locations like galley areas can produce cooking smoke and steam that might cause nuisance alarms, and engine rooms or cargo holds rely on detectors appropriate to their harsher environments and different fire dynamics, so they aren't the typical placement for this type in many aircraft configurations.

5. What is the purpose of weight and balance checks on ATR flights and how is CG maintained?

A. It has no effect on flight performance

B. They affect stability, controllability, and performance; loaded according to the load sheet to stay within certified CG limits

C. They only affect fuel efficiency

D. The CG is not critical for ATR

Weight and balance checks ensure the airplane's total weight and how that weight is distributed keep the center of gravity within the approved limits. The CG location governs longitudinal stability and control effectiveness, so it directly affects how the aircraft feels in pitch and how it behaves in different phases of flight. A CG that's too far forward makes the airplane more stable but harder to rotate and climb, and it can increase stall and landing speeds. A CG that's too far aft reduces stability and can make the aircraft harder to control, especially during stalls and recoveries. To maintain CG, the load sheet specifies how weight should be distributed among passengers, baggage, cargo, and fuel. The aircraft is loaded accordingly, and ballast or fuel adjustments may be used to keep the CG within certified limits for all phases of flight. Keeping the CG within its envelope ensures safe, predictable stability, controllability, and performance, not just fuel efficiency.

6. What is stall margin and why is it important for ATR operations?

A. Time available before landing.

B. Difference between engine thrust and drag.

C. Relationship between target flight path and actual path.

D. Difference between current airspeed and stall speed; influences safe acceleration and stall avoidance.

Stall margin is the difference between the airplane's current airspeed and its stall speed in the present configuration and weight. It shows how much speed you have before the aircraft reaches the stall, giving you a safety buffer as you fly. In ATR operations, stall speed isn't fixed—it rises with heavier weight, higher bank angles, and certain configurations (like flap settings). That means the margin can shrink exactly when you need it most, such as during turns, gusty conditions, or configuration changes during approach and climb. Keeping a healthy stall margin lets you accelerate safely, recover from gusts, and perform go-arounds without inadvertently stalling. In practice, pilots choose target speeds that maintain adequate margin and monitor for changes that would reduce it, ensuring steady control and safe handling throughout the flight.

SAMPLE

7. During a normal ATR engine start, which parameters should be verified before starting the second engine?

A. Electrical power availability

B. Cabin pressurization

C. N1/N2, ITT, and oil pressure values

D. Crew scheduling

Focusing on engine readiness indicators is what matters when preparing to start the second engine. Verifying N1 and N2 shows the engine's rotors are in the expected range and responding correctly to the start sequence, indicating the compressor and turbines are ready to spool without abnormal conditions. ITT verification is crucial because it tells you whether temperatures are staying within safe limits during start; a rising or high ITT can signal an imminent overheat or improper combustion. Oil pressure confirms the lubrication system is circulating properly, which is essential for a safe start and to protect moving parts as the engine comes up to speed. Electrical power availability and cabin pressurization are important for overall aircraft operation, but they don't directly reflect the engine's mechanical readiness for a second start. Crew scheduling is unrelated to the technical readiness of the engines. So, the checks that specifically demonstrate the engine's health—N1/N2, ITT, and oil pressure—are the ones you rely on to proceed with starting the second engine.

8. Describe the typical ATR cockpit crew arrangement and how responsibilities are divided.

A. A two-pilot cockpit with Pilot Flying handles flight controls and Pilot Monitoring manages navigation, systems, and callouts; both monitor and cross-check.

B. A three-person crew: Captain, First Officer, and Flight Engineer; each has assigned controls.

C. A two-pilot cockpit where Pilot Flying handles navigation and callouts; Pilot Monitoring handles flight controls.

D. A single-pilot operation.

In ATRs the typical cockpit setup uses two pilots with a clear division of duties. The Pilot Flying is the one actually handling the flight controls and managing the flight path, using the stick, pedals, and autopilot as needed to follow the clearance and maintain the desired trajectory. The Pilot Monitoring focuses on navigation, flight management system and systems monitoring, plus performing callouts and checklists. This pilot also keeps an eye on instruments, performance data, and configuration items (like speeds, altitudes, and caps on the flight plan) and communicates with ATC when needed. Both pilots continually monitor and cross-check each other's actions to maintain situational awareness and ensure safe operation. There's no flight engineer on this aircraft type, and a three-person crew isn't used, so the two-person arrangement with Flying and Monitoring roles is the standard way responsibilities are split.

SAMPLE

9. What information should you provide when declaring an in-flight emergency to ATC and requesting priority?

A. Provide only position and altitude.

B. Call ATC only on the regular channel and request priority.

C. Request priority without speaking.

D. Use standard emergency phraseology, provide position, altitude, nature of emergency, and request priority.

When declaring an in-flight emergency, you need to convey information in a way that lets ATC quickly assess the situation and act. Using standard emergency phraseology and giving key details—your position, your altitude, the nature of the emergency, and that you're requesting priority—does exactly that. The phraseology flags the seriousness immediately and avoids ambiguity, while the specifics about where you are and what's happening allow ATC to determine the closest safe airport, assign appropriate resources, and provide precise instructions for a rapid and orderly handling of the situation. Providing only position and altitude leaves ATC blind to what's actually wrong, so they can't judge what kind of assistance you need. Declaring an emergency on a regular channel without explicitly asking for priority can leave you stacked in the queue behind other traffic. Requesting priority without speaking deprives ATC of crucial details about your condition, which could delay the help you require. Combining standard phraseology with position, altitude, the nature of the emergency, and a clear request for priority gives ATC everything they need to respond effectively.

10. What are the two primary engines on ATR twin-turboprop aircraft and what family do they belong to?

A. Two turboprop engines from the PW100 family drive the propellers.

B. Two turbofan engines from the PW100 family drive the propellers.

C. One turboprop engine from the PW100 family drives the propellers.

D. Two turboprop engines from the PW300 family drive the propellers.

The ATR twin-turboprop uses two turboprop engines from the PW100 family to power its propellers. On most ATRs, the engines are the PW127M, which drive the propellers through a reduction gearbox designed for propulsive efficiency at regional flight speeds. The PW100 family is specifically built for turboprop propulsion, offering good fuel efficiency and performance for short- to medium-range routes. The PW300 family, by contrast, is a turbofan line used on jets, not on ATR turboprops, so it wouldn't power this aircraft. Having two engines provides the necessary redundancy for safe, reliable operation on regional flights.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://atrgenfam.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE