AWS D1.1 STRUCTURAL WELDING CODE – STEEL (OPEN BOOK) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://awsd11openbook.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the significance of the qualification section in AWS D1.1?

A. It provides guidelines for material selection

B. It outlines the requirements for welding personnel, procedures, and equipment

C. It sets the standards for weld inspection methods

D. It establishes safety protocols for welding processes

2. What is the essential variable change that necessitates requalification for automatic SAW?

A. An increase of 4° in the angle of electrode

B. An increase of 6° in the angle of electrode

C. A decrease of 6° in the angle of electrode

D. Both A and B

3. What is the prohibited size for fillet welds according to the AWS D1.1 code?

A. 1/8"

B. 3/16"

C. 1/4"

D. 5/16"

4. Which welding process mandates a minimum thickness of 3/16" for backing when using ER70S-X filler metal?

A. FCAW

B. GMAW

C. SMAW

D. SAW

5. What is the minimum thickness of metal an AWS D1.1 welder can work on?

A. 1/16"

B. 1/8"

C. 1/4"

D. 1/2"

SAMPLE

6. What is the minimum fillet weld size for a small 5/8" stud?

A. 1/4 inch

B. 5/16 inch

C. 3/8 inch

D. 1/2 inch

7. What is the prohibited size for fillet welds according to the AWS D1.1 code?

A. 1/8"

B. 3/16"

C. 1/4"

D. 1/2"

8. What is the minimum nominal thickness of backing required when using ER70S-X filler metal?

A. 1/4"

B. 1/8"

C. 1/2"

D. 3/8"

9. Why is the adherence to procedures critical in structural welding?

A. To maintain aesthetic appeal

B. To ensure compliance, safety, and structural integrity of welds

C. To minimize costs on the project

D. Only to meet regulatory requirements

10. What is the minimum yield strength that an AWS D1.1 welder can work with?

A. 30 KSI

B. 50 KSI

C. 70 KSI

D. 100 KSI

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. C
5. B
6. B
7. B
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the significance of the qualification section in AWS D1.1?

A. It provides guidelines for material selection

B. It outlines the requirements for welding personnel, procedures, and equipment

C. It sets the standards for weld inspection methods

D. It establishes safety protocols for welding processes

The qualification section in AWS D1.1 is crucial as it details the specific requirements that must be met for welding personnel, welding procedures, and the equipment used in welding operations. This section is essential for ensuring that welders are properly trained and certified to perform the welding tasks required by the code. It covers aspects such as the qualification of welders based on the type of joints they are expected to weld, the necessary qualifications for welding procedures to ensure their effectiveness, and the capabilities and specifications of welding equipment that must be adhered to. By having clear and detailed guidelines for these critical components, AWS D1.1 aims to maintain high-quality standards in welding practices. This ultimately helps in ensuring structural integrity and safety in steel constructions. Other sections of the code address material selection, inspection methods, and safety protocols, but the qualification section specifically focuses on who can perform the welding, what procedures they must use, and what equipment they can utilize, which is foundational for the integrity of the welding work.

2. What is the essential variable change that necessitates requalification for automatic SAW?

A. An increase of 4° in the angle of electrode

B. An increase of 6° in the angle of electrode

C. A decrease of 6° in the angle of electrode

D. Both A and B

The essential variable change that necessitates requalification for automatic Submerged Arc Welding (SAW) is an increase of 6° in the angle of the electrode. According to the AWS D1.1 code, the angle of the electrode is considered an essential variable because it can significantly affect the fusion profile and overall quality of the weld. A specific increase in the angle indicates a change in the welding process that could potentially alter the mechanical properties or integrity of the weld. In this case, when the angle increases beyond the specified 6°, requalification is required to ensure that the welding parameters still meet the necessary standards and that the weld produced will have the intended properties. This strict control over variables ensures that welders maintain a high level of quality and consistency in their work, which is critical in structural applications. Factors such as the heat input, penetration, and overall bead shape can be affected by even small changes in the angle, hence the necessity for requalification when significant adjustments occur.

SAMPLE

3. What is the prohibited size for fillet welds according to the AWS D1.1 code?

A. 1/8"

B. 3/16"

C. 1/4"

D. 5/16"

The AWS D1.1 Structural Welding Code stipulates that when it comes to fillet welds, a size of 3/16 inch is not permitted for certain applications. This is due to the code's provisions regarding the thickness of the base metals being welded. Specifically, the code sets limitations on the size of fillet welds in relation to the thickness of the materials being joined to ensure that welds can develop the necessary strength without defect and maintain adherence to sound welding practices. In cases where base metal thickness exceeds minimum limits, larger fillet weld sizes may be necessary, but smaller welds can be insufficient under certain conditions, such as fatigue or stress concentrations. Thus, the use of a fillet weld size at or above 3/16 inch could create a situation that does not comply with the guidelines meant to optimize weld performance and integrity. Consequently, understanding these parameters helps ensure that welds are designed effectively for their intended load requirements, promoting the overall safety and reliability of welded structures.

4. Which welding process mandates a minimum thickness of 3/16" for backing when using ER70S-X filler metal?

A. FCAW

B. GMAW

C. SMAW

D. SAW

The correct response identifies the Shielded Metal Arc Welding (SMAW) process as having a specified requirement regarding backing thickness when using ER70S-X filler metal. In the context of this standard, SMAW is often utilized for welding thicker materials, which necessitates a backing bar or plate to support the weld pool and prevent defects like burn-through or inadequate fusion. The minimum thickness of 3/16" ensures that the backing can effectively withstand the thermal conditions and forces imparted during the welding operation, thus contributing to the overall integrity of the weld. The other welding processes, such as Flux-Cored Arc Welding (FCAW), Gas Metal Arc Welding (GMAW), and Submerged Arc Welding (SAW), have different requirements regarding backing, which may allow for thinner backing materials or no backing at all in certain applications. These variations stem from differences in heat input, welding techniques, and the types of joints being welded, resulting in distinct considerations for each welding process.

5. What is the minimum thickness of metal an AWS D1.1 welder can work on?

A. 1/16"

B. 1/8"

C. 1/4"

D. 1/2"

The minimum thickness of metal that an AWS D1.1 welder is allowed to work on is 1/8 inch. This standard is established to ensure that the metal is thick enough to support the integrity and durability of the weld. Welding on materials that are thinner than this could lead to challenges such as burn-through, which compromises the weld quality and the structural integrity of the joined pieces. The AWS D1.1 code provides guidelines that are based on the capabilities of various welding processes and the properties of different metals. By defining a minimum working thickness, the code helps to ensure that structural welds can be executed effectively without detrimental effects on the material. The 1/8 inch thickness is generally considered to provide a good balance between weldability and structural performance. Understanding this threshold is critical for welders, as it influences project planning and adherence to safety and quality standards in structural welding applications.

SAMPLE

6. What is the minimum fillet weld size for a small 5/8" stud?

A. 1/4 inch

B. 5/16 inch

C. 3/8 inch

D. 1/2 inch

The minimum fillet weld size for a small 5/8" stud is determined by the guidelines set forth in AWS D1.1. When considering the attachment of a stud, the minimum size fillet weld recommended is based on the diameter of the stud. According to the code, the fillet weld size should typically be at least one-half of the stud diameter. In this case, for a stud of 5/8" (0.625 inches), one-half of that would yield a minimum required fillet weld size of 5/16" (0.3125 inches). This size ensures that the weld is sufficient to handle the loads and stresses that the joint will encounter during its service life. Using a smaller weld could compromise the integrity of the connection, while opting for a larger weld is acceptable but not required for meeting the minimum standards. Therefore, the choice of 5/16" accurately reflects the minimum requirements as outlined in the AWS D1.1 code.

7. What is the prohibited size for fillet welds according to the AWS D1.1 code?

A. 1/8"

B. 3/16"

C. 1/4"

D. 1/2"

In the AWS D1.1 code, the limitation on fillet weld sizes is an essential aspect to ensure the structural integrity and safety of welded connections. The code specifies that fillet welds must generally be sized appropriately for the types of joints and the materials being welded. Fillet welds that exceed a certain dimension can lead to potential issues such as lack of penetration, undercutting, or even failure to meet the needs of fatigue resistance in structural applications. The code typically allows for maximum size limits based on thicknesses of the base metals being joined. In assessing the choices provided, it's noted that a 3/16" fillet weld is often outside of the acceptable range dictated by the code for certain applications and is commonly referenced as a problematic size due to the increased likelihood of defects in weld quality when approaching the upper limits. Smaller welds, like 1/8" and appropriately sized 1/4" welds, are usually permitted depending on the specific conditions and joint designs outlined in AWS D1.1. Thus, the selection of 3/16" as a prohibited size aligns with the guidance that emphasizes adherence to defined limits for fillet welds, ensuring optimal performance in structural applications.

SAMPLE

8. What is the minimum nominal thickness of backing required when using ER70S-X filler metal?

A. 1/4"

B. 1/8"

C. 1/2"

D. 3/8"

The AWS D1.1 Structural Welding Code outlines various specifications and requirements for welding practices, including the use of backing bars. When using ER70S-X filler metal, the minimum nominal thickness for backing is specified in the code to ensure adequate support and heat distribution during the welding process, which helps in achieving a sound weld. For welding with ER70S-X, the minimum backing thickness should be 1/4". This is significant because a thinner backing might not provide sufficient support for the weld joint, which could result in defects such as poor penetration or incomplete fusion. The chosen thickness helps maintain the necessary heat to achieve proper melting of the filler metal and parent material, facilitating a well-formed weld. Additionally, ensuring that the backing is of adequate thickness contributes to the overall integrity and strength of the welded structure. Other thicknesses, such as 1/8", 1/2", or 3/8", exceed or do not meet this minimum requirement, making them inappropriate for use with ER70S-X filler metal under the conditions specified in the AWS D1.1 code.

9. Why is the adherence to procedures critical in structural welding?

A. To maintain aesthetic appeal

B. To ensure compliance, safety, and structural integrity of welds

C. To minimize costs on the project

D. Only to meet regulatory requirements

The adherence to procedures in structural welding is crucial for several reasons related to the overall safety, compliance, and structural integrity of the welds. These procedures are designed based on industry standards established in codes like AWS D1.1, which outline how welding should be performed to ensure reliable and durable connections between steel elements. One primary reason for following these procedures is safety. Proper welding techniques minimize the risk of failures during the lifecycle of a structure. This is particularly important in structural applications where weld integrity directly affects load-bearing capacity and can prevent catastrophic failures. Compliance with established procedures also ensures that the welds meet specific strength and durability requirements as stipulated in building codes and project specifications. This compliance is critical not only for project approval but also for long-term performance under various environmental and loading conditions. In addition to safety and compliance, strictly following appropriate welding procedures upholds the structural integrity of the welds. This means that the joints will perform as intended, ensuring the entire structure behaves predictably under various loads, which is essential for maintaining the integrity of the overall design. While aesthetic appeal, cost minimization, and regulatory compliance are all important considerations in a construction or welding project, they do not supersede the critical importance of maintaining safety and structural integrity through adherence to

SAMPLE

10. What is the minimum yield strength that an AWS D1.1 welder can work with?

A. 30 KSI

B. 50 KSI

C. 70 KSI

D. 100 KSI

The minimum yield strength that an AWS D1.1 welder can work with is 50 KSI. This standard ensures that welders are certified to work with steel that has a minimum yield strength of 50 kilopounds per square inch, which represents a baseline for the strength and performance of welds in structural applications. This allows for suitable weld integrity and safety in various construction environments, as yield strength is an important factor in determining how materials will behave under load. Welders trained under AWS D1.1 are expected to be familiar not only with the welding processes but also with the materials they will be working with, including understanding their mechanical properties. The specification helps maintain a standard that is crucial for structural reliability and serviceability, ensuring the safety of structures such as bridges and buildings. The choices indicating lower or higher yield strengths, while relevant to different applications or specifications, do not reflect the minimum standard required for AWS D1.1 certification for welders. Options like 30 KSI may apply in other contexts, but they do not meet the minimum criteria set forth by the D1.1 code. Similarly, values above 50 KSI, while representing materials that can indeed be welded, exceed the minimum requirement that must be

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://awsd11openbook.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE