AWWA ABC WATER DISTRIBUTION GRADES 1 AND 2 (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://awwaabcwaterdistrib1and2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What component is located at the top of a stuffing box?

A. Stuffing nut

B. Backing ring

C. Packing gland

D. Flange

2. What is the term for the process when organic compounds seep through plastic pipes?

A. Diffusion

B. Permeation

C. Absorption

D. Adsorption

3. What device is used to remotely read water meters?

A. Remote sensor

B. Reading device

C. Transmitter

D. Remote reading device

4. What substance must be present in plastic bottles that are used for collecting samples to test for coliforms?

A. Sodium bicarbonate

B. Sodium thiosulfate

C. Potassium chloride

D. Calcium sulfate

5. What is generally considered the best location for a tap on a main?

A. At the top of the pipe

B. At an angle of about 45 degrees down from the top of the pipe

C. Directly on the side of the pipe

D. At the bottom of the pipe

SAMPLE

6. What is the primary reason for flushing a pipeline before bacteriological testing?

A. To remove sediment buildup

B. To ensure accurate results

C. To increase chlorine levels

D. To prepare for maintenance

7. What is the curb stop used for?

A. Regulating water pressure

B. Turning off service for repair or as a result of nonpayment

C. Measuring water flow rate

D. Connecting service lines to the main line

8. In a piping system, what is the primary function of a check valve?

A. To isolate a section of the pipe

B. To prevent backflow

C. To control pressure

D. To throttle flow

9. What is the recommended height for the lower barrel of a fire hydrant above the ground line?

A. 1 inch

B. 2 inches

C. 3 inches

D. 4 inches

10. What is the main purpose of backfilling after pipe installation?

A. To increase traffic flow

B. To restore the original ground profile

C. To prevent water contamination

D. To enhance aesthetics

SAMPLE

Answers

SAMPLE

1. C
2. B
3. D
4. B
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What component is located at the top of a stuffing box?

A. Stuffing nut

B. Backing ring

C. Packing gland

D. Flange

The packing gland is the component located at the top of a stuffing box. Its primary function is to compress a sealing material (packing) around a rotating or reciprocating shaft, preventing leaks of fluid along the shaft. The packing gland achieves this by exerting pressure on the packing material, ensuring a tight seal while allowing for the necessary movement of the shaft. This design is critical in various applications within water distribution systems, ensuring that pumps and valves operate effectively and without unnecessary fluid loss. In contrast, a stuffing nut, while it might be involved in the assembly of the stuffing box, is not typically positioned at the top. A backing ring is used within the stuffing box assembly to support the packing and does not sit at the uppermost position. Finally, a flange serves a different function entirely, as it is a component used to connect pipes or fittings and is not directly associated with the stuffing box mechanism.

2. What is the term for the process when organic compounds seep through plastic pipes?

A. Diffusion

B. Permeation

C. Absorption

D. Adsorption

The term for the process when organic compounds seep through plastic pipes is permeation. This process refers to the movement of specific substances through a barrier, like a plastic pipe, due to differences in concentration or pressure. In the context of water distribution, permeation can lead to the leaching of contaminants from the surrounding environment into the water that flows through the pipes, which raises concerns about water quality and safety. Understanding permeation is crucial for assessing the integrity and suitability of materials used in water distribution systems. It directly impacts the effectiveness of the pipes and the quality of the drinking water. The other terms—diffusion, absorption, and adsorption—describe different processes. Diffusion refers to the movement of molecules from an area of higher concentration to one of lower concentration, which can occur but does not specifically relate to the mechanism of seepage through a material. Absorption involves one substance being taken up into the bulk of another, which is not how contaminants would typically interact with pipe materials. Adsorption occurs when molecules adhere to the surface of a solid or liquid, rather than penetrating through it. Therefore, permeation is the most accurate term for the described phenomenon.

SAMPLE

3. What device is used to remotely read water meters?

A. Remote sensor

B. Reading device

C. Transmitter

D. Remote reading device

The device used to remotely read water meters is referred to as a remote reading device. This technology is designed to facilitate the collection of water usage data without the need for manual readings, which can be time-consuming and labor-intensive. Remote reading devices typically work by transmitting the data from the water meter to a central system, allowing for real-time monitoring and more efficient billing processes. These devices may incorporate various technologies, including radio frequency transmissions or cellular networks, to communicate the meter data to utility companies. This capability enhances operational efficiency, reduces errors associated with manual readings, and allows for more accurate billing based on actual water usage. Other options such as a remote sensor, reading device, or transmitter may be components or part of the overall remote reading technology, but they do not specifically denote the complete system that encompasses the functionality of remotely reading water meters effectively. The term "remote reading device" clearly identifies the entire apparatus as intended for this specific purpose, distinguishing it from other related tools or components.

4. What substance must be present in plastic bottles that are used for collecting samples to test for coliforms?

A. Sodium bicarbonate

B. Sodium thiosulfate

C. Potassium chloride

D. Calcium sulfate

The correct choice is sodium thiosulfate, which is essential in the context of collecting water samples for coliform testing. Coliform bacteria are indicator organisms used to evaluate water quality, particularly for fecal contamination. When sampling water, it is crucial to ensure that chemical agents do not inadvertently affect the test results. Sodium thiosulfate serves a critical function by neutralizing chlorine or other oxidizing agents that may be present in the water sample due to disinfection processes. Chlorine can kill coliform bacteria, leading to false-negative results when testing. By including sodium thiosulfate in the sample bottle, you effectively preserve the integrity of the sample, allowing for an accurate assessment of the presence or absence of these indicator bacteria. Other substances listed do not serve this specific purpose in water sample collection. For example, sodium bicarbonate might act as a buffer, but it does not neutralize chlorine. Potassium chloride and calcium sulfate have different applications and do not play a role in ensuring the viability of coliform bacteria during sampling. Thus, sodium thiosulfate is the substance required to maintain sample integrity for coliform analysis.

SAMPLE

5. What is generally considered the best location for a tap on a main?

A. At the top of the pipe

B. At an angle of about 45 degrees down from the top of the pipe

C. Directly on the side of the pipe

D. At the bottom of the pipe

The best location for a tap on a water main is at an angle of about 45 degrees down from the top of the pipe. This positioning allows for several advantages in terms of flow dynamics and functionality. When tapping at a 45-degree angle, the tap can help minimize turbulence that might occur if it were installed directly on the side. This angle ensures that water flows smoothly into the service line, promoting efficient water distribution. Additionally, this orientation helps mitigate the risk of debris being drawn into the tap from the water main, as water flows down into the opening, reducing the chance of contaminants entering the system. Tapping at an angle also assists in preventing air pockets from forming, which can occur if a tap is installed at the top or direct side of a pipe. These air pockets can lead to issues like poor water pressure, decreased water quality, and potential service disruptions. In contrast, options such as tapping directly at the top or bottom may lead to complications, such as increased likelihood of trapping air or debris that could affect water quality and pressure. Tapping directly on the side of the pipe might contribute to less efficient flow dynamics. Thus, tapping at a 45-degree angle generally offers the most practical benefits for maintaining effective water distribution.

6. What is the primary reason for flushing a pipeline before bacteriological testing?

A. To remove sediment buildup

B. To ensure accurate results

C. To increase chlorine levels

D. To prepare for maintenance

Flushing a pipeline before bacteriological testing is crucial primarily to ensure accurate results. This process helps to clear out stagnant water that may have been sitting in the pipes, which could be contaminated or not representative of the water quality under normal flow conditions. By flushing, any residual bacteria or sediment that might skew the test results can be removed. This way, the sample collected for testing reflects the true quality of the water being delivered through the distribution system. In this context, accuracy is vital because it influences public health decisions and confirms that the water supply meets safety standards. While other factors such as sediment removal, chlorine levels, and maintenance are important aspects of water system management, they are not the primary focus of flushing in the context of bacteriological testing. Sediment buildup can be a concern, but the primary goal in this instance is to ensure that the water sample is indicative of the current microbiological quality of the entire system.

SAMPLE

7. What is the curb stop used for?

A. Regulating water pressure

B. Turning off service for repair or as a result of nonpayment

C. Measuring water flow rate

D. Connecting service lines to the main line

The curb stop plays a crucial role in water distribution systems primarily as a means to shut off service to a specific customer or property. This is especially important for maintenance activities or repairs when access to the service line is needed without interrupting the entire water supply system. Additionally, a curb stop can also be used to disconnect service for nonpayment. In contrast, regulating water pressure is typically managed by pressure-reducing valves or similar equipment and not by curb stops. Measuring water flow rate is performed with water meters and flow meters, which are specifically designed for that purpose. The connection of service lines to the main line is handled by other fittings and valves, not the curb stop itself. Thus, the primary function of a curb stop is indeed to turn off service for repair or due to nonpayment, making it an essential component in managing water distribution effectively.

8. In a piping system, what is the primary function of a check valve?

A. To isolate a section of the pipe

B. To prevent backflow

C. To control pressure

D. To throttle flow

The primary function of a check valve in a piping system is to prevent backflow. Check valves are designed to allow fluid to flow in one direction only. When the flow ceases or reverses, the valve's mechanism, typically a hinged disc or ball, closes to block the reverse flow. This is crucial in various applications to protect equipment, maintain system integrity, and prevent contamination in water distribution systems. By ensuring that fluids can only travel in a designated direction, check valves help maintain proper operational conditions and enhance the safety and reliability of the overall system.

9. What is the recommended height for the lower barrel of a fire hydrant above the ground line?

A. 1 inch

B. 2 inches

C. 3 inches

D. 4 inches

The recommended height for the lower barrel of a fire hydrant above the ground line is 2 inches. This specific height is essential to ensure proper operation and maintenance of the hydrant. A 2-inch elevation allows for the necessary clearance to prevent potential obstructions from soil, grass, or debris, which could interfere with access to the hydrant during emergency situations. It also ensures that the hydrant can easily function by allowing sufficient drainage to prevent corrosion and freezing. Maintaining this height is critical for compliance with common standards and ensures that fire hydrants can be readily accessed by firefighters, allowing them to connect hoses quickly and efficiently. Inconsistent elevation could lead to operational difficulties, compromising their intended purpose during emergencies. Understanding this standard supports effective water distribution management, which is pivotal for firefighting efforts.

SAMPLE

10. What is the main purpose of backfilling after pipe installation?

A. To increase traffic flow

B. To restore the original ground profile

C. To prevent water contamination

D. To enhance aesthetics

The primary purpose of backfilling after pipe installation is to restore the original ground profile. This process helps to ensure that the terrain returns to its natural state, which is essential for several reasons. Restoring the ground profile aids in preventing erosion and sedimentation, maintaining proper drainage patterns, and minimizing the potential for settlement issues. By placing the excavated material back into the trench, the soil can support any structures or infrastructure above it, ensuring stability and preventing future ground displacement. The restoration of the landscape not only reinforces the physical integrity of the area but also facilitates easier future maintenance and reduces the amount of additional landscaping required. While other factors, like preventing water contamination, may be indirectly influenced by proper backfilling techniques, the primary goal is to ensure the ground returns to its pre-excavated condition.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://awwaabcwaterdistrib1and2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE