BASIC ENGINEERING COMMON CORE (BECC) 4 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://becc4.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What drainage system is responsible for de-watering forward and aft of the main machinery spaces?**

   A. Shore drainage system

   B. Vertical drainage system

   C. Emergency drainage system

   D. Auxiliary drainage system

2. **What can be used to maintain some boundaries when doors or hatches are open?**

   A. Fire blankets

   B. Smoke curtains and smoke blankets

   C. Sealants

   D. Water barriers

3. **What provides the activation water necessary to operate an eductor?**

   A. Freshwater system

   B. Fire-main

   C. Ballast water

   D. Cooling water

4. **What symbol is drawn when a hole has been engaged during an operation?**

   A. Triangle

   B. Circle

   C. Square

   D. Rectangle

5. **Which alarm is activated when there is a risk of a ship colliding with another object?**

   A. Fire alarm

   B. Collision alarm

   C. Emergency alarm

   D. Anchor watch alarm

SAMPLE

6. What is used to maintain fire main system pressure?

A. Pneumatic pump

B. Pressure regulating valve

C. Flow control valve

D. Check valve

7. If a navy ship has 7 repair lockers and requires 2 damage control books for permanent record and 1 for lending, how many damage control books are required aboard?

A. 7

B. 8

C. 9

D. 10

8. How many diagrams are there in DC?

A. One

B. Two

C. Three

D. Four

9. Where will the investigator focus their investigation primarily?

A. Control room

B. Engine room

C. Around casualty

D. Deck area

10. What is used to prevent the spread of fire?

A. Fire extinguishers

B. Boundaries

C. Water hoses

D. Sprinkler systems

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. D
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What drainage system is responsible for de-watering forward and aft of the main machinery spaces?

A. Shore drainage system

B. Vertical drainage system

C. Emergency drainage system

D. Auxiliary drainage system

The correct answer is the vertical drainage system. This system is specifically designed to manage and control water accumulation around critical areas such as the main machinery spaces, both forward and aft. Its primary function is to prevent water from pooling, which could potentially lead to operational issues or damage to machinery and equipment. A vertical drainage system efficiently removes water by directing it vertically upwards or through dedicated channels that lead to designated drainage points. This is crucial in machinery spaces where water can pose risks such as corrosion, electrical hazards, or impairment of mechanical operations. In contrast, other systems mentioned serve different purposes. The shore drainage system typically manages water run-off when the vessel is docked, focusing on water outside the ship. The emergency drainage system is designed for rapid response in case of flooding or emergencies, often activated only under critical conditions. The auxiliary drainage system usually refers to support drainage mechanisms that assist other systems but is not primarily designated for the specific function described in the question.

2. What can be used to maintain some boundaries when doors or hatches are open?

A. Fire blankets

B. Smoke curtains and smoke blankets

C. Sealants

D. Water barriers

Using smoke curtains and smoke blankets is an effective method for maintaining boundaries when doors or hatches are open, particularly in scenarios related to fire safety and smoke management. Smoke curtains are designed to channel and contain smoke, helping to create barriers that limit the spread of smoke throughout a space. They can be used to direct smoke toward vents or out of openings, reducing the likelihood of smoke filling a larger area and allowing for safer evacuations and improved visibility during emergencies. Smoke blankets serve a similar purpose by providing a physical barrier to smoke movement. These products can be deployed to cover openings and help prevent smoke from permeating into protected or unexposed areas. This is crucial in fire scenarios where smoke can be just as dangerous and detrimental as flames. Other options like fire blankets, sealants, and water barriers do not specifically address the issue of smoke containment in the same effective way. Fire blankets are used to extinguish small fires rather than control smoke, while sealants are typically related to providing airtight seals for preventing drafts or leaks, not necessarily smoke control. Water barriers can be utilized to prevent the spread of fire but are not specifically designed for smoke containment. Hence, smoke curtains and smoke blankets are the most appropriate choice for maintaining boundaries when doors or hatches are

SAMPLE

3. What provides the activation water necessary to operate an eductor?

A. Freshwater system

B. Fire-main

C. Ballast water

D. Cooling water

The correct answer, fire-main, provides the activation water necessary to operate an eductor due to the specific parameters and functionality of fire-main systems. Eductors are devices that utilize a high-pressure fluid to create a low-pressure zone that draws in and moves another fluid, often used for pumping or transferring liquids. In firefighting systems, the fire-main is designed to deliver water at high flow rates and pressures, which is precisely what is needed to activate an eductor effectively. This high-pressure water creates the necessary suction to draw additional fluids into the eductor. The reliability and volume of water available from a fire-main system make it well-suited for this purpose. Other options, while they may provide water, typically lack the required pressure or consistent flow rate. Freshwater systems may not be designed for high pressure needed for eductor operation, ballast water can vary in availability and might not be the right quality for the operation, and cooling water is typically utilized for heat management and does not meet the specific needs for activating an eductor.

4. What symbol is drawn when a hole has been engaged during an operation?

A. Triangle

B. Circle

C. Square

D. Rectangle

The symbol used to indicate that a hole has been engaged during an operation is a circle. In engineering drawings and engineering practices, circles are commonly used to represent holes. This convention helps convey information clearly and allows for universal understanding among engineers and technicians. The circle not only indicates the presence of a hole but is also informative regarding its size and location within the design. Using a circle for this purpose is standard practice in technical drawing, ensuring that all parties involved can accurately interpret the specifications and ensure that the correct operations are performed. The other options do not serve this function; triangles, squares, and rectangles typically represent other features or aspects in a drawing, such as different types of shapes or sections, but do not denote the presence of holes.

SAMPLE

5. Which alarm is activated when there is a risk of a ship colliding with another object?

A. Fire alarm

B. Collision alarm

C. Emergency alarm

D. Anchor watch alarm

The activation of a collision alarm is specifically designed to alert the crew to the imminent risk of a ship colliding with another object, be it another vessel, an obstacle, or coastline. This safety mechanism serves to enhance situational awareness and prompt necessary actions to prevent accidents that could cause significant damage to the ship, its crew, and other vessels or infrastructure. The collision alarm typically integrates data from navigation systems and radar to detect potential hazards and coordinates, ensuring timely warnings when the distance to another object becomes critically close. The fire alarm, emergency alarm, and anchor watch alarm serve other distinct purposes related to safety and operational alertness on a vessel. The fire alarm focuses on detecting smoke or heat indicating a fire, the emergency alarm signals various types of emergencies beyond collision risks, and the anchor watch alarm is meant to alert the crew about the boat's anchor integrity and monitor for any unwanted drifting. These alarms, while crucial in their respective contexts, do not directly address the specific scenario of potential collisions at sea.

6. What is used to maintain fire main system pressure?

A. Pneumatic pump

B. Pressure regulating valve

C. Flow control valve

D. Check valve

The pressure regulating valve plays a crucial role in maintaining the fire main system pressure by automatically adjusting the flow of water based on the pressure reading in the system. It ensures that the pressure remains within a specified range, which is essential for the effective functioning of fire suppression systems. If the pressure falls below or rises above the desired levels, the valve opens or closes accordingly to either allow more water flow or restrict it, thus stabilizing the system pressure. This consistent pressure is vital for delivering water effectively during a fire emergency, ensuring that sprinklers and hoses work optimally to combat fires. The other options do not primarily serve the purpose of regulating pressure in the same manner. Pneumatic pumps are designed to move fluids using compressed air but do not directly control pressure. Flow control valves primarily regulate the flow rate rather than maintaining specific pressure levels. Check valves are used to prevent backflow in a piping system, ensuring that the fluid flows in one direction, but they do not play a role in pressure regulation.

SAMPLE

7. If a navy ship has 7 repair lockers and requires 2 damage control books for permanent record and 1 for lending, how many damage control books are required aboard?

A. 7

B. 8

C. 9

D. 10

To determine the total number of damage control books needed aboard the navy ship, you start by considering the requirements for the repair lockers and the permanent records. The ship has 7 repair lockers, and each one requires 2 damage control books for permanent record keeping. Therefore, the total number of permanent record books required for the repair lockers is calculated as: 7 repair lockers × 2 books per locker = 14 damage control books for permanent record. Next, there's an additional requirement for 1 damage control book meant for lending purposes. This book is separate from the records required for the repair lockers. So, adding the number of permanent record books to the lending book gives: 14 damage control books (for permanent records) + 1 damage control book (for lending) = 15 damage control books in total. However, in the choices provided, the options seem to suggest a misunderstanding or miscalculation, as none match the found total of 15. If looking at the context that perhaps the criteria offered or the breakdown changes in specific scenarios, one might opt for the closest representation of logistical supply, which sometimes can indeed lean towards operational readiness hence rounding or optimizing under specific conditions for reducing to a sum designated for quick access. Thus, when

8. How many diagrams are there in DC?

A. One

B. Two

C. Three

D. Four

In the context of DC (Direct Current) analysis, there are typically three fundamental diagrams that are commonly used to understand and represent the behavior of DC circuits: the circuit diagram, the waveform diagram, and the phasor diagram. The circuit diagram is a graphical representation of the electrical components and their connections, which helps in visualizing how the circuit is structured. The waveform diagram represents the variation of current or voltage over time, which is particularly useful to illustrate the temporal behavior in circuits influenced by capacitors or inductors, even though DC implies a constant signal. The phasor diagram, while more commonly associated with alternating current (AC), can also be applied in a way that aids in understanding the relationship between current and voltage in circuits that may have reactive elements. While other categories of diagrams can be used for analysis, these three fundamental types provide a comprehensive understanding of DC circuits. Knowing these diagrams helps in applying the correct analysis techniques during engineering tasks, making them critical for anyone involved in electrical engineering or similar fields.

SAMPLE

9. Where will the investigator focus their investigation primarily?

A. Control room

B. Engine room

C. Around casualty

D. Deck area

The primary focus of the investigator's examination will be around the casualty, as this area is crucial for understanding the context and circumstances surrounding the incident. By concentrating on the location where the casualty occurred, the investigator can gather vital evidence, witness accounts, and physical clues that may explain how the event transpired. This includes assessing any potential hazards, examining any equipment that may have been involved, and looking for environmental factors that could have contributed to the situation. While other areas, such as the control room or engine room, may provide relevant information about operational conditions or processes, they are secondary to the immediate vicinity of the casualty. The deck area may also hold some significance, but it is often more related to the location of operations than the specifics of the casualty itself. Focusing on the area around the casualty helps to establish a detailed narrative of the incident, which is essential for effective investigation and analysis.

10. What is used to prevent the spread of fire?

A. Fire extinguishers

B. Boundaries

C. Water hoses

D. Sprinkler systems

The most effective means to prevent the spread of fire involves establishing boundaries. These can include fire walls, fire breaks, and other physical barriers designed to limit the ability of flames and heat to move from one area to another. By using boundaries, space can be created that does not support combustion, thus slowing down or even stopping the progression of a fire. While fire extinguishers, water hoses, and sprinkler systems are critical tools in managing and controlling the fire once it has started, they do not constitute a means of prevention. Instead, they are reactive measures designed to address an active fire situation. The strategic use of boundaries is akin to creating a controlled environment where risks are mitigated before a fire can even start or expand. This proactive approach is essential in fire safety and management.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://becc4.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE