
BASICS OF SMALL ANIMAL (SA) DENTISTRY EXAM 1 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://basicsofsadentistry1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How many stages of periodontal disease exist?

A. Two

B. Three

C. Four

D. Five

2. In dogs, how thick can the enamel layer be generally?

A. 0.2mm-0.4mm

B. 0.3mm-0.6mm

C. 0.5mm-0.8mm

D. 0.6mm-0.9mm

3. What is the most common site for feline tooth resorption?

A. 307 and 407

B. 205 and 305

C. 401 and 402

D. 103 and 203

4. In cats, where is the most common site for tooth resorption?

A. Lower incisors

B. Lower 07s

C. Upper canines

D. Upper 09s

5. What is a common cause of enamel hypoplasia or dysplasia?

A. Genetic mutation

B. Damage to the ameloblasts before eruption

C. Excessive fluoride exposure

D. Overcrowding of teeth

6. What happens when nerves in the periodontal ligament are damaged?

A. Increased bone density

B. Loss of tactile sensation

C. Growth of new teeth

D. Improved tooth stability

SAMPLE

7. What are the three rooted teeth in cats?

A. 108/208

B. 109/209

C. 110/210

D. 111/211

8. What is a significant outcome of a cavity left untreated?

A. Tooth sensitivity

B. Contamination of the pulp

C. Extrusion of the tooth

D. Cementum erosion

9. True or False: Any cat found to have tooth resorption will likely develop more lesions in the future.

A. True

B. False

C. Depends on dental care

D. Only if untreated

10. What type of bacteria is present when plaque is first formed?

A. Gram negative anaerobes

B. Gram positive aerobes

C. Facultative anaerobes

D. Obligate aerobes

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. B
6. B
7. A
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. How many stages of periodontal disease exist?

A. Two

B. Three

C. Four

D. Five

There are four recognized stages of periodontal disease, which allows for a comprehensive understanding of the progression of this condition. Understanding these stages is crucial for proper diagnosis and treatment planning in veterinary dentistry. The stages begin with gingivitis, characterized by inflammation of the gums without loss of supporting structures. The next stage involves early periodontal disease, where there is some attachment loss. This is followed by moderate periodontal disease, wherein there is increased tooth mobility and deeper pockets around the teeth. Finally, the most advanced stage is severe periodontal disease, which can lead to significant tooth loss and systemic health concerns. Each stage represents a critical point at which intervention may significantly affect the outcome for the animal. Recognizing these stages helps veterinary professionals implement appropriate dental care and preventive measures tailored to the severity of the disease, ultimately improving the health and well-being of the patient.

2. In dogs, how thick can the enamel layer be generally?

A. 0.2mm-0.4mm

B. 0.3mm-0.6mm

C. 0.5mm-0.8mm

D. 0.6mm-0.9mm

In dogs, the enamel layer generally ranges from 0.3mm to 0.6mm in thickness. This layer is the hardest substance in the body and serves to protect the underlying dentin and pulp of the tooth, playing a crucial role in oral health and function. Understanding the thickness of enamel is important for veterinary dentistry as it can influence treatment plans for dental diseases and trauma. The range specified reflects the typical measurements found in canine teeth, highlighting the variability that can occur between individual dogs and different breeds. This knowledge helps veterinarians in performing procedures such as restorations and extractions, ensuring they do not damage the underlying structures of the teeth.

3. What is the most common site for feline tooth resorption?

A. 307 and 407

B. 205 and 305

C. 401 and 402

D. 103 and 203

The most common site for feline tooth resorption occurs in the mandibular and maxillary third premolars, which are represented by the specific tooth numbers 307 and 407. Feline tooth resorption is a prevalent, painful condition that often goes unnoticed until significant damage has already occurred. When tooth resorption occurs, the normal structure of the tooth is replaced by bone-like tissue, leading to varying degrees of pain and dental issues. Focusing on the other options, the other tooth numbers do not correspond to the common sites for this condition. The second premolars and canine teeth (205, 305, 401, 402, 103, and 203) are less frequently affected by resorption compared to the third premolars. Thus, while dental issues may arise in these teeth as well, it is the third premolars that are specifically noted for the highest occurrence of tooth resorption in cats, highlighting the importance of regular dental examinations to monitor these areas.

SAMPLE

4. In cats, where is the most common site for tooth resorption?

A. Lower incisors

B. Lower 07s

C. Upper canines

D. Upper 09s

The most common site for tooth resorption in cats is indeed the lower third premolars, often referred to as the lower 07s. This condition, known as feline tooth resorption, primarily affects these teeth, which can lead to serious dental issues if not diagnosed and treated promptly. The characteristic occurrence in this area is thought to be related to the unique anatomy of the cat's dentition and the way their teeth interact with the surrounding structures. Dental resorption can occur in various forms but frequently manifests as a loss of tooth structure and can lead to pain, inflammation, and difficulty in eating. Recognizing that lower third premolars are particularly vulnerable aids veterinarians in monitoring dental health in cats and addressing any concerns early on.

5. What is a common cause of enamel hypoplasia or dysplasia?

A. Genetic mutation

B. Damage to the ameloblasts before eruption

C. Excessive fluoride exposure

D. Overcrowding of teeth

Enamel hypoplasia or dysplasia can often be attributed to damage to the ameloblasts prior to the eruption of the teeth. Ameloblasts are the cells responsible for the formation of enamel, and if they are disrupted or damaged during the critical periods of enamel development, it can lead to incomplete or abnormal enamel formation. This disruption can happen due to various factors, including nutritional deficiencies, illness during the time of enamel development, or trauma. While genetic mutations and excessive fluoride exposure can also affect enamel, the specific relationship of ameloblast damage to the timing of enamel formation directly connects it to hypoplasia or dysplasia. This highlights the importance of the health and environment of the developing teeth in maintaining proper enamel structure and quality.

6. What happens when nerves in the periodontal ligament are damaged?

A. Increased bone density

B. Loss of tactile sensation

C. Growth of new teeth

D. Improved tooth stability

When nerves in the periodontal ligament are damaged, the primary consequence is the loss of tactile sensation. The periodontal ligament contains sensory nerve fibers that provide crucial feedback regarding the position and movement of teeth, helping animals sense pressure and position during activities like chewing. Damage to these nerves impairs the ability to feel these sensations, which can lead to issues in the normal function of the teeth and surrounding structures. The other choices, while they might seem plausible, do not accurately represent the outcomes of nerve damage in the periodontal ligament. Increased bone density does not occur as a result of nerve damage; instead, the lack of sensory feedback may actually contribute to reduced bone health over time. Growth of new teeth is not a consequence of nerve damage; rather, it is a biological process that is independent of the condition of the periodontal nerves. Additionally, improved tooth stability would not result from nerve damage; instead, compromised nerve function could result in a destabilized tooth due to improper response to pressures experienced during normal activities.

SAMPLE

7. What are the three rooted teeth in cats?

A. 108/208

B. 109/209

C. 110/210

D. 111/211

The three rooted teeth in cats are known to be the maxillary fourth premolars, which are designated in the dental formula as 108 and 208. These teeth are significant in veterinary dentistry due to their larger size and complex roots, which can complicate extractions or other dental procedures. Understanding their location and root structure is crucial for effective dental treatment and addressing potential periodontal disease. The other choices reference different teeth that do not possess three roots. For example, the first and second maxillary molars (designated as 110/210 and 111/211) have two roots, while the designated premolars referenced in the other options (109/209) also only have two roots. This distinction makes the answer 108/208 uniquely important in recognizing the specific dental anatomy of cats.

8. What is a significant outcome of a cavity left untreated?

A. Tooth sensitivity

B. Contamination of the pulp

C. Extrusion of the tooth

D. Cementum erosion

Choosing "contamination of the pulp" as the significant outcome of an untreated cavity is correct because a cavity, or carious lesion, progresses over time if not addressed. As the decay continues to erode through the enamel and dentin layers of the tooth, it can eventually invade the pulp chamber where the tooth's nerves and blood vessels are located. This invasion allows bacteria and toxins from the decaying material to enter the pulp, leading to pulpitis (inflammation of the pulp) and possibly resulting in an abscess or tooth death if the infection spreads. The other outcomes, while they can occur as secondary effects of untreated cavities, do not represent the direct consequence of the cavity itself. For instance, tooth sensitivity can result from exposure of the dentin due to a cavity, but it is not the most immediate danger related to cavity progression. Extrusion of the tooth involves movement of the tooth within the socket, often due to gum disease or trauma rather than direct effects of a cavity. Cementum erosion may occur in various dental issues, but it is not a primary consequence specific to untreated cavities. Thus, the direct threat to the tooth and surrounding tissues from bacterial contamination of the pulp stands out as a critical and significant outcome.

9. True or False: Any cat found to have tooth resorption will likely develop more lesions in the future.

A. True

B. False

C. Depends on dental care

D. Only if untreated

The statement is true because cats that exhibit tooth resorption are predisposed to developing additional lesions over time. Tooth resorption in felines is a common condition characterized by the gradual destruction of the tooth structure, and it is often progressive in nature. Once a cat has one tooth affected by resorption, the underlying biological factors that contribute to this condition can lead to further resorption of other teeth. This condition can be influenced by various factors, including periodontal disease, genetic predisposition, and systemic health issues. While dental care may play a role in managing overall oral health, it does not eliminate the likelihood of developing new lesions once the condition has begun. Thus, regular monitoring and veterinary dental care are essential for cats diagnosed with tooth resorption to manage the condition effectively, but the potential for future lesions remains.

SAMPLE

10. What type of bacteria is present when plaque is first formed?

A. Gram negative anaerobes

B. Gram positive aerobes

C. Facultative anaerobes

D. Obligate aerobes

When plaque is first formed on the surface of teeth, it is primarily composed of gram-positive aerobes. These bacteria are typically among the initial colonizers following the accumulation of a film of salivary glycoproteins on the enamel surface. The early plaque-forming bacteria thrive in an aerobic environment, using oxygen to metabolize sugars and other nutrients. These gram-positive aerobes, including species such as Streptococcus mitis and Streptococcus sanguinis, play a crucial role in the development of dental biofilms. They begin the process of biofilm maturation by adhering to the tooth surface, and as plaque accumulates, it creates an environment that can support the growth of additional bacteria, including gram-negative anaerobes, which are more commonly found in later stages of plaque formation. Understanding the role of these early colonizers is essential for grasping how plaque develops and eventually leads to dental issues, such as caries and periodontal disease.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://basicsofsadentistry1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE