

BIOLOGICAL, CULTURAL, AND CHEMICAL CONTROL OF PESTS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://bioculturalchemcontofpests.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Before creating a tank-mix, which concerns must be addressed?**
 - A. Chemical compatibility, potential interactions, and impact on non-targets.
 - B. The color of the formulation.
 - C. The brand's popularity.
 - D. The time since last harvest.
- 2. Biotic diseases are caused by what type of agents?**
 - A. Abiotic Disease
 - B. Biotic Disease
 - C. Virus
 - D. Causal Agent
- 3. Which metamorphosis consists of three life stages: Egg, Nymph, and Adult?**
 - A. Trap Crop
 - B. Pesticide Resistance
 - C. Gradual Metamorphosis
 - D. Complete Metamorphosis
- 4. Which term refers to tissue capable of starting new plant growth?**
 - A. Entomophagous
 - B. Metamorphosis
 - C. Meristematic Tissue
 - D. Instars
- 5. Which is an example of a classical biological control agent and its target?**
 - A. Encarsia formosa targeting greenhouse whiteflies.
 - B. Bacillus thuringiensis targeting aphids.
 - C. Aphidius ervi targeting mites.
 - D. Trichogramma pretiosum targeting thrips.
- 6. Consists of three life stages: Egg, Nymph, and Adult.**
 - A. Complete Metamorphosis
 - B. Gradual Metamorphosis
 - C. Trap Crop
 - D. Cultivar

- 7. Which pesticide is used to control rodents?**
- A. Insects
 - B. Birds
 - C. Fungi
 - D. Rodenticide
- 8. Which control method is commonly used specifically for stored-product pests and not typical in field crop IPM?**
- A. Exclusion nets
 - B. Pheromone traps
 - C. Controlled atmospheres
 - D. Crop rotation
- 9. Which statement is not a typical consideration when releasing biological control agents in greenhouses?**
- A. Compatibility with crops and irrigation
 - B. Timing with pest life stage
 - C. Containment to prevent escape
 - D. Pheromone-based trapping as the primary management strategy
- 10. What is pesticide drift and what practices reduce drift risk during application?**
- A. Off-target movement of spray droplets by wind; mitigate with drift-reducing nozzles, proper nozzle height, calibrated equipment, and weather windows.
 - B. The dispersion of seeds by wind; mitigated by sowing times.
 - C. Pesticide residues remaining on fruit after harvest; mitigated by washing.
 - D. Pesticide drift is a myth and cannot be reduced.

Answers

SAMPLE

1. A
2. B
3. C
4. C
5. A
6. B
7. D
8. C
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Before creating a tank-mix, which concerns must be addressed?

- A. Chemical compatibility, potential interactions, and impact on non-targets.
- B. The color of the formulation.
- C. The brand's popularity.
- D. The time since last harvest.

When planning a tank-mix, the essential concerns are about how the combined products will behave and what risks they pose. Chemical compatibility means the ingredients and carriers won't react with one another to form precipitates, gels, or other instability that can clog equipment or reduce how much active ingredient actually gets to the target. A small jar test or compatibility charts help you detect these problems before you apply the mix. Potential interactions refer to how the products influence each other's action. Some combinations can antagonize each other, making the pest control less effective, while others can create unforeseen toxicity to the crop or to non-target organisms. This is also where adjuvants or fertilizers come into play, potentially changing pH, solubility, or the way the mix spreads and sticks to leaves. Impact on non-targets is about safety and environmental consequences. The tank-mix might raise risk to beneficial insects, pollinators, aquatic life, or workers, or violate label restrictions that limit what can be mixed or how it can be applied. Checking labels and respecting re-entry intervals and application timing are part of managing these risks. The other options—color of the formulation, brand popularity, or time since last harvest—don't affect how a tank-mix will sit in the tank, behave during spraying, or impact crop safety and pest control, so they aren't relevant considerations here.

2. Biotic diseases are caused by what type of agents?

- A. Abiotic Disease
- B. Biotic Disease
- C. Virus
- D. Causal Agent

Biotic diseases are caused by living organisms. In pest management, causes are divided into biotic (living pathogens like bacteria, fungi, parasites, and even viruses) and abiotic (nonliving factors such as drought, salinity, extreme temperatures, or chemical damage). So, diseases caused by living agents are described as biotic, which is why this option fits best. A virus is a specific living agent that can cause biotic disease, but naming the disease as biotic directly indicates the source as a living organism. A causal agent is a broad term that could apply to any disease and doesn't specify the living nature of the source.

3. Which metamorphosis consists of three life stages: Egg, Nymph, and Adult?

- A. Trap Crop
- B. Pesticide Resistance
- C. Gradual Metamorphosis
- D. Complete Metamorphosis

Gradual metamorphosis is the pattern where the life cycle has three stages: egg, nymph, and adult. In this type, the young (nymphs) resemble smaller versions of the adult and grow into the adult through successive molts, without a pupal stage. That absence of a pupal phase and the presence of a distinct molt from egg to nymph to adult is what defines this three-stage development. In contrast, complete metamorphosis includes four stages—egg, larva, pupa, and adult—with larvae that look very different from the adult. The other options refer to pest-management concepts rather than how insect development unfolds.

4. Which term refers to tissue capable of starting new plant growth?

- A. Entomophagous
- B. Metamorphosis
- C. Meristematic Tissue**
- D. Instars

Growth in plants mainly comes from meristematic tissue, which is made up of small, densely packed cells that remain undifferentiated and actively divide. Because these cells can repeatedly divide and then differentiate into the different tissues and organs the plant needs, this tissue is what starts new growth—lengthening at the tips (apical meristems) and thickening in other regions (lateral meristems). The term describes the plant's growth engine, rather than processes like insect feeding, transformation during development, or insect life stages.

5. Which is an example of a classical biological control agent and its target?

- A. Encarsia formosa targeting greenhouse whiteflies.**
- B. Bacillus thuringiensis targeting aphids.
- C. Aphidius ervi targeting mites.
- D. Trichogramma pretiosum targeting thrips.

Releasing a natural enemy from the pest's home range to establish itself and provide long-term pest suppression is what classical biological control is all about. *Encarsia formosa* is a tiny parasitoid wasp that attacks the immature stages of greenhouse whiteflies. When released in greenhouses, it can establish and persist, keeping whitefly populations down over time and reducing reliance on chemical sprays. This embodies classical biocontrol because the goal is a self-sustaining population of the predator–parasitoid that naturally controls the pest. The other options describe agents used in different biocontrol approaches or for different targets, not the classic long-term establishment: *Bacillus thuringiensis* is a microbial insecticide effective against certain caterpillars but not aphids; *Aphidius ervi* parasitizes aphids but is typically used in augmentative or conservation programs rather than as a classical establishment; *Trichogramma pretiosum* targets moth eggs and is used in augmentative releases rather than establishing a persistent control against thrips.

6. Consists of three life stages: Egg, Nymph, and Adult.

- A. Complete Metamorphosis
- B. Gradual Metamorphosis**
- C. Trap Crop
- D. Cultivar

Understanding insect development patterns helps distinguish how life cycles are structured. When the sequence is egg, followed by nymph, and then adult, with no pupal stage and with nymphs that resemble smaller adults, this is incomplete metamorphosis (also called gradual metamorphosis). The immature forms molt into the adult form over time rather than going through a dramatic transformation. The option that matches this pattern is gradual metamorphosis. In contrast, complete metamorphosis includes a distinct larval stage and a pupal stage, and the immature look very different from the adult. The other terms are not about development stages: a trap crop is a pest management tactic to lure pests away from the main crop, and a cultivar is a cultivated plant variety.

7. Which pesticide is used to control rodents?

- A. Insects
- B. Birds
- C. Fungi
- D. Rodenticide**

Rodent control uses a pesticide designed specifically for rodents. This type is called a rodenticide, formulated to kill rats and mice, often placed as bait in stations to limit exposure to people, pets, and non-target wildlife. Insects are treated with insecticides, fungi with fungicides, and birds are typically addressed with avicides, so rodenticide is the term that best fits the goal of controlling rodents.

8. Which control method is commonly used specifically for stored-product pests and not typical in field crop IPM?

- A. Exclusion nets
- B. Pheromone traps
- C. Controlled atmospheres**
- D. Crop rotation

The control method being tested targets pests that live inside stored commodities, where altering the environment inside a sealed storage space directly affects the pests. Using a controlled atmosphere—reducing oxygen levels or changing gas composition (for example, with nitrogen or CO₂ enrichment)—starves or poisons pests like beetles and moths that infest grains, nuts, and dried foods. This approach relies on keeping the storage space airtight and monitoring gas levels, something that isn't practical on open fields or in typical field crop IPM. Other methods listed are common in fields or general pest protection but aren't specific to stored products: exclusion measures and traps can occur in both storage and field settings, and crop rotation is an agricultural practice used to disrupt pest life cycles in the field rather than in storage.

9. Which statement is not a typical consideration when releasing biological control agents in greenhouses?

- A. Compatibility with crops and irrigation
- B. Timing with pest life stage
- C. Containment to prevent escape
- D. Pheromone-based trapping as the primary management strategy**

Releasing biological control agents in greenhouses is guided by how the release interacts with the crop system, pest biology, and containment needs. You must consider whether the agent is compatible with the crop and irrigation practices so it won't harm the plant and can be delivered effectively. Timing matters because releasing when the pest is at a vulnerable life stage improves establishment and impact. Containment is crucial to prevent the biocontrol agent from escaping to the outside environment or affecting non-target organisms, which is a key regulatory and ecological concern. Pheromone-based trapping, while useful as a monitoring or mating-disruption tool in integrated pest management, is not the primary factor driving a release plan; it's a separate tactic used alongside releases. Thus, choosing pheromone-based trapping as the primary management strategy is not a typical consideration when releasing biological control agents.

10. What is pesticide drift and what practices reduce drift risk during application?

- A. Off-target movement of spray droplets by wind; mitigate with drift-reducing nozzles, proper nozzle height, calibrated equipment, and weather windows.**
- B. The dispersion of seeds by wind; mitigated by sowing times.
- C. Pesticide residues remaining on fruit after harvest; mitigated by washing.
- D. Pesticide drift is a myth and cannot be reduced.

Pesticide drift is the off-target movement of spray droplets carried by wind during application. This can affect nearby crops, wildlife, water sources, and non-target areas, and it can reduce the amount of pesticide reaching the target pest. To reduce drift risk, use drift-reducing nozzles that produce larger droplets and minimize finer droplets, keep the nozzle height and pressure set correctly so the spray pattern is appropriate for the target area, and ensure the application equipment is properly calibrated for accurate rate and coverage. Also, choose weather windows with favorable conditions—low and stable winds, no temperature inversions, and appropriate humidity—to keep droplets from being carried away from the target. Other options describe seed dispersal, post-harvest residues, or an incorrect claim that drift cannot be reduced, which do not address off-target movement during spraying.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://bioculturalchemcontofpests.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE