BISHOP CLINICAL CHEMISTRY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://bishopclinicalchem.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Hyperkalemia may be caused by each of the following EXCEPT

A. Alkalosis

B. Acute or chronic renal failure

C. Hypoaldosteronism

D. Sample hemolysis

2. Exudative pleural effusions are typically due to disease involving which structure?

A. The pleura

B. The heart

C. The kidneys

D. The mediastinum

3. At a pH of 7.10, the H+ concentration is equal to

A. 80 nmol/L

B. 20 nmol/L

C. 40 nmol/L

D. 60 nmol/L

4. Which statement best describes a key advantage of PCR/ESI-TOF in pathogen identification?

A. Requires the patient sample to be cultured and then analysis can be performed.

B. Can be used directly from patient specimens.

C. Uses the protein "finger print" to identify the pathogen.

D. Requires extensive sample processing.

5. Mass spectrometry identifies analytes based on:

A. Mass to charge ratio

B. Retention factor

C. Density of the band

D. Molecular weight

SAMPLE

6. Dwell time in automated analysis refers to which concept?

A. Time between initiation of a test and the completion of the analysis

B. Number of tests an instrument can handle in a specified time

C. Ability of an instrument to perform a defined workload in a specified time

D. None of these

7. What does ROC stand for?

A. Receiver Operator Characteristic

B. Relative Operating Criterion

C. Rate Of Convergence

D. Randomized Outcome Curve

8. An IgG index of 0.8 is most indicative of which phenomenon?

A. Intrathecal IgG synthesis

B. CSF leakage

C. Fungal infection

D. Malignancy

9. What is the percent (w/v) for 100 g NaCl dissolved in 250 mL of solution?

A. 40%

B. 20%

C. 10%

D. 25%

10. Which cells in bone are responsible for bone resorption, and which are responsible for bone formation?

A. Osteoclasts and Osteoblasts

B. Osteoblasts and Osteoclasts

C. Chondrocytes and Osteocytes

D. Osteocytes and Osteoclasts

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. A
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Hyperkalemia may be caused by each of the following EXCEPT

A. Alkalosis

B. Acute or chronic renal failure

C. Hypoaldosteronism

D. Sample hemolysis

Hyperkalemia occurs when potassium is not adequately excreted or is shifted from inside cells into the extracellular space. Acute or chronic renal failure reduces the kidneys' ability to excrete potassium, leading to accumulation. Hypoaldosteronism decreases potassium secretion in the distal nephron, also raising serum potassium. Hemolyzed samples release potassium from red blood cells, producing a falsely elevated measured value. Alkalosis, on the other hand, drives potassium into cells, reducing serum potassium and tending toward hypokalemia, not hyperkalemia. So alkalosis is not a cause of hyperkalemia.

2. Exudative pleural effusions are typically due to disease involving which structure?

A. The pleura

B. The heart

C. The kidneys

D. The mediastinum

Exudative pleural effusions arise when disease affects the pleural membranes themselves. Inflammation or malignant involvement of the pleura makes the tiny vessels in that lining leak more fluid, and this fluid is rich in protein and cells—characteristic of an exudate. This reflects local pleural pathology, such as infection (pneumonia with pleuritis), tuberculosis, or cancer, rather than a systemic imbalance. Transudates, by contrast, come from conditions that alter pressures or proteins in the blood—like heart failure or kidney disease—without injuring the pleural membranes, so the fluid is more dilute. The mediastinum isn't the primary site driving exudative pleural fluid. So the structure involved is the pleura, the lining of the lungs and chest cavity.

3. At a pH of 7.10, the H+ concentration is equal to

A. 80 nmol/L

B. 20 nmol/L

C. 40 nmol/L

D. 60 nmol/L

The key idea is that pH is the negative logarithm of the hydrogen ion concentration: pH = -log10[H+]. So the hydrogen ion concentration is [H+] = 10^(-pH) in moles per liter. For pH 7.10, [H+] = 10^(-7.10) M ≈ 7.94 × 10^(-8) M. Converting to nanomoles per liter: 7.94 × 10^(-8) M × 10^9 nmol/L per M ≈ 79.4 nmol/L, which rounds to about 80 nmol/L. Therefore, at pH 7.10, the H+ concentration is approximately 80 nmol/L.

SAMPLE

4. Which statement best describes a key advantage of PCR/ESI-TOF in pathogen identification?

A. Requires the patient sample to be cultured and then analysis can be performed.

B. Can be used directly from patient specimens.

C. Uses the protein "finger print" to identify the pathogen.

D. Requires extensive sample processing.

Direct analysis from patient specimens is the main advantage. PCR amplifies small amounts of pathogen DNA in a sample, increasing sensitivity so low-level or hard-to-culture infections can be detected. Pairing that with ESI-TOF mass spectrometry reads the masses of the amplified products, giving a unique signature that matches known pathogens. This lets you identify the organism quickly without waiting for culture to grow, which speeds diagnosis and can catch fastidious or non-culturable organisms that culture-based methods might miss. In contrast, methods that require culture or rely on protein fingerprints describe different approaches, not the combination of direct-from-specimen DNA amplification with mass-based identification.

5. Mass spectrometry identifies analytes based on:

A. Mass to charge ratio

B. Retention factor

C. Density of the band

D. Molecular weight

In mass spectrometry, the key measurement is the mass-to-charge ratio of ions, which is what allows both separation and identification of analytes. When a sample is ionized, charged fragments and intact ions are propelled through the mass analyzer, and their m/z values determine their paths or flight times, producing a spectrum that shows how abundant each m/z is. This spectrum provides characteristic peaks that correspond to the molecular ion and its fragments, enabling identification by matching to known patterns. Concepts like retention factor or density of a chromatographic band come from chromatography and track how a compound behaves on a column, not how it is identified in MS. The molecular weight is related to m/z, especially for singly charged ions, but the fundamental identifier in mass spectrometry is the measured mass-to-charge ratio, which directly reveals the ion's identity through its unique m/z signatures.

6. Dwell time in automated analysis refers to which concept?

A. Time between initiation of a test and the completion of the analysis

B. Number of tests an instrument can handle in a specified time

C. Ability of an instrument to perform a defined workload in a specified time

D. None of these

Dwell time measures the duration of a single test's run on an automated analyzer, from the moment you initiate the test to when the analysis is completed and a result is produced. It's the cycle time for one test, reflecting how long the instrument spends from start to finish on that assay. This is different from throughput, which describes how many tests can be completed in a given period (tests per hour) and from workload capability, which refers to the instrument's ability to handle a defined amount of work within a time frame. For example, if a single test takes two minutes from start to result, that two-minute interval is the dwell time for that test. Shorter dwell times can speed overall turnaround, but must align with accuracy and quality control requirements.

SAMPLE

7. What does ROC stand for?

A. Receiver Operator Characteristic

B. Relative Operating Criterion

C. Rate Of Convergence

D. Randomized Outcome Curve

ROC stands for Receiver Operating Characteristic. This is the name for a plot used to evaluate binary classifiers across all thresholds. It graphs sensitivity (true positive rate) versus 1 minus specificity (false positive rate). A good test yields a curve close to the top-left corner, and the area under the curve (AUC) summarizes overall performance. The other expansions don't match the recognized term.

8. An IgG index of 0.8 is most indicative of which phenomenon?

A. Intrathecal IgG synthesis

B. CSF leakage

C. Fungal infection

D. Malignancy

The IgG index measures intrathecal (within the CNS) IgG production by adjusting CSF IgG for what leaks in from serum, using the CSF/serum albumin ratio as a backbone. Normal values are around up to 0.7–0.8, and values at or above this threshold point to IgG being produced inside the CNS rather than just reflecting serum IgG crossing the barrier. An index of 0.8 sits at the upper limit of normal, indicating intrathecal IgG synthesis. This is the hallmark of CNS-restricted immune activity, as seen in inflammatory or demyelinating processes. CSF leakage tends to disturb the barrier differently and does not inherently raise the IgG index. While infections or malignancies can involve intrathecal IgG production, the index by itself specifically signals intrathecal synthesis rather than pinpointing a particular diagnosis.

9. What is the percent (w/v) for 100 g NaCl dissolved in 250 mL of solution?

A. 40%

B. 20%

C. 10%

D. 25%

Percent weight/volume shows how many grams of solute are present per 100 milliliters of solution. Here, 100 g of NaCl are dissolved in 250 mL of solution. Use the formula: % w/v = (grams of solute / milliliters of solution) × 100. So (100 g / 250 mL) × 100 = 0.4 × 100 = 40%. This is the correct percent w/v. Remember, this measure uses grams per milliliter (then scaled to per 100 mL), not mass percent or volume percent.

SAMPLE

10. Which cells in bone are responsible for bone resorption, and which are responsible for bone formation?

A. Osteoclasts and Osteoblasts

B. Osteoblasts and Osteoclasts

C. Chondrocytes and Osteocytes

D. Osteocytes and Osteoclasts

In bone remodeling, two distinct cell types drive the two opposite processes: resorption and formation. Osteoclasts are the cells responsible for bone resorption. They attach to the bone surface, create an acidic microenvironment and release proteolytic enzymes to dissolve mineral and organic matrix, effectively breaking down old or damaged bone. Osteoblasts handle bone formation. They synthesize and secrete the unmineralized osteoid and then promote mineralization to build new bone tissue. Some osteoblasts become embedded as osteocytes within the bone matrix, but the primary builders of new bone are the osteoblasts. Chondrocytes form cartilage, not bone, and osteocytes mainly regulate remodeling rather than actively resorbing or forming bone. So, bone resorption is done by osteoclasts, and bone formation by osteoblasts.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://bishopclinicalchem.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE