BOARD CERTIFIED GERONTOLOGICAL NUTRITIONIST (BCGN) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://bcgngerontologicalnutritionist.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which strategy is not effective in managing xerostomia?

A. Reducing fluid intake

B. Increased fluid intake

C. Using sugarless candy or gum

D. Dental evaluations

2. How can fortified foods benefit older adults?

A. They are primarily used for weight gain.

B. They help address specific nutrient deficiencies.

C. They are higher in calories than regular foods.

D. They provide more fiber compared to non-fortified foods.

3. What assistance can home health aides provide under the Title III VI Elder Nutrition Program?

A. Transportation to grocery stores

B. Meal preparation and companionship

C. House cleaning services

D. Medication management

4. What is a requirement for diabetes self-management training covered under Medicare?

A. An order from a healthcare provider

B. Prior completion of a nutritional course

C. Annual physical examination

D. Participation in a diabetes support group

5. At what age do SNAP eligibility criteria allow some cash asset possession for participants?

A. 40

B. 50

C. 60

D. 70

SAMPLE

6. What can trigger the need for drug therapy in individuals categorized as low to moderate cardiac risk?

A. An LDL of less than 160 mg/dl after 6 months of TLC

B. An LDL greater than 160 mg/dl after 3 months of TLC

C. An LDL of greater than 130 mg/dl at any time

D. An LDL averaging above 100 mg/dl

7. Which of the following nutrients may require additional focus in an elderly diet?

A. Vitamin K

B. Vitamin B6

C. Vitamin C

D. Calcium

8. What is a recommended dietary practice for those experiencing cardiac cachexia?

A. Three large meals per day

B. Small frequent meals

C. Intermittent fasting

D. High carbohydrate diet

9. What is the primary purpose of advanced directives?

A. To detail a person's financial obligations

B. To provide guidance on medical decisions and end of life interventions

C. To serve as a legal testament to a person's estate

D. To establish a will for property distribution

10. What percentage of adults over 75 years old are reported to have glucose intolerance or diabetes mellitus?

A. 25%

B. 30%

C. 40%

D. 50%

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. A
5. C
6. B
7. D
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which strategy is not effective in managing xerostomia?

A. Reducing fluid intake

B. Increased fluid intake

C. Using sugarless candy or gum

D. Dental evaluations

Reducing fluid intake is not an effective strategy for managing xerostomia, which is the clinical term for dry mouth. Individuals experiencing xerostomia often suffer from decreased saliva production, leading to discomfort and difficulty swallowing, speaking, and tasting food. Therefore, increasing fluid intake is crucial, as it helps to alleviate the symptoms by providing hydration and potentially stimulating saliva production. Using sugarless candy or gum is beneficial as it encourages chewing, which can promote saliva flow. Dental evaluations are also important for these individuals because dry mouth increases the risk of dental issues, such as cavities and gum disease, necessitating regular assessments and care from dental professionals. In summary, the appropriate management of xerostomia involves increasing fluid intake and utilizing strategies that promote saliva production, making the reduction of fluid intake counterproductive in this context.

2. How can fortified foods benefit older adults?

A. They are primarily used for weight gain.

B. They help address specific nutrient deficiencies.

C. They are higher in calories than regular foods.

D. They provide more fiber compared to non-fortified foods.

Fortified foods are designed to enhance the nutritional profile of standard food products by adding essential vitamins, minerals, or other nutrients that may be lacking in the average diet. For older adults, who often face unique nutritional challenges such as the risk of nutrient deficiencies due to age-related changes in metabolism, appetite, and dietary intake, fortified foods can be particularly beneficial. By addressing specific nutrient deficiencies, these foods can help older adults meet their dietary needs more effectively. For instance, many older adults are at risk for deficiencies in vitamin D, calcium, and vitamin B12, which are critical for bone health, cognitive function, and maintaining energy levels. Fortified foods can be an efficient way to ensure that these nutrients are consumed regularly, contributing to overall health and well-being. In contrast, the other choices do not accurately reflect the primary purpose of fortified foods. While fortified foods may have varying impacts on caloric intake, their main intent is not solely for weight gain or to be higher in calories. Additionally, while some fortified foods might include added fiber, it is not their defining characteristic nor their main goal when targeting nutrient deficiencies in older adults.

SAMPLE

3. What assistance can home health aides provide under the Title III VI Elder Nutrition Program?

A. Transportation to grocery stores

B. Meal preparation and companionship

C. House cleaning services

D. Medication management

The Title III VI Elder Nutrition Program is designed to provide essential services to older adults to enhance their well-being and nutritional health. The program emphasizes the importance of nutrition and social interaction for seniors, aiming to alleviate issues related to malnutrition and isolation. Meal preparation is a crucial aspect of this support, as many elderly individuals may struggle with cooking due to physical limitations, cognitive decline, or lack of knowledge about nutrition. Home health aides can assist in preparing meals that meet the dietary needs of older adults, ensuring they receive the necessary nutrients. Additionally, companionship is a significant benefit of this program; social interaction is highly beneficial for mental health and can help reduce feelings of loneliness and depression that some seniors experience. While transportation to grocery stores is essential for enabling older adults to maintain independence and access fresh foods, assistance with this task falls outside the main nutritional focus of the program. House cleaning services, while beneficial for maintaining a clean environment, also do not directly address the nutritional needs of older adults. Finally, medication management plays a critical role in maintaining the health of elderly individuals, but it is not a primary focus of the Elder Nutrition Program. Therefore, the provision of meal preparation and companionship directly aligns with the core mission of the Title III VI Elder Nutrition Program, making

4. What is a requirement for diabetes self-management training covered under Medicare?

A. An order from a healthcare provider

B. Prior completion of a nutritional course

C. Annual physical examination

D. Participation in a diabetes support group

A requirement for diabetes self-management training covered under Medicare is obtaining an order from a healthcare provider. This is essential because Medicare recognizes the importance of having a qualified healthcare professional involved in a patient's diabetes care plan. The provider ensures that the training is medically necessary and tailored to the individual's specific health needs. This order activates the coverage for the specialized training, which educates patients about managing their diabetes effectively, including dietary adjustments, blood sugar monitoring, and lifestyle changes. By emphasizing the need for a healthcare provider's order, Medicare ensures that the training is not only appropriate but also aligns with the overall healthcare management plan for the individual.

SAMPLE

5. At what age do SNAP eligibility criteria allow some cash asset possession for participants?

A. 40

B. 50

C. 60

D. 70

The correct answer is 60 because, under the Supplemental Nutrition Assistance Program (SNAP), individuals aged 60 and older are granted certain considerations regarding asset limits that may not apply to younger participants. This includes allowances for cash asset possession, which can be crucial for older adults who may have limited income and rely on savings for essential living expenses. The program recognizes the unique financial situations of older individuals, allowing them to retain some savings without disqualifying them from benefits. This policy reflects an understanding of the economic challenges often faced by seniors, ensuring they have access to necessary food assistance while also maintaining financial security.

6. What can trigger the need for drug therapy in individuals categorized as low to moderate cardiac risk?

A. An LDL of less than 160 mg/dl after 6 months of TLC

B. An LDL greater than 160 mg/dl after 3 months of TLC

C. An LDL of greater than 130 mg/dl at any time

D. An LDL averaging above 100 mg/dl

The need for drug therapy in individuals categorized as low to moderate cardiac risk is typically triggered by an elevated level of low-density lipoprotein (LDL) cholesterol, particularly when lifestyle changes have not sufficiently reduced these levels. In this context, an LDL greater than 160 mg/dl after 3 months of therapeutic lifestyle changes (TLC) indicates that the individual has not achieved the desired therapeutic goals through diet and exercise alone. This threshold is critical because guidelines often suggest that if TLCs are unsuccessful in lowering LDL to acceptable levels (usually under 160 mg/dl for those at lower to moderate risk), pharmacological interventions may be necessary to manage cholesterol and subsequently reduce cardiovascular risk. Therefore, the specific scenario outlined with LDL levels above 160 mg/dl prompts the consideration of initiating drug therapy to better manage the individual's lipid profile and reduce the risk of heart disease. The other options present LDL thresholds that do not meet the criteria for initiating drug therapy or point to levels that are generally considered acceptable or not urgent enough to warrant such intervention. As a result, option B accurately reflects the clinical guideline criteria for when drug therapy becomes a necessary consideration.

SAMPLE

7. Which of the following nutrients may require additional focus in an elderly diet?

A. Vitamin K

B. Vitamin B6

C. Vitamin C

D. Calcium

Calcium is particularly important in the diet of older adults for several reasons. With aging, the risk of osteoporosis and fractures increases significantly due to the natural decline in bone mass and density. Adequate calcium intake is crucial for maintaining bone health and preventing these conditions. Furthermore, older adults may have dietary restrictions, decreased absorption, or lower dietary intake of calcium-rich foods, which compounds the risk of deficiency. Specifically, as people age, the efficiency of the intestines to absorb nutrients decreases, which can lead to lower calcium levels if dietary intake is not sufficiently high. Additionally, factors such as decreased physical activity and changes in hormonal levels with aging can further exacerbate the need for adequate calcium in the diet. Therefore, it is vital for nutritionists working with elderly populations to emphasize calcium intake to support skeletal health and overall well-being in this age group.

8. What is a recommended dietary practice for those experiencing cardiac cachexia?

A. Three large meals per day

B. Small frequent meals

C. Intermittent fasting

D. High carbohydrate diet

For individuals experiencing cardiac cachexia, which is characterized by significant weight loss, muscle wasting, and fatigue due to heart disease, small frequent meals are recommended. This approach aids in ensuring that patients receive adequate caloric intake without overwhelming their digestive system or causing discomfort. Smaller meals can also help manage symptoms such as early satiety, which is common in those with cardiac issues. This dietary practice enables better nutrient absorption and provides a steady supply of energy throughout the day, which can be particularly beneficial for maintaining a healthier weight and supporting muscle mass. The frequent intake of food can help in addressing both nutritional needs and the challenges associated with heart disease, ultimately aiding in the management of symptoms related to cardiac cachexia.

9. What is the primary purpose of advanced directives?

A. To detail a person's financial obligations

B. To provide guidance on medical decisions and end of life interventions

C. To serve as a legal testament to a person's estate

D. To establish a will for property distribution

The primary purpose of advanced directives is to provide guidance on medical decisions and end-of-life interventions. These documents allow individuals to express their preferences regarding medical treatment in case they become unable to communicate their wishes due to illness or incapacity. Advanced directives can include living wills and durable powers of attorney for healthcare, which specify what kind of medical care the individual wishes to receive, or not receive, under certain circumstances. This ensures that their healthcare aligns with their personal values and desires when they are unable to make those decisions for themselves. In contrast, detailing financial obligations, serving as a testament to a person's estate, or establishing a will for property distribution primarily focus on legal and financial matters. While these documents are important, they do not address the medical decisions and healthcare preferences that advanced directives specifically cater to, emphasizing the need for clarity regarding a person's health-related choices.

SAMPLE

10. What percentage of adults over 75 years old are reported to have glucose intolerance or diabetes mellitus?

A. 25%

B. 30%

C. 40%

D. 50%

The correct answer is based on epidemiological studies indicating that glucose intolerance and diabetes mellitus are prevalent conditions in older adults, particularly those aged 75 and older. Research suggests that around 40% of this age group experiences either glucose intolerance or diabetes. This statistic highlights the significant health challenge that diabetes poses among older adults, linking it to various factors such as increased insulin resistance, changes in body composition, and the presence of multiple chronic conditions often seen in this demographic. Understanding this prevalence is crucial for healthcare providers, as it underscores the need for regular screening, appropriate interventions, and personalized nutrition plans to manage and potentially prevent these conditions in older populations. Furthermore, recognizing the high percentage of affected individuals guides public health initiatives aimed at addressing the increasing rates of diabetes among the elderly.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://bcgngerontologicalnutritionist.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE